





Very truly yours
Jens M. Wabant

MISSOURI
BOTANICAL GARDEN.
TENTH ANNUAL REPORT.

ST. LOUIS, MO.:
PUBLISHED BY THE BOARD OF TRUSTEES.
1899.

46120
2616/99

BOARD OF TRUSTEES OF THE MISSOURI BOTANICAL GARDEN.

President,
RUFUS J. LACKLAND.

Vice-President,
HENRY HITCHCOCK, LL.D.

JOSEPH W. BRANCH.

JOHN GREEN, M. D.

JOHN B. JOHNSON, M. D.

DAVID F. KAIME.

GEORGE A. MADILL.

LEONARD MATTHEWS.

WILLIAM H. H. PETTUS.

JAMES E. YEATMAN.

WINFIELD S. CHAPLIN,
Chancellor of Washington University.*

EDWARD C. ELIOT,¹
President of the Board of Public
Schools of St. Louis.*

EDMUND A. ENGLER,
President of the Academy of Science
of St. Louis.*

DANIEL S. TUTTLE,
Bishop of the Diocese of Missouri.*

HENRY ZIEGENHEIN,
Mayor of the City of St. Louis.*

A. D. CUNNINGHAM, Secretary.

* *Ex-officio.*

¹ Elected President of the Board of Public Schools of St. Louis, October 11, 1898, to succeed Paul F. Coste, who had held that office since May 31, 1897.

P R E F A C E .

Under the direction of the Board of Trustees, the tenth annual report of the Missouri Botanical Garden is presented to the public. The ninth report was issued April 16, 1898. In addition to the administrative reports for 1898, which contain a summary of the results achieved during the period since the management of the Garden devolved upon the Trustees designated by Henry Shaw in his will, and two scientific papers, the present volume contains a biographical sketch of the late Dr. E. Lewis Sturtevant, whose gifts to the Garden have from time to time been announced in these reports, kindly prepared by Professor C. S. Plumb, at the request of the Board of Trustees, a list of publications issued from the Garden in 1897 and 1898, a list of the serial publications received at the Garden library, and comprehensive indexes to the contents of the ten annual reports of the Garden thus far issued.


These reports are sent to scientific institutions and journals, in exchange for publications and specimens desirable for the library, herbarium, or plant-houses of the Garden. So far as possible, reprints of the botanical articles they contain are sent to botanists occupied with a study of the same subjects.

Any of the Garden publications not out of print may be purchased, at approximately the cost of publication, from The Cambridge Botanical Supply Co., of Cambridge, Mass., W. Wesley & Son, of London, R. Friedländer & Sohn, of Berlin, or the undersigned.

W M. TRELEASE.

St. Louis, Mar. 30, 1899.

(3)



CONTENTS.

	PAGE.
1. REPORTS FOR THE YEAR 1898:—	
a. Report of the Officers of the Board	7
b. Tenth Annual Report of the Director	12
2. SCIENTIFIC PAPERS:—	
a. Notes on the Grasses in the Bernhardi Herbarium, collected by Thaddeus Haenke, and described by J. S. Presl— <i>By F. Lamson-Scribner</i>	35
b. A Sclerotiod Disease of Beech Roots— <i>By Hermann von Schrenk</i>	61
3. SPECIAL PUBLICATIONS:—	
a. Edward Louis Sturdevant. A Biographical Sketch— <i>By C. S. Plumb</i>	71
4. LIBRARY CONTRIBUTIONS:—	
a. A list of books and papers published from the Missouri Botanical Garden or by its employees, or based chiefly on work done by aid of the facilities of the Garden, from January, 1897, to December, 1898, inclusive— <i>By C. E. Hutchings</i>	85
b. List of serial publications received at the library of the Missouri Botanical Garden— <i>By William Trelease</i>	91
5. CONTRIBUTORS, Volumes 1 to 10	161
6. INDEXES, Volumes 1 to 10:—	
a. General Index	162
b. Index to Latin names	168

LIST OF ILLUSTRATIONS.

Frontispiece: E. Lewis Sturtevant.	
Group of Palms	Facing page 7
Pampas Grasses	" " 12
The Herbarium Building	" " 28
The Goose Flower	" " 32
An Agave Corner	" " 35
Plates 1-54, Presl Grasses	Following page 60
Plates 55-56, Disease of Beech Roots	" " 70





A PALM GROUP.

REPORTS FOR THE YEAR 1898.

REPORT OF THE OFFICERS OF THE BOARD.

SUBMITTED TO THE TRUSTEES JANUARY 11, 1899.

To the Board of Trustees of the Missouri Botanical Garden:

We herewith present the financial results for the year ending December 31, 1898.

Our income from rentals continues to show a steady increase, being \$1,094.61 in excess of those of 1897, and a still further increase is expected during the ensuing year.

Several buildings vacated during the year have been thoroughly repaired and tenants secured and the condition of nearly all the properties of the Trust has been improved, the vacancies are fewer in number than for several years past and no reductions in rent are demanded or anticipated.

The improvement of Flora Avenue has been completed upon the plans mentioned in our last report, including the erection of a magnificent entrance, costing \$9,500, on Grand avenue to Flora Boulevard, which furnishes a splendid double driveway with a park place in the center fifty feet wide and running the full length of the avenue 4,440 feet directly to the main entrance to the Missouri Botanical Garden. These improvements were made jointly by the owners of the property on the south side and the Board, costing in all \$103,909.00, our proportion being \$44,840.78, which has all been paid for, in part out of our surplus.

No decision has yet been rendered by the Supreme Court of the State of Missouri on our application made in October, 1897, for power to sell certain non-productive property, although a second argument was ordered which was made on Tuesday, April 8, 1898, but a decision is looked for in the near future. Owing to the delay in securing this decision and the large demands made upon our surplus for street improvements during the past two years, no work has been done on the proposed addition to the Garden nor have any extensive additions been made either to the Garden Library or Herbarium, but the following sums have been credited to the stock account which now aggregates \$1,568,251.08: —

Library.....	\$3,557	84
Herbarium	2,862	00
		<hr/>
	\$6,419	84

Mr. Shaw's bequests for banquets, sermon, Shaw School of Botany and premiums for flower show have all been carried out as provided for in his will, and after caring for the Garden, and keeping the properties of the Trust in good repair and fully insured, and the payment of taxes, and other expenses, all out of the revenue of the year, we are enabled to carry forward a surplus for the year of \$14,247.01.

RECEIPTS.

Rents.....	\$96,512	28
Interest and dividends.....	950	63
Garden pasture.....	428	91
Garden handbook sales.....	48	25
Publication sales.....	18	45
Insurance of rentals, loss.....	10	00
Insurance of buildings, loss.....	692	24
Cash balance, January 1, 1898.....		<hr/>
		58,408
		88
Total.....		<hr/>
	\$157,069	64

EXPENDITURES.

Garden Account,

Labor pay-roll.....	\$12,476 48
Students' pay-roll.....	1,608 90
Office assistance.....	634 56
Fuel	1,044 98
Water.....	708 00
Repairs and supplies.....	1,842 93
Stable and implements.....	478 32
Plants and seeds.....	1,366 29
	\$20,155 46

Herbarium Account,

Office assistance and janitor.....	434 04
Extra mounting and inserting.....	140 69
Fuel	75 08
Current expenditure and specimens.....	1,259 87

Library Account,

Office assistance.....	918 92
Fuel.....	75 08
Current expenditures and books.....	1,731 76

Office Account,

Salaries.....	4,525 94
Fuel.....	75 07
Current expenditure.....	361 96

4,962 07

Research Account,

Salaries.....	834 96
Current expenditure.....	124 65

939 61

Scholarship Account,

Instruction.....	521 87
Care of lodge.....	240 00
Fuel.....	30 89
Current expenditure.....	84 76
	886 52
Total current Garden expenses.....	\$31,000 00

Garden Improvement Account,

F. L. & J. C. Olmsted, services.....	564 47
Total on Garden.....	\$32,164 47

Publication Account,

Annual volume.....	1,690 30
Preparation of library catalogue.....	253 65
	1,943 95

Carried forward..... \$34,103 42

<i>Brought forward</i>		\$34,108 42
Property Expenses,		
State, school, city and sprinkling tax.....	\$30,668 91	
Streets, sidewalks and sewers.....	21,900 82	
Insurance.....	4,334 24	
Repairs.....	6,016 86	
New improvements	145 50	\$63,066 33
Office Expense,		
Salaries	3,600 00	
Rent of office.....	780 00	
Printing, postage, advertising and telephone...	573 29	4,953 29
Bequests,		
Flower Show.....	456 00	
Flower Sermon.....	200 00	
Trustees' Banquet.....	893 50	
Gardeners' Banquet.....	347 04	
Washington University, School of Botany....	1,226 40	3,122 94
Sundries,		
Legal expenses.....	371 35	
Repairs to buildings damaged by fire.....	692 24	1,063 59
		<hr/>
		\$106,314 57
Certificates of deposits invested in 1898.....		50,000 00
Cash on hand December 31, 1898.....		755 07
		<hr/>
		\$157,069 64
		<hr/>

The books of the Board have been closed after showing the operations for the year ending December 31, 1898, and after charging to Real Estate Account the balance of Streets, Sidewalks and Sewer Account, \$21,900.82, the income has been disposed of as follows: —

Rent Account.....	\$96,512 28
Interest and dividends.....	950 63
Insurance of rentals.....	10 00
Garden handbook sales.....	48 25
	<hr/>
	\$97,521 16
	<hr/>

CONTRA.

Garden expenses.....	\$31,171 09
Garden improvements.....	564 47
Office expense.....	4,953 29
Repairs.....	6,016 86
Insurance	4,334 24
New improvements.....	145 50
Legal expenses.....	371 35
Washington University, School of Botany.....	1,226 40
Annual Flower Sermon.....	200 00
Annual Trustees' Banquet.....	893 50
Annual Gardeners' Banquet.....	347 04
Annual Flower Show.....	456 00
Publications.....	1,925 50
	<hr/>
	\$52,605 24
Taxes.....	30,668 91
	<hr/>
Surplus for the year.....	14,247 01
	<hr/>
	\$97,521 16
<hr/>	<hr/>
Surplus to Dec. 31, 1897.....	\$76,077 10
Surplus for 1898.....	14,247 01
	<hr/>
	\$90,324 11
	<hr/>

Our surplus on December 31, 1898, is accounted for as follows: —

Improvement of Flora Avenue.....	\$39,569 04
Bank certificates of deposit.....	50,000 00
Cash.....	755 07
	<hr/>
	\$90,324 11

Respectfully submitted,

Attest: R. J. LACKLAND, President.
A. D. CUNNINGHAM, Secretary.

TENTH ANNUAL REPORT OF THE DIRECTOR.

SUBMITTED TO THE TRUSTEES JAN. 11, 1899.

To the Board of Trustees of the Missouri Botanical Garden:

The following report on the Missouri Botanical Garden and the Henry Shaw School of Botany is respectfully submitted, in compliance with your rules. As this is the tenth report submitted since the organization of the Garden under the care of the Board, and therefore marks a convenient period in the history of the institution, it is made to include a resumé for this entire term.

THE BOTANICAL GARDEN.

Tersely stated, the objects contemplated by the founder of the Garden, as indicated in his will,* are, the maintenance of a garden easily accessible to the public, excepting on Sundays and holidays, for the cultivation, propagation and study of plants; the exchange of material; the equipment, maintenance and utilization of a museum, herbarium and library; the gathering about the institution of a corps of instructors and investigators, with suitable laboratory and instrumental equipment; the provision for public lectures, from time to time; the prosecution of research in botany in the broadest sense, including vegetable physiology, the diseases and injuries of plants, and horticulture, and other branches of science closely connected with these; and the instruction and training of gardeners.

In appointing a Director for the Garden, with the general duty of carrying out the provisions of Mr. Shaw's will, so

* Rept. Mo. Bot. Gard. 1 : 29.



PAMPAS GRASSES.

far as this could depend upon him, the Board of Trustees adopted a few simple rules for persons making use of the institution, and a comprehensive skeleton outline for the guidance of the Director.*

During the period covered by this report, the Garden has been kept open to the public at the times designated by the founder,† and has been maintained in as attractive a manner as the means at the disposal of the Board have permitted. While, as has been indicated in previous reports, year by year, the attractive features of the Garden have been annually augmented, the severe tornado of May 27, 1896 wrought great havoc with the trees, so that at the time, 450 trees were destroyed, and, as a result of the injuries that they then received, some hundreds of others have since died and been removed.‡

The plant-houses, which, when the Board assumed control of the Garden, were all of antiquated models and defective construction, from time to time have been placed in somewhat better condition; and the system of houses was increased by the addition, in 1894 and 1897, of a modern well-lighted house, a part of which is devoted to a collection of orchids, while another part is planted out, in a natural and attractive way, to ferns, cycads, etc.§ In 1895, a modern vegetable forcing house and grapery was added.|| Notwithstanding these additions, at present the house capacity is by no means adequate for the cultivation of the large number of species of plants which are now growing under glass, and, as has been reported previously,¶ it is hoped that ultimately very considerable additions may be made, in which case it should prove possible to set aside certain houses exclusively for bringing plants into bloom for display in other houses which are used exclusively for that

* Rept. 1 : 92. 8 : 12.

§ Rept. 6 : 14. 7 : 14.

† Rept. 1 : 32, 51, 92. 6 : 11.

|| Rept. 7 : 16.

‡ Rept. 8 : 18. 9 : 18.

¶ Rept. 8 : 37, 41.

purpose, while still other houses, as is the case with all at present, will be devoted to mixed collections, among which some plants are in vegetation, while others are in flower, all of the time.

Though the will of Mr. Shaw expressly indicates as desirable the extension of the grounds, from time to time, and the Board, some years since, placed the preparation of suitable extension plans in the hands of Messrs. Olmsted, Olmsted & Eliot, the well-known landscape architects, for the reasons stated in my last two reports* it has been impossible to begin actual work on the proposed extension, which is intended to include, in addition to smaller special groups, a permanent synopsis of the North American flora, representing the classification of Bentham and Hooker, and a permanent general synopsis of the higher groups of the vegetable kingdom, representing the more recent phylogenetic classification of Engler and Prantl.† Pending the receipt and adoption of the entire plans of the firm named, no considerable planting of trees and shrubbery in even the older part of the grounds is being undertaken.

The decorative features for 1898 were maintained on about the same lines as in previous years, and although, as is inevitable in a botanical institution, many species of plants which are of scientific interest but of no decorative value and only transient duration have been cultivated, an effort has been made to add to the permanent collection species of truly decorative value, both tender plants requiring shelter in the plant-houses and those capable of being used in the open air, either for bedding purposes or as hardy perennials requiring no special care to secure their continuance from year to year.

The collection of plants, which in 1895‡ was estimated at

* Rept. 8: 46, 9: 13.

† Rept. 8: 39.

‡ Rept. 7: 14. — The inventory showed 3,921 named forms other than annuals, of which 1,000 were supposed to be in cultivation in the year mentioned.

5,000 species and varieties, was found by a careful inventory then taken, to include, in 1898, 8,009 species and varieties, of which all but one or two hundred are named with more or less accuracy. Among the collections specially worthy of mention are the cacti, of which 462 species are cultivated (306 in 1895); the orchids, represented by 548 named forms (156 in 1895); the aroids, of which there are 274 species (93 in 1895); the ferns, including 169 species (84 in 1895); and palms, 61 species (65 in 1895, and, unquestionably because of the inclusion of other things, 106 in the administrator's inventory);* while of hardy trees and shrubs there are 1,811 species and varieties (862 in 1895), of hardy herbaceous plants 2,179 (1,129 in 1895), and of vegetables 1,016 (201 in 1895). Roughly divided, the collection includes 5,006 hardy forms and 3,003 cultivated under glass.

Though, because of the difficulty and expense of shipping plants and seeds from the United States to foreign countries,† it has been impracticable to make the duplicates of the Garden collections as useful to other institutions as would otherwise have been desired, an effort has always been made to supply material required elsewhere for cultivation or research; and under the new agreement of the countries comprised in the Universal Postal Union, it is hoped that in future the Garden can be far more useful than heretofore to its foreign correspondents, in supplying them with desirable seeds, cuttings and small plants. Each year, under the direction of the Board, the surplus bedding material on hand in the spring, after the grounds were planted, and many bedding plants, potted on the approach of cold weather, have been distributed to hospitals, missions and other charities, and the kindergartens of the public school system of St. Louis.‡

* Rept. 1:102.

† Rept. 7:16. 8:16.

‡ Rept. 4:13. 5:13. 6:14. 7:15. 8:16. 9:12.

In return for seeds and plants, and for its publications, a considerable number of consignments of plants are each year presented to the Garden,* and extensive but conservative purchases are annually made. During 1898, 274 such consignments were received, of which 225, including 4,597 plants or packets of seeds and valued at \$1,317.68, were presented. The expenditure for plants and seeds for the year was \$1,366.29. By way of exchange, 132 packets of seeds and 321 plants, appraised at \$111.80, were sent out; and 1,340 plants were presented to schools and charities.

Until midsummer of the present year, no definite count of visitors to the Garden was kept, the rough estimate of the gate-keeper and Head Gardener showing that there seemed to be a gradual increase in the number of persons who made use of the Garden in each successive year. Beginning with the middle of July of 1898, however, the gate-keeper has kept an accurate record of the visitors passing the gate, and his report shows 32,867 persons for week days during the period covered by the count. The smallest number, on the 21st of November, was 6. The largest number on any week day was 1,640, on October 6, which was the special holiday of the week of the St. Louis Fair. In June, on the Sunday afternoon when, in accordance with the provision of Mr. Shaw's will, the Garden was open to the public, 12,908 persons were counted, and on the first Sunday afternoon in September, when the Garden was likewise open to the public, under the same provision, 5,465 persons were counted. Estimating the number of visitors as approximately the same during the two halves of the year, it appears that the total number for 1898 may have been 89,102.

For reasons repeatedly stated in earlier reports,† the

* Rept. 4:12. 5:12. 6:14. 7:14, 16. 8:17. 9:12.

† Rept. 1:31, 35, 37, 50, 93. 2:25. 3:16. 8:19, 21. 9:16.

small museum which was established in the lifetime of Mr. Shaw, but which, when the Board assumed control of the Garden, was hardly in condition to be kept opened, is still used for other purposes, so that the Garden is yet without a public museum, although it possesses very considerable accumulations of research material properly classed as part of a museum equipment, though, from its nature, not displayed for public inspection. The extension plans already referred to provide for the ultimate establishment of an adequate museum.*

The herbarium, which started with the important Engelmann and Bernhardi collections,† and which has been reported on annually, and to which, in 1897, were added the extensive Redfield, Jermy and Joor herbaria,‡ was increased during 1898 by the addition of many small collections from the United States and other regions, of which a very large number of specimens are still unmounted. The new material incorporated comprises, after deducting one duplicate sheet withdrawn from the Engelmann herbarium and two from the general collection, 19,079 sheets of specimens, of which 7,103 were bought, 6,995 pertain to the Redfield collection, 2,475, appraised at \$123.75 were collected by Garden employees, and 2,506, appraised at \$125.30,§ were presented, chiefly in exchange for Garden publications. By way of exchange, 462 herbarium specimens, valued at \$23.10 were distributed to correspondents of the institution; and for research and museum purposes, 33 specimens of aleoholic material and 194 packets of nuts were presented to similar establishments.

* Rept. 8:43-4.

† Rept. 1:93. 2:24-5. 3:15. 8:19.

‡ Rept. 9:14.

§ These valuations, as in earlier volumes, for the unmounted specimens as received.

The present composition of the herbarium is as follows: —

Engelmann Herbarium (all groups), about..... 97,800 specimens.
The General Herbarium: —

Higher plants.

The J. J. Bernhardi Herbarium.....	61,121
The J. H. Redfield Herbarium*.....	11,506
Other specimens.....	<u>114,965</u>
	187,592 "

Thallophytes.

The J. J. Bernhardi Herbarium*....	126
Other specimens.....	<u>21,942</u>
	22,068 "
Making a total of about.....	307,460 "
Valued at.....	\$46,119 00†

The following, practically a part of the herbarium facilities, is essentially the same as for some years past:‡ —

Wood specimens of various sizes.....	1,027, valued at \$100 00
Wood veneers, by Spurr, Hough, Nördlinger, and Michel.....	2,254, " " 155 00
Microscope slides, by Hough, Penhallow, Munroe, and others.....	<u>1,051,</u> " " 250 00
Together.....	4,332, " " \$505 00

The library, which, when the Board assumed control of the Garden, contained the books and pamphlets of the late Dr. George Engelmann and a small but select collection of botanical works purchased at various times by Mr. Shaw, has each year grown in a gratifying manner, as has been

* So far as yet incorporated.

† The valuation of such collections is purely arbitrary, since they could not be exactly replaced for any amount of money, in case of loss; but they are now, by direction of the Board, reappraised at \$15.00 per hundred mounted sheets,—a more accurate valuation, for such as could be replaced by purchase, or for the estimate of building up a new herbarium of mounted material in case of loss, than the previous valuation of \$10.00 per century.

‡ Rept. 8:20. 9:15.

indicated in each of the previous reports.* During 1898, 260 books and 76 pamphlets were purchased, the total expenditure for the library, as shown by the Secretary's books, being \$1,731.76; and 427 books and 867 pamphlets, appraised at \$1,103.60, were presented or received in exchange for the publications of the Garden.

The manuscript index has been increased by the addition of some 62,248 cards. Of these an estimated number of 52,300, referring to the literature of field, garden and orchard plants, were presented to the Garden by the late Dr. E. Lewis Sturtevant, who personally attended to carefully packing them for shipment, shortly before his death, in July last; 4,365 cards, chiefly referring to the literature of the agricultural experiment stations and to new species and varieties of plants described within the last few years, were bought, and 5,583, largely referring to illustrations, were written by employees of the Garden.

As now constituted the library contains: —

Pamphlets.....	19,003				
Books (general).....	<u>13,116</u>				
	32,119	valued at.....	\$46,203	67	
Books (Sturtevant Prelinnean Library)†.....	463	" "	2,315	00	
MS. volumes (Engelmann and Roetter)	<u>61</u>	" "	700	00	
Total.....	32,643	" "	\$49,218	67	
Index cards.					
Various.....	192,385				
Sturtevant Index.....	<u>52,300</u>				
Total	244,685	" "	<u>2,446</u>	85	
Total valuation.....			\$51,665	52	

* 8:21. 9:15.

† The original number and arbitrary valuation of the collection presented by Dr. Sturtevant (Rept. 8:21). On the Prelinnean shelves are now found a much larger number of volumes than is indicated here, the accession and valuation of these, however, from year to year being included in the general accession lists and the valuation of the library as a whole.

In the summer of 1898, Dr. George J. Engelmann, who, for six years, until his removal from St. Louis, served as a member of the Board of Trustees of the Garden and who is still a member of the Advisory Committee of the School of Botany, and to whom the Garden is indebted for the presentation of the invaluable herbarium, library and manuscript notes of his father, the late Dr. George Engelmann, added to these gifts a large series of letters received at various times by his father from the leading botanists of the world. These, as well as a number of letters written by Dr. Engelmann which have come into the possession of the Garden in the same manner, are being preserved, and will ultimately be suitably mounted in bound volumes, to be added to the series of volumes of manuscript notes and sketches by Dr. Engelmann, to which reference has been made in earlier reports.*

As many additions have been made to the Sturtevant Library since the catalogue of this collection was published,† a supplementary catalogue of works published before 1753 has been prepared by Mr. C. E. Hutchings, for publication, if practicable, in the Tenth Report of the Garden.

So much of the result of Dr. Sturtevant's work on the literature of cultivated plants is now, by his own provision and action, preserved at the Garden, that, on my recommendation, the Board of Trustees have secured, through the kindness of Professor C. S. Plumb, of Indiana, who knew him well, the preparation for the Tenth Annual Report of a biographical sketch of Dr. Sturtevant, accompanied by an enumeration of his principal publications.‡ Though the actual equipment of a research institution speaks for itself, it is unusually gratifying to the Director and Trustees of the Missouri Botanical Garden to receive, in gifts like those from Dr. Sturtevant,§ the most direct

* Rept. 6:16.

† Rept. 7:123-209.

‡ Rept. 10:

§ Rept. 4:14. 5:16. 6:16. 7:18, 123-209. 8:21.

and unmistakable of all expressions of approval of the lines along which their effort is being directed, and of confidence in their future actions.

In my last report,* reference was made to the preparation for publication of a general catalogue of the Garden library. The financial conditions which have caused a postponement of the inauguration of the plans for extending the grounds and plant-houses, and which have necessitated economy in adding to the scientific equipment, have also made it seem undesirable as yet to begin printing this catalogue, but as time has been found, the preparation of the cards from which such a catalogue may be printed has been continued, so that its publication will be possible whenever it is considered wise to incur the necessary expense.

The intention of the founder of the Garden that it should be developed into an institution for the promotion of the knowledge of botany, horticulture and allied sciences was recognized in the instructions drawn up for the guidance of the Director, by the Board, when they assumed control of the Garden;† and in appointing such assistants as have been necessary for the maintenance of the establishment, an effort has always been made to secure men who, while doing the necessary routine work, should be capable of devoting a part of their time to research. The principal results of such work, so far as published, were indicated in a list of publications contained in the Eighth Report of the Garden,‡ and it is hoped that a supplementary list, covering the years 1897-98, may be printed in the Tenth Report.§ I am gratified to be able to state that thus far the men who have temporarily occupied positions as assistants in the Garden, for the most part have removed to positions of greater botanical responsibility on leaving it.||

* Rept. 9:16.

† Rept. 8:221.

|| Rept. 8:33.

† Rept. 1:94. 8:44.

§ Rept. 10:

Through 1898 the office staff remained as in 1897, except that the persons engaged on the library catalogue severed their connection with the Garden as soon as their work was substantially completed, while an addition has been made to the permanent staff by the appointment of Mr. C. H. Thompson as library assistant.

A practical necessity of every institution engaged in any considerable amount of research work is the issuance of a publication in which the results of such work may be embodied; and although it is not specifically mentioned in his will, the founder of the Garden, as is evident from certain manuscript suggestions found among his papers, contemplated the issuance, sooner or later, of such a publication by the Garden. In 1890, the Board, seeing the wisdom of taking a step of this kind, authorized the publication of an Annual Report, which, as now limited, is to contain the administrative reports of the officers of the Board and the Director of the Garden, and the results, so far as desirable, of such investigation as may be carried on by the Garden staff or under the influence of the Garden.*

No small part of the value of such a publication lies in its availability for library additions by means of exchange with the scientific establishments of the world and the publishers of journals. Two years since, a tabulated statement was prepared, showing that from 1890 to 1896, inclusive, an average of \$1,426.55 per year had been expended for publications of the Garden actually distributed up to that time, in return for which, from 1893 to 1896 inclusive (for which period records have been kept), herbarium and library material, in addition to that for which an equivalent had been given in herbarium material, had been received, appraised, on a low valuation, at an average of \$984.85 per year.† A re-examination, brought down to the end of 1898 (during which year a considerable number of back volumes of the Garden Report were distributed to

* Rept. 1:3. 3:3. 8:23.

† Rept. 8:25.

institutions which had not, up to that time, been on the regular mailing list), shows the expense of publishing and distributing the edition of 1,500 copies of each of the two Garden Reports printed since that statement was made to have been, — 1897, \$1,992.96;* 1898, \$1,690.30,† or \$3,683.26 for the 3,000 volumes printed (ignoring, as has been done elsewhere, separates of some of the component articles, in pamphlet form, the cost of which, however, is included in these figures). The total expenditure for publishing and distributing reports for the nine years, therefore, including reissues of the first three already referred to,‡ is \$16,708.30, or \$1,856.48 per year, and each of the 15,000 copies printed during this period has therefore cost a small fraction over \$1.11.

Since there remain on hand at the present time 2,066 copies of the Reports for future use, the total cost of those that have been actually distributed may now be set down as \$14,415.04, or an average of \$1,601.67 for each of the nine years covered by the tabulation in the Eighth Report and that here given.

As may be seen from my last report § and the preceding pages,|| the library and herbarium of the Garden were enriched, in 1897-98, by presented material valued (after deducting the value of exchange herbarium material sent out by us), on a low basis, at \$2,747.29, or an average of \$1,373.64 for each of the two years. The Garden, therefore, has been given herbarium and library material of a total appraised value of \$6,686.71, or an average of \$1,114.45 per year from 1893 to 1898, inclusive, for which period only records have been kept, and this may be regarded as a certain equivalent for the publications actually distributed. In addition to this library and herbarium material, the Garden has further received each year a considerable number of plants and seeds which have been presented by

* Rept. 9:10.

† Rept. 8:24.

‡ Rept. 10:17, 19.

† Rept. 10:9.

§ Rept. 9:14, 15.

botanical gardens and other institutions. Up to the preparation of the Eighth Report,* this material was classed as having been received in exchange for Garden plants and seeds, the value of which, during a few years, considerably exceeded that of the receipts.† In point of fact, however, its value of late has been much in excess of the value of the plants and seeds which the Garden has distributed to its correspondents, and, as it has come, in large part, from botanical gardens which publish nothing excepting a small seed catalogue, from which they invite their correspondents to make selections, it may properly be regarded as replacing herbarium or printed exchange equivalents. In 1897,‡ the appraised value of presented plant and seed accessions was \$1,204.29, and of similar material given out, \$220.00, leaving \$984.29 which may properly be added to the herbarium and library additions received in exchange for Garden publications. In 1898,§ the corresponding material shows: accessions, \$1,317.68, distributions, \$111.80, leaving a balance of \$1,205.88 applicable in the same way. For these two years, therefore, it may be said that the average return for the Garden publications is properly \$2,468.72 per year. These results are especially gratifying because, while avoiding waste, the intention has always been to secure the distribution of the Garden Reports to permanent botanical libraries where they are likely to be of use, regardless of the receipt of any equivalent.||

In 1893,|| the Board authorized the preparation of a small handbook, which might be placed on sale at the gate, at the approximate cost of publication, namely, twenty-five cents per copy. Eight copies of this handbook were given away and 192 sold, in 1898, making a total of 200 copies for the year, up to the end of which 2,362 copies had been disposed of, or an average of 393 for each of the six years 1893-98 inclusive.

* Rept. 8:17.

§ Rept. 10:16.

† Rept. 4:12. 5:12.

|| Rept. 8:24.

‡ Rept. 9:12.

¶ Rept. 5:17. 8:25.

As indicating the extent to which exchange relations have been established, I hope to be able to print in the Tenth Report a list of the periodical publications received at the Garden library, indicating, in an intelligible manner, those which are received in exchange for our own publications. From data obtained for the preparation of such a list, it appears that the periodical publications now received number 930, of which 840, issued by 660 institutions, and ranging in value from the bulletins of agricultural experiment stations, intended for gratuitous distribution within the States where they are printed, to the superb *Annals of the Royal Botanic Garden, Calcutta*, the last volume of which has a selling price of nearly \$50.00, are presented to the library.

In 1891, the only year when a statement on this point was published, 185 exchanges were reported.*

That the facilities accumulated under the provisions of Mr. Shaw's will might be utilized, not only by Garden employees, but by all competent persons, the Director was some years since instructed to issue, from time to time, a circular calling attention to these facilities, and, under suitable simple restrictions, offering them to professors of botany and others competent to carry on independent investigation at the institution.† From year to year the extent to which visiting botanists have availed themselves of the privilege so offered has been indicated to the Board, and material for the herbarium and library has always been freely loaned to responsible specialists.‡ Through a considerable part of 1898, one or more persons not in the regular employ of the Garden have occupied research tables here, one of them in the prosecution of work for the Doctor's degree in Washington University; and short visits to the institution have been made by a number of workers from a distance.

* Rept. 3:16.

‡ Rept. 7:19. 8:22. 9:17.

† Rept. 7:19. 8:22, 42.

As has been reported each year,* the expressed intention of the founder of the Garden that the instruction of garden pupils should not be neglected, has received the attention of the Board and the Director. One pupil, who would have completed his course in April last, was excused from further work in February and admitted to examination by the Garden Committee, that he might accept a desirable position, his certificate, however, being withheld until such time as he should have presented a thesis needed for the completion of his course. The vacancy created by his withdrawal was filled by the appointment of Mr. Ernest P. Field, a candidate nominated by the State Horticultural Society of Missouri; and with the beginning of the class year, in April last, Mr. Rudolph J. Mohr, of Omaha, Nebraska, was admitted as a paying pupil, under the provisions made by the Board. It is expected that in March next two pupils who are now in the fourth year will complete their work and receive the Garden certificates; and in anticipation of this event, a ninth announcement concerning garden pupils, comparable with those already issued, was distributed to individuals and the horticultural press, in November last. The course of study provided for garden pupils is the same as that already announced in various volumes of the Garden Report,† with the exception that this year one exercise per week in botanical geography has been added to the last trimester of the fourth year. The course, as now adopted, is indicated in the appended table.

* See, especially, Rept. 1:37, 94. 8:25.

† Rept. 8:30.

COURSE OF STUDY.

YEAR.	TERM.	STUDIES.				PER WEEK.
SECOND.	April to June.	Floricultural. 3 exercises weekly.	Economic Entomology. 1 exercise weekly.		Surveying. 2 exercises weekly.	6
	July to Sept.	Floriculture. 3.	Economic Entomology. 2.	Book-Keeping. 1.		6
	Oct. to Dec.	Floriculture. 1.	Economic Entomology. 2.		Surveying. 1	7
	Jan. to Mar.	Floriculture. 1.	Twigs of Woody Plants. 1.	Orchard Culture. 1.	Landscape Gardening 1	Elementary Botany. 3
THIRD.	April to June.	Vegetable Gardening 4			Landscape Gardening 1	Botany of Wild Flowers. 2
	July to Sept.		Economic Mycology. 1	Orchard Culture. 2	Landscape Gardening 1	Botany of Garden Flowers. 2
	Oct. to Dec.		Economic Mycology. 3	Garden Accounts. 1	Botany of Fruits. 2	6
	Jan. to Mar.		Economic Mycology. 3	Garden Accounts. 1		Botany of House Plants. 2
FOURTH.	April to June.	Orchard Culture. 1	Forestry. 1	Book-Keeping. 1	Surveying and Drainage. 3	6
	July to Sept.	Small Fruit Culture. 4			Botany of Weeds. 1	Botany of Vegetables 1
	Oct. to Dec.	Special Gardening 2	Forestry. 1	Vegetable Physiology 2		Botany of Woody Plants. 2
	Jan. to Mar.	Special Gardening 2	Forestry. 1	Vegetable Physiology 2	Botanical Geography 1	Botany of Ferns. 1

The 77 class exercises per week here tabulated (each extending over three months), may be grouped under subjects as follows: —

Gardening:

Floriculture.....	8
Vegetable gardening.....	4
Fruit culture.....	8
Forestry.....	3
Landscape gardening.....	3
Selected thesis work.....	4
	<u>30</u>

Surveying and drainage.....	6
-----------------------------	---

Bookkeeping and accounts.....	4
-------------------------------	---

Economic entomology.....	5
--------------------------	---

Botany in its relation to gardening:

General botany	8
Botany of decorative plants.....	5
Botany of hardy woody plants.....	3
Botany of fruits.....	2
Botany of vegetables.....	1
Botany of weeds.....	1
Botanical geography.....	1
Economic mycology.....	7
Vegetable physiology.....	4
	<u>32</u>
	<u>77</u>

All of the subjects capable of being taught in the laboratory, the greenhouse, or the field, are so taught, and all of the theoretical instruction is expected to be practically tested in the performance of the manual work required of students, the object being to make practical gardeners and not botanists or other scientific specialists of garden pupils.

In addition to the matters directly connected with the administration of the Garden, the will of its founder provides for the removal of his city residence to the vicinity of the Garden;* the erection of a convenient residence for a curator of the mausoleum, the museum and the adjoining grounds;† and four annual events:‡ the preaching of a sermon “on the wisdom and goodness of God as shown in the growth of flowers, fruits, and other products of the vege-

* Rept. 1:43.

† Rept. 1:50.

‡ Rept. 1:49.



THE HERBARIUM BUILDING.

table kingdom;" a "banquet to the Trustees of the Garden, and to the guests they may invite, literary and scientific men, and friends and patrons of the natural sciences;" a "banquet to the gardeners of the institution, and invited florists, nurserymen, and market gardeners of St. Louis and vicinity;" and the award of "premiums or prizes to a flower show or exhibition, when such flower show may be established by amateurs and horticulturists of St. Louis."

The removal of the late city residence of Mr. Shaw, which was effected in 1891, and the utilization of this building for the administrative offices, the library and the herbarium, has been noted in earlier reports.* How this building, while retaining its distinctive character and present internal arrangement, may ultimately be connected with and utilized in the system of administrative and research buildings which will be developed about it, has already received the attention of the landscape gardeners, and in due time must be studied in detail by competent architects.

The provision of a cottage to be used as a residence for a person who should act as curator of the mausoleum, etc., received the attention of the Board in 1895, and has likewise been mentioned in the Garden Reports.†

The annual flower sermon has each year been delivered in Christ Church Cathedral, St. Louis, by a prominent clergyman of the Episcopal Church, and annually reported on.‡ In 1898, the sermon was preached on the morning of May 15, by the Rt. Rev. Leighton Coleman, D.D., LL.D., of Wilmington, Delaware.

The annual banquet to the Trustees of the Garden and their invited guests, on which a report has each year been made,§ has resulted in bringing the Garden in close touch

* Rept. 3:15. 7:7, 17. 8:19. † Rept. 7:7, 17.

‡ Rept. 1:103. 3:18, 21. 4:19, 23. 5:18, 23. 6:3, 17. 7:21. 8:34. 9:18.

§ Rept. 1:112. 3:18, 36. 4:19, 36. 5:18, 38. 6:17. 7:21. 8:34. 9:18.

with a considerable number of prominent investigators and educators through the United States and the adjacent British possessions. The banquet for 1898 was given at the St. Nicholas Hotel, St. Louis, on the evening of May 14. Dr. John Green presided. Sixty-four persons were present. The speakers were Dr. F. H. Snow, Chancellor of the University of Kansas, Rt. Rev. Leighton Coleman, Bishop of the Episcopal diocese of Delaware, Professor Conway MacMillan, of the University of Minnesota, and Hon. C. P. Walbridge, of St. Louis.

The annual banquet to the gardeners of the institution and invited florists, nurserymen and market gardeners,* has resulted in bringing together, each year, the most prominent workers in horticulture in St. Louis and a considerable number of active and distinguished horticulturists from a distance. The banquet for 1898 was given at the Mercantile Club, on the evening of November 19. Covers were laid for one hundred persons, among whom, in addition to the gardeners and office staff of the institution, and representative local horticulturists, were several officers of the State Horticultural Society of Missouri, the President-elect of the Society of American Florists, the Superintendent of Public Instruction of Missouri, the Superintendent of Instruction of St. Louis, and representatives of the horticultural press. The Director of the Garden presided, and Professor E. A. Engler, President of The Academy of Science of St. Louis, officiated as toastmaster. The speakers of the evening were W. N. Rudd, of Chicago, President-elect of the Society of American Florists; George B. Lamm, of Sedalia, Missouri, Chairman of the Committee on Horticultural Education of the State Horticultural Society of Missouri; F. L. Soldan, Superintendent of Instruction of St. Louis; L. A. Goodman, Secretary of the State Horticultural Society of Mis-

* Rept. 2:35. 3:18, 57. 4:19, 44. 5:18. 6:19. 7:21. 8:34.
9:18.

souri; Wilbur S. Jackman, Professor of Nature Study in the Chicago Normal School; Levi Chubbuck, Editor of Colman's *Rural World*; and John R. Kirk, Superintendent of Public Instruction of Missouri. The principal effort of the evening was concentrated on the discussion of a proposition to introduce the study of horticulture into the public schools, which was presented by Mr. Lamm and seconded by all of the speakers following him.*

In providing for annual premiums for a flower show or exhibition, Mr. Shaw's intention was obviously to stimulate the holding of horticultural exhibitions in St. Louis, at which the public might become familiar with the better class of plants suitable for decorative cultivation. Thus far, these premiums have been offered and awarded by the officers of an annual chrysanthemum show held under the auspices of the St. Louis Florists' Club.† In 1898, the premiums were awarded at the chrysanthemum show held in the Coliseum of the Exposition building, St. Louis, from November 8 to 12 inclusive. The classes of plants for which the premiums were awarded were essentially the same as in former years, excepting that a small part of the Shaw fund was this year used for premiums for native plants, represented by herbaria prepared and exhibited by the pupils of the schools of St. Louis and St. Louis County. The provision that could be made for this feature of the flower show, from the Shaw fund, was supplemented by a generous sum placed at the disposal of the Florists' Club by Miss Mary Lionberger, for similar premiums; and, although the exhibition of herbaria was less extensive than might have been wished, enough was done to show the feasibility of awakening an interest in our wild plants, not only in the public, to whom these flowers are presented in herbarium form, but among the pupils in the schools,—

* The proceedings on this occasion are reported in Colman's *Rural World* of December 1, 8 and 15, 1898.

† Rept. 5:18. 6:20. 7:22. 8:35. 9:18.

results which have already been obtained in a similar manner, as well as by securing displays of blooming wild plants at various times through the season, by, for instance, the Massachusetts Horticultural Society.

To further secure the ends for which the premiums are offered, the Board of Trustees, in 1893, established a medal "to be known as the Henry Shaw Medal for the introduction of a valuable plant, and to be awarded each year, when practicable, for a new plant of value for cultivation, exhibited in St. Louis, as a part of the premiums or prizes to a flower show or exhibition provided for in the will of the late Henry Shaw; provided that the judges or other persons making awards at such exhibition shall certify that *said medal is awarded for a plant of decided merit for cultivation, not previously an article of North American commerce, and introduced to such commerce by the exhibitor during the year in which said award is made.*"* This medal has but twice been awarded: in 1893,† and in 1897.‡ On the occasion of each of the other flower shows, none of the plants exhibited were considered by the judges worthy of an award. It is hoped that, as time goes on, this medal, the award of which is intended to be restricted to really meritorious plants, may be the means of securing the early exhibition in St. Louis of plants which would otherwise make their appearance here at a considerably later date. It is to be regretted that the medal should have been so little sought for as yet, since in 1898, even, at least two plants were introduced to the American trade which were eminently worthy of receiving the award, and which it would have been perfectly practicable for the introducers to have exhibited in St. Louis in competition for it,—namely, *Acalypha hispida*§ (*A. Sanderi* of most floricultural writers) and *Dracaena surculosa*|| (*D. Godseffiana* of the trade).

* Rept. 5:18, 19. † Rept. 5:19.

§ André, *Revue Horticole*. 70:456. pl.

|| Garden. 51:298. pl. 1115.

‡ Rept. 9:19.

THE GOOSE FLOWER.





THE SCHOOL OF BOTANY.

Some years before his death, in furtherance of his wish that botanical instruction and research should be pursued in St. Louis, Mr. Shaw endowed, as a department of Washington University, what is known as the Henry Shaw School of Botany, deeding to the University, for the support of this department, a piece of improved real estate in the business part of St. Louis.* In his will, made public after his death, Mr. Shaw refers to the purposes for which this gift was made (this portion of his will having been drafted, evidently, before the transfer was effected), and bequeaths to the University the endowment property already indicated, providing, further, that, in case of the depreciation of the property to an extent reducing the net revenue below a certain sum, the deficit shall be made up from the endowment funds of the Garden.†

At various points in his will, the founder of the Garden and School of Botany refers to the School of Botany, and indicates his intention that its relations with the Botanical Garden shall be very close, in such manner as to secure the co-operation of the two establishments, provision being made, even, for the increase in the means and appliances of instruction from time to time, when this may be expedient in the judgment of his Trustees.‡

In each of the annual Reports of the Garden has been incorporated a statement concerning the School of Botany, that in the First Report § being a quinquennial report of progress.

During 1898, the regular instructional force of the School of Botany remained as announced in my last report.|| In addition to the courses given to undergraduates, resident work was provided at the Garden for one candidate for the Doctor's degree, during the early and the

* Rept. 1:56.

† Rept. 1:37.

|| Rept. 9:19.

† Rept. 1:36.

§ Rept. 1:84.

closing months of the calendar year, and one other person was admitted to candidacy, under the rules of the University, in the autumn. Popular classes were conducted at the Garden by Miss Ellen C. Clark, of the Mary Institute, during the spring months. No considerable addition has been made to the equipment of the School as reported two years since,* and the courses of study offered as electives in the undergraduate department of the University remain essentially as at that time.

In furtherance of the intention of its founder, the School has always devoted as much attention as was practicable to the furtherance of investigation, both on the part of advanced students and of the instructional force. In the Eighth Report † was published a list of scientific publications from the School, including a series of nine "Contributions from the Shaw School of Botany." Since the publication of that list, three additional numbers of this series have appeared: 10, von Schrenk, Hermann. The Trees of St. Louis as Influenced by the Tornado of 1896. 11, von Schrenk, Hermann. On the Mode of Dissemination of *Usnea barbata*. 12, Pammel, L. H. The Histology of the Caryopsis and Endosperm of some Grasses.

As was noted in the Eighth Report,‡ it is a matter for congratulation that nearly all of the persons who have served as assistants or instructors in the School of Botany, have assumed responsible botanical positions on leaving it.

Very respectfully,


WILLIAM TRELEASE,
Director.

* Rept. 8:47.

† Rept. 8:229.

‡ Rept. 8:50.





AN AGAVE CORNER.

SCIENTIFIC PAPERS.

NOTES ON THE GRASSES IN THE BERNHARDI HERBARIUM,
COLLECTED BY THADDEUS HAENKE, AND DESCRIBED BY
J. S. PRESL.

BY F. LAMSON-SCRIBNER.

In the Bernhardi Herbarium, which, through the earnest solicitations of the late Dr. George Engelmann, was acquired by the founder of the Missouri Botanical Garden,* are a large number of the specimens which represent the types or co-types of the species described by J. S. Presl in C. B. Presl's *Reliquiae Haenkeanae*. This collection is especially valuable to American botanists, as it includes a large number of American species, and has recently become even more interesting to the student of American plants as it embraces very many species of our newly acquired territory in the far East—the Philippine Islands. Through the courtesy of the Director of the Missouri Botanical Garden, Dr. Wm. Trelease, I have been enabled to examine these grasses, of which 121 species of the 334 described by Presl are represented in this collection. It may be of interest to note here that of the species described by Presl, 153 are found on the Pacific Coast of North America, most of them having been collected in Mexico, a few at Monterey, California, and a limited number at Nootka Sound; 102 species are from South America, chiefly from Peru; 56 species are from the Philippine Islands, chiefly from Luzon. The localities of 15 or 20 more species described by Presl were unknown to him.

* Rept. Mo. Bot. Gard. 2: 25. 8: 19.

Presl described 15 new genera, of which three are now retained, viz.: *Pereilema*, *Epicampes*, and *Cathestecum*. The others have either been reduced to other genera or had previously been characterized. He described as new 334 species of grasses, and very many of these are now maintained as good species. Some have been reduced to varieties of other species, while not a few had already been published by older authors.

The volume of *Reliquiae Haenkeanae*, in which the grasses are described, was published in 1830, and very naturally contains the original descriptions of a large number of new species. The work now is quite inaccessible to ordinary students; it has long been out of print and copies when obtainable are expensive. It is hoped, therefore, that the present paper illustrating some 68 types of Presl's species of grasses, with the notes concerning some, will be of interest to American botanists. Only those species represented in the Bernhardi herbarium are referred to below. The citations of habitats are those given by Presl.

I would briefly call attention to a few of the species in the list enumerated.

Bromus secundus Presl is a variety of *Festuca rubra* with rather densely pubescent flowering glumes, found in Alaska.

Bromus virgatus is *Gouinia virgata* Scribn. = *Gouinia polygama* Fourn.

Paspalum kora Willd. = *Paspalum scrobiculatum* Linn., a species represented in the United States by No. 5760 A. H. Curtiss, 1896, collected at Jacksonville, Florida.

Poa secunda Presl appears to be without doubt *Sclerochloa californica* Munro, which has heretofore included a large number of varieties or forms and a few species which botanists did not well know what to do with. The species of this group have recently been defined in Circular No. 9, Division of Agrostology, U. S. Department of Agriculture.

Podosaemum distichophyllum is not the *Muhlenbergia distichophylla* of all recent collections, but *Muhlenbergia grandis* Vasey; which name, of course, now becomes a synonym.

These are a few of the points which this valuable collection has enabled us to settle and I only regret that we are unable to examine the entire collection.

AGROSTIS CAESPITOSA J. S. Presl in C. B. Presl Reliq. Haenk. 1:237 (1830). "Hab. in Peruvia?" = *Calamagrostis caespitosa* (Presl), not *C. caespitosa* Steud. *Bromidium caespitosum* Nees & Meyen in Nov. Act. Nat. Cur. 19. Supplement 155. *Agrostis preslii* Kunth Enum. Pl. 1: 225. — Plate 32.

AGROSTIS RIGESCENS J. S. Presl in C. B. Presl Reliq. Haenk. 1:237 (1830). "Hab. in Peruvia?" = *Calamagrostis rigescens* (Presl) Scribn. *Bromidium rigescens* Nees & Meyen l. c. — Plate 32.

AGROSTIS TOLUCCENSIS HBK., Presl Reliq. Haenk. 1: 237 (1830). *A. toluceensis* HBK. Nov. Gen. et Sp. 1:135. "Hab. in Peruviae montanis huanoccensisibus." = No. 3373 H. Pittier, Costa Rica, 1891, except for the longer flaccid leaves of this, which Hackel calls var. *flaccifolia*. — Plate 33.

ALLOTEROPSIS DISTACHYA J. S. Presl in C. B. Presl Rel. Haenk. 1:344. tab. 47. "Hab. ad Monte-Rey in California." This is *Panicum semialatum* R. Br., an Australian grass. Kunth refers the species to *Urochloa*. The locality cited by Presl is doubtless an error. The ticket on the specimen in the Bernhardi herbarium indicates that it was collected in Luzon. In one of the spikelets there was found a spikelet of an *Andropogon* closely wedged between the glumes. The artist at first thought that this spikelet really belonged to the specimen and accordingly drew it (fig. f. plate 23). Presl's artist made the same mistake and Presl was also deceived by the

presence of this foreign spikelet to the extent of establishing his supposed new genus (*Alloteropsis*).—Plate 23.

ANDROPOGON ALTERNANS J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 342 (1830). “Hab. in Peruvia.” = *Andropogon micranthus* Kunth Revis. Gram. **1**: 165; Enum. **1**: 504. *A. parvispica* Steud. *Chrysopogon violaceus* Trin. The locality given by Presl (Peru) is probably an error as the species belongs to the eastern hemisphere. It occurs in Australia, China, and the Philippines.

ANDROPOGON FUSCUS J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 342 (1830). “Hab. in Luzonia.” = *Andropogon serratus* β *nitidus* Hackl. in DC. Monog. Phan. **6**: 521. *Sorghum nitidum* Pers. Synops. **1**: 101.

ANDROPOGON GRACILIS J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 336 (1830). “Hab. in montanis Peruviae huanoccensibus.” = *Andropogon tener* Kunth Revis. Gram. **2**: 565.

ANDROPOGON MALACOSTACHYUS J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 337. — “Hab. ad Acapulco.” Guatemala and Costa Rica ex Hack. *A. malacostachyus* Fourn. Pl. Mex. **2**: 62 is *A. hirtiflorus* var. *oligostachyus* Hack. *A. oligostachyus* Chapm.—Plate 3.

ANDROPOGON TENELLUS J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 335. = *A. brevifolius* Sw. Prod. Fl. Ind. Occ. **26**. — “Hab. in Mexico.” This species is distributed throughout the tropical and sub-tropical regions of both hemispheres. No. 1771, Pringle, from Mex. (1888) in Natl. Herb.—Plate 2.

ANTHEPHORA VILLOSA Spreng., J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 325 (1830). “Hab. in Mexico ad Acapulco.” = *A. elegans* Schreb. Beschr. Graes. **2**: 105. t. 44.

ARISTIDA LONGIRAMEA J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 224 (1830). “Hab. in Mexico.” — *Aristida appressa* Vasey Contrib. Natl. Herb. **1**: 282 (1893) is the same.—Plate 26.

ARISTIDA NIGRESCENS J. S. Presl in C. B. Presl Reliq. Haenk. **1: 223** (1830). "Hab. in Mexico." = 501a E. Palmer 1886 coll., from Mexico. — Plate 27.

AVENA PILOSA J. S. Presl in C. B. Presl Reliq. Haenk. **1: 253** (1830). "Hab. in Cordilleris chiliensis." = *Trisetum subspicatum* Beauv. — Plate 38.

BERCHTOLDIA BROMOIDES J. S. Presl in C. B. Presl Reliq. Haenk. **1: 324. t. 43.** (1830). "Hab. in Mex." = *Chaetium bromoides* Benth. in Journ. Linn. Soc. **19: 46.** (1881). — Plate 25.

BRIZOPYRUM BOREALE J. S. Presl in C. B. Presl Reliq. Haenk. **1: 280** (1830). "Hab. in sinu Nootka." = *Distichlis spicata* (L.) Greene. — Plate 48.

BRIZOPYRUM PIOSUM J. S. Presl in C. B. Presl Reliq. Haenk. **1: 280** (1830). "Hab. ad Acapulco." = *Jouvea pilosa* (Presl) Scribn., staminate plant only. — Plate 48.

BROMUS SECUNDUS J. S. Presl in C. B. Presl Reliq. Haenk. **1: 263** (1830). "Hab. in sinu Nootka." = **FESTUCA RUBRA SECUNDA** (Presl) Scribn. new name. *Festuca rubra arenaria* ex char. Grisebach in Ledeb. Flor. Ross. *F. arenaria* Rupr. is cited by Grisebach as a synonym. It is not *F. arenaria* Lam. Specimens of this species are in the National Herbarium, and range from Alaska southward to Oregon. — Plate 52.

BROMUS SETIFOLIUS J. S. Presl in C. B. Presl Reliq. Haenk. **1: 261** (1830). "Hab. in Cordilleris chiliensis, in Mexico?" This species does not appear in any of our recent Mexican collections. — Plate 52.

BROMUS VIRGATUS J. S. Presl in C. B. Presl Reliq. Haenk. **1: 263** (1830). "Hab. in montanis Peruviae, in Mexico?" = *Gouinia virgata* (Presl) Scribn. U. S. Dept. Agr. Div. Agrost., Bull. 4: 10 (1897). *Gouinia polygama* Fourn. *Festuca fournieriana* Hemsl.

CALOTHECA MICROSTACHYIA J. S. Presl in C. B. Presl Reliq. Haenk. **1: 268** (1830). "Hab. in montanis Peru-

viac." = *Briza microstachya* Steud. Nom. ed. 2. **1**: 225 (1840). 477 Liebman from Mexico, referred by Fournier to *Chascolytrum subaristatum* Rupr. is the same.

CAMPULOSUS PLANIFOLIUS J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 287 (1830). "Hab. in Mexico." *Ctenium glandulosum* Scribn. & J. G. Smith in Bot. Gaz. **21**: 362. *pl. 29* (1896) is the same. — Plate 42.

CENCHRUS ALOPECUROIDES J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 317 (1830). "Hab. " There is in the National Herbarium a specimen collected at Callao by the Wilkes Exploring Expedition, which is identical with Presl's species. It is ticketed in Munro's handwriting *Cenchrus alopecuroides* HBK. Presl's *C. alopecuroides* appears to be too close to *C. myosuroides* HBK. for a clear separation.

CENTOTHECA LAPPACEA Desv., J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 258 (1830). "Hab. in insula Luzon, et in insulis Marianis." = *Centotheca lappacea* Desv. in Nouv. Bull. Soc. Philom. **2**: 189 (1810). *Cenchrus lappaceus* Linn. Tropical regions of both hemispheres.

CERATOCHLOA HAENKEANA J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 285. "Hab. in Cordilleris chiliensis, inque montanis Peruviae." = *Bromus unioloides* HBK. Nov. Gen. et Spec. **1**: 151. — Plate 54.

CHASCOLYTRUM SPICIGERUM J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 282 (1830). "Hab. in Peruviae montanis et in Chili." = *Briza spicigera* Steud. Nom. ed. 2. **1**: 225. — Plate 49.

CHLORIS ALBA J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 289. "Hab. in Mexico." = *Chloris elegans* HBK. Of "C. alba" there is but a fragment showing only the inflorescence and a bit of the culm. On the sheet there is a good specimen of *C. truncata* R. Br. which is the species shown in the illustration. — Plate 41.

CHLORIS GRACILIS Durand Chl. 10, J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 289 (1830). "Hab. in Panama,

Mexico." = *Chloris radiata* Sw. *Flor. Ind. Occ.* 1: 201. *Kunth Gram.* 2. t. 179.

CLOMENA PERUVIANA Beauv., J. S. Presl in C. B. Presl *Reliq. Haenk.* 1: 232 (1830). "Hab. in Mexico." = *Muhlenbergia clomena* Trin. *Unifl.* 194. *Clomena peruviana* Beauv. *Agrost.* 28. t. 7. f. 10.

CYNODON ARCUATUS J. S. Presl in C. B. Presl *Reliq. Haenk.* 1: 290 (1830). "Hab. in Luzonia." — Plate 40.

CYNODON LINEARIS Willd., J. S. Presl in C. B. Presl *Reliq. Haenk.* 1: 290 (1830). "Hab. in Luzonia." = *Cynodon dactylon* Pers. *Syn. Pl.* 1: 85.

CYNODON TENER J. S. Presl in C. B. Presl *Reliq. Haenk.* 1: 291 (1830). "Hab. ad Sorzogon Luzoniae." I would refer this grass to *Chloris* sect. *Eustachys*. *C. tener* (Presl) Scribn. new name. Very close to small forms of *C. petraea* Sw. — Plate 40.

DESCHAMPSIA CALYCINA J. S. Presl in C. B. Presl *Reliq. Haenk.* 1: 251 (1830). "Hab. ad Monte-Rey Californiae." = *Aira danthonioides* Trin. in *Act. Hort. Petrop.* (1830). — Plate 37.

DEYEUXIA DENSIFLORA J. S. Presl in C. B. Presl *Reliq. Haenk.* 1: 247 (1830). = *Calamagrostis densiflora* Steud. *Nom. ed. 2.* 1: 250. "Hab. in Peruviae montanis huanoccensibus." See *Deyeuxia intermedia*. — Plate 35.

DEYEUXIA FUSCATA J. S. Presl in C. B. Presl *Reliq. Haenk.* 1: 249 (1830). = *Calamagrostis fuscata* Steud. *Nom. ed. 2.* 1: 250. "Hab. in Peruviae montanis huanoccensibus." — Plate 36.

DEYEUXIA INTERMEDIA J. S. Presl in C. B. Presl *Reliq. Haenk.* 1: 249 (1830). "Hab. in montanis huanoccensibus Peruviae." = *Calamagrostis intermedia* Steud. *Nom. ed. 2.* 1: 250, not *C. intermedia* Lindb. ex Nym. *Consp.* 799. From the specimens in the collection it is not possible to distinguish this species from *Calamagrostis densiflora* Steud.

DEYEUXIA OVATA J. S. Presl in C. B. Presl *Reliq.*

Haenk. **1**: 246. "Hab. in montanis Peruviae huanoccensibus." = *Calamagrostis ovata* Steud. Nom. ed. 2. **1**: 251.—Plate 35.

DEYEUXIA TOLUCCENSIS HBK., J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 249 (1830). "Hab. in Peruviae montanis huanoccensibus." Label on spec. in Herb. Bernhardi, Mo. Bot. Garden, reads β *glabra*. = *Calamagrostis toluccensis* Trin. ex Steud. Nom. ed. 2. **1**: 250.

DIECTOMIS ANGUSTATA J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 333 (1830). "Hab. in Mexico." = *Andropogon apricus* Trin. in Mem. Acad. Peters. VI. **4**: 83 (1836). The species appears to have first been published by Nees in *Agrost. Bras.*, p. 340, under the name of *Diectomis laxa*, a name already occupied in *Andropogon*. There is not the same objection to *angustatus* which was taken up by Steudel, and ought to be retained.—Plate 4.

DIECTOMIS FASTIGIATA Beauv., J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 332 (1830). "Hab. in Mexico." = *Andropogon fastigiatus* Sw. Prodr. p. 26. *Diectomis fastigiata* Humb. et Bonpl. ap. Willd. Spec. **4**: 741; Kunth in HBK. Nov. Gen. et Sp. **1**. t. 64, excl. cit. Beauv.

"DINEBA BROMOIDES HBK.," J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 292 (1830). "Hab. in Mexico, Guayaquil." The specimen represented in the collection is *Bouteloua curtipendula* (Mx.) Torr.

DINEBA CURTIPENDULA Cand., J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 292 (1830). "Hab. ad Acapuleo." = *Bouteloua curtipendula* (Mx.) Torr. in Emory's Report 153 (1848). *Chloris curtipendula* Michx. Fl. Bor. Am. **1**: 59 (1803). *Bouteloua racemosa* Lag. (1805).

DIPLACHNE BREVIFOLIA J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 261 (1830). "Hab. in montanis Peruviae huanoccensibus." = *Festuca haenkei* Kunth Enum. Pl. **1**: 403.—Plate 43.

DIPLACHNE RIGESCENS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 260 (1830). "Hab. in montanis Peruviae huanocoensisibus." = *Festuca rigescens* Kunth Enum. Pl. 1: 403. — Plate 43.

ELIONURUS CILIARIS HBK., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 332 (1830). "Hab. in Mexico." = *E. trip-sacoides* HBK. var. *ciliaris* Hack. in DC. Monog. Phan. 6: 333. *E. ciliaris* Kunth in HBK. Nov. Gen. et Sp. 1: 193. t. 63.

ERAGROSTIS ALBA J. S. Presl in C. B. Presl Reliq. Haenk. 1: 279 (1830). "Hab. ad Monte-Rey, California." Apparently allied to, and possibly identical with *Poa pasto-ensis* HBK. See Kunth Gram. t. 145. — Plate 44.

ERAGROSTIS CILIARIS Link, J. S. Presl in C. B. Presl Reliq. Haenk. 1: 274 (1830). "Hab. in Mexico, Panama."

ERAGROSTIS ELONGATA Jacq., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 275 (1830). "Hab. in Luzonia? in vallibus Cordillerarum Peruviae?" = *Eragrostis elongata* (Willd.) Jacq. Eclog. Gram. t. 3. *Poa elongata* Willd. Enum. 1: 108. Allied to *E. brownii* Nees, but the flowering glumes are more acute.

ERAGROSTIS LURIDA J. S. Presl in C. B. Presl Reliq. Haenk. 1: 276 (1830). "Hab. in montanis Peruviae." — Plate 45.

ERAGROSTIS PANAMENSIS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 277. "Hab. in Panama." = *Eragrostis may-purensis* (HBK.) Steud. Nom. Pl. 2. 276. *Poa may-purensis* HBK. Nov. Gen. et Sp. 1: 161. — Plate 47.

ERAGROSTIS REPTANS Nees, J. S. Presl in C. B. Presl Reliq. Haenk. 1: 275 (1830). "Hab. in Mexico et Guayaquil." = *Eragrostis hypnoides* (Lam.) BSP. Prel. Cat. N. Y. 69 (1888). *Poa hypnoides* Lam.

ERAGROSTIS SECUNDIFLORA, J. S. Presl in C. B. Presl Reliq. Haenk. 1: 276 (1830). — "Hab. in Mexico." *Eragrostis oxylepis* Nutt is the same.

ERAGROSTIS TENELLA Beauv., J. S. Presl in C. B. Presl

Reliq. Haenk. **1**: 274 (1830). "Hab. in Marianis insulis et in Luzonia ad portum Sorzogon." = *E. plumosa* Link Hort. Berol. **1**: 192.—Plate 44.

HETEROPOGON FIRMUS J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 334 (1830). "Hab. in Mexico." = *Andropogon contortus* var. *secundus* Hack. in DC. Monog. Phan. **6**: 587. *A. secundus* Willd. *A. allionii* HBK. and *A. firmus* Kth.

HEXARRHENA CENCHROIDES J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 326. *tab. 45* (1830). "Hab. in Mexico." = *Hilaria cenchroides* HBK. Nov. Gen. et Sp. **1**: 117. The specimen represents a tall form with bearded nodes, scabrous leaves, and with the divisions of the outer glumes ciliate, *Hilaria cenchroides ciliaris* Scribn. in Proc. Acad. Nat. Sci. Phil. **1891**: 293.—Plate 5.

HIEROCHLOE ARCTICA J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 252 (1830). "Hab. in sinu Nootka." = *Savastana odorata* (L.) Scribn. Identical with 391 Walter H. Evans from near Kadiak, Alaska, 1897, in National Herbarium.

HORDEUM COMOSUM J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 327 (1830). "Hab. in Chili."—Plate 54.

HORDEUM PRATENSE Huds., J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 327 (1830) var. γ . "Hab. in Cordilleris chilensis et Mexico." = *Hordeum secalinum* Schreb. Spicil. Flor. Lips. 148.

ISCHAEMUM POLYSTACHYUM J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 328 (1830). "Hab. in insulis Marianis." = *Ischaemum digitatum* β *polystachyum* Hack. in DC. Monog. Phan. **6**. Androp. p. 233. *Andropogon mariannae* Steud.

LEERSIA LUZONENSIS J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 207 (1830). "Hab. in insula Luzonia." = *Leersia hexandra* Sw. Prod. Veg. Ind. Occ. 21.

LEPTOCHELOA FILIFORMIS R. & S., J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 288 (1830). "Hab. in Mexico, ad

Sorzogon, Luzoniae." = *Leptochloa mucronata* Kunth Revis. Gram. 1: 91. — *L. filiformis* R. & S. = *L. cynosuroides* R. & S.

LYCURUS PHALAROIDES HBK., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 232 (1830). "Hab. in Mexico." = *L. phalaroides* HBK. Nov. Gen. et Sp. 1: 142.

MANISURIS GRANULARIS Swartz, J. S. Presl in C. B. Presl Reliq. Haenk. 1: 332 (1830). "Hab. in Mexico, Acapulco, Panama, California."

MEGASTACHYA PANICOIDES J. S. Presl in C. B. Presl Reliq. Haenk. 1: 283 (1830). "Hab. in Mexico ad Acapulco, verosimiliter in lutosis." = *Eragrostis panicoides* Steud. — Plate 47.

MONOPOGON AVENACEUS J. S. Presl in C. B. Presl Reliq. 1: 324. t. 44 (1830). "Hab. in Mexico." = *Tristachya leiostachya* Nees Agrost. Bras. 459 (1829). — Plate 39.

NOWODWORSKYA AGROSTOIDES J. S. Presl in C. B. Presl Reliq. Haenk. 1: 239 (1830).* "Hab. in Peruviae montanis huanoccensibus." = *Polypogon elongata* HBK. Nov. Gen. et Sp. 1: 134 (1815), not *Lagasca* (1816). — Plate 31.

OPLISMENUS COLONUS HBK., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 321 (1830). "Hab. in insula Luzon, Guaham." = *Panicum colonum* Linn. Syst. ed. 10. 87.

OPLISMENUS TENUIS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 319 (1830). "Hab. in Mexico, Panama." = *Ichnatthus candicans* Doell in Mart. Flor. Bras. 2²: 291. *Panicum candicans* Nees Agrost. Bras. 2: 133 (1829). — Plate 24.

ORYZA MINUTA J. S. Presl in C. B. Presl Reliq. Haenk. 1: 208 (1830). "Habitata in insula Luzonia."

ORYZA SATIVA J. S. Presl in C. B. Presl Reliq. Haenk. 1: 208 (1830). "Hab. in Mexico." An awnless variety.

* In text, *Raspalia agrostoides*, but changed in "Addenda et corrigenda" p. 351, to *Nowodworskya*.

PANICUM AURITUM J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 305 (1830). "Hab. ad Sorzogon Luzoniae." First published by Nees ab Esenb. in Mart. Flor. Bras. **2**: 176. = No. 81 Flor. Singapore, in Natl. Herbarium. — Plate 15.

PANICUM BRIZAEFORME J. S. Presl in C. B. Presl Reliq. **1**: 302 (1830). "Hab. in Luzonia." = *Panicum paspaloides* Pers. Syn. **1**: 81 (1818). — Plate 16.

PANICUM CARINATUM J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 309 (1830). "Hab. in insula Luzonia ad Sorzogon; $\beta.$ in Mexico?" This species has been referred to *P. trigonum* Retz. by Haekel (see specimen in Nat. Herb. from India, collected by Anderson). Another specimen in Nat. Herb. is from Assam, collected by the Reporter on Economic Products to the Government of India. In both of these specimens as well as in that of Presl the spikelets are glabrous while those of *P. trigonum* are described as having hispid outer glumes. A grass from China, collected by Ridley, and now in the Nat. Herb. under the name of *P. trigonum* Retz., has hispid outer glumes. The spikelets and general habit of this grass agree with those of *P. carinatum*, but the leaves are shorter and taper to an acute or narrow not a cordate base. *P. carinatum* Presl is certainly closely allied to and perhaps identical with *P. radicans* Retz., *P. accrescens* Trin. Ieon. Gram. **8**. t. 88. — Plate 17.

PANICUM CONVOLUTUM Beauv., J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 304 (1830). "Hab. ad Sorzogon Luzoniae." = *Panicum repens* Linn. Sp. Pl. ed. 2. 87. Tropical and subtropical regions of both hemispheres. No. 2879 Ridley in Natl. Herbarium from China (1893) is the same.

PANICUM FIMBRIATUM J. S. Presl in C. B. Presl Reliq. Haenk. **1**: 298 (1830). This is the same as *Digitaria fimbriata* Link, which Nash retains as a species under *Syntherisma* (Bull. Torr. Bot. Club **25**: 302). By

most authors it has been reduced to *Panicum sanguinale* L. — Plate 18.

PANICUM HIRTICAULUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 308 (1830). “Hab. ad Acapulco, Mexico.” Allied to *P. capillare* L. but quite distinct. It is not an uncommon grass in the southwestern United States. There is a specimen of this species in the National Herbarium collected in Washington, near Bingen, Klickitat Co., No. 2330 Suksdorf, 1894. — Plate 19.

PANICUM MILIIFORME J. S. Presl in C. B. Presl Reliq. Haenk. 1: 300 (1830). “Hab. in Luzonia.” The specimen, of which there is only a fragment, suggests a close relationship to *P. marginatum* R. Br. It resembles that species in foliage, inflorescence, and general appearance of the spikelets, but is evidently quite distinct. — Plate 20.

PANICUM MULTINODE J. S. Presl in C. B. Presl Reliq. Haenk. 1: 303 (1830). “Hab. ad Sorzogon Luzoniae.” = *P. nodosum* Kunth Enum. Pl. 1: 97, not *P. multinode* Lam.

PANICUM MYURUS Meyer, J. S. Presl in C. B. Presl Reliq. Haenk. 1: 313 (1830). “Hab. in Peruviae, Mexico, et ad Monte-Rey, California.” = *Panicum amplexicaule* Rudge Guian. 1: 21. t. 27; Trinius Sp. Gram. Leon. t. 205. No. 1030 Morong from Paraguay, in Natl. Herbarium is this species.

PANICUM PHLEIFORME J. S. Presl in C. B. Presl Reliq. Haenk. 1: 302. “Hab. in Mexico.” No. 2363 C. G. Pringle 1889, distributed as *P. indicum* L., is *Panicum phleiforme* Presl. The two species are very closely related. — Plate 21.

PANICUM POLYRRHIZUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 296 (1830). “Hab. ad Monte-Rey Californiae.” = *Paspalum distichum* L. — Plate 21.

“**PANICUM PUBESCENS** Lam.” J. S. Presl in C. B. Presl Reliq. Haenk. 1: 306 (1830). “Hab. in Nootka-Sund.”

There are two specimens and two labels on the sheet. One, in Presl's handwriting, reads "*Panicum pubescens* Michx," and doubtless applies to the smaller specimen which is identical with specimens in the Nat. Herb. from Washington, *e. g.* No. 3978, A. A. & E. Gertrude Heller 1898. The other label reads "*77 Panicum pubescens* Ell. 1833, Beyrich." This applies to the second specimen which must have come from the southern or southwestern States, and is *Panicum angustifolium* Ell. The other specimen does not fully agree with any of our eastern species and may well be named *P. OCCIDENTALE* Scribn. nom. nov. *P. pubescens* Presl, not Lam. nor Michx.

PANICUM STIPATUM J. S. Presl in C. B. Presl Rel. Haenk. **1: 297** (1830). "Hab. in Mexico, Luzon?" = *Syntherisma setosa* (Desv.) Nash. *Digitaria setosa* Desv. Hamil. Prod. Pl. Ind. Occ. **6** (1825). The spikelets in Presl's specimen are a very little (about 0.2 mm.) longer than in the West Indian plant represented by 764 C. Wright, but otherwise I can detect no difference. No. 3049 E. W. Nelson, from Chiapas, Mex., 1895, is the same. — Plate 22.

PANICUM TRICHANTHUM Nees, J. S. Presl in C. B. Presl Reliq. Haenk. **1: 309** (1830). "Hab. in Mexico." = *Panicum brevifolium* Linn. Sp. Pl. 59. No. 1758 E. Palmer, Mexico, 1891.

PASPALUM ATTENUATUM J. S. Presl in C. B. Presl Reliq. Haenk. **1: 212** (1830). "Hab. in montanis Peruviae huanoccensibus." See *P. scoparium* Flügge. Properly belongs to *Syntherisma*. — Plate 8.

PASPALUM BRACTEATUM Presl in herb. *Paspalum bracteatum* is only a herbarium name, and the sheet thus ticketed contains two species, *viz.*: *P. firmum* Trin. Diss. **2: 105**, and Icon. *t. 125*, referred to *P. scrobiculatum* L. by many authors; and *P. longifolium* Roxb. Hort. Beng. **7**; Trin. Icon. *t. 138*. This has also been referred to *P. scrobicula-*

tum by some, but it is abundantly distinct from that species. *P. firmum* is the species illustrated. — Plate 9.

PASPALUM CARTILAGINEUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 216 (1830). “Habitat in insula Luzonia ad Sorzogon, in Marianis.” = *Paspalum scrobiculatum* L.

PASPALUM CONJUGATUM Berg., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 210 (1830). “Hab. in Mexico.” *Paspalum conjugatum* Berg. in Act. Helv. 7: 129. t. 8 (1772); Trin. Icon. t. 102. All tropical regions.

PASPALUM COMPRESSUM (Swartz) Nees, J. S. Presl in C. B. Presl Reliq. Haenk. 1: 212 (1830). “Hab. in Mexico.” = *Milium compressum* Swartz Prod. 24.

PASPALUM FILIFORME Swartz, J. S. Presl in C. B. Presl Reliq. Haenk. 1: 214 (1830). “Hab. in Luzonia? Mexico.” = *Syntherisma filiforme* (L.) Nash in Bull. Torr. Bot. Club 22: 420 (1895). *Panicum filiforme* L. Doell in Mart. Flora Bras. refers *Paspalum filiforme* Swartz to *Paspalum caespitosum* Flügge.

PASPALUM FUSCESCENS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 213 (1830). “Hab. ad Monte-Rey Californiae.” = **SYNTHERISMA FUSCESCENS** (Presl) Scribn. new name. — Plate 10.

PASPALUM FUSCUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 214 (1830). “Hab. in Luzonia? in Peruviae montanis huanoccensibus? Mexico?” = **SYNTHERISMA FUSCA** (Presl) Scribn. new name. Presl was evidently in doubt as to the locality. South America is cited for the locality in the Kew Index. — Plate 11.

PASPALUM HUMBOLDTIANUM Flügge in C. B. Presl Reliq. Haenk. 1: 217 (1830). “Hab. in Mexico.” = *Paspalum humboldtianum* Flügge Gram. Monog. 67; HBK. Nov. Gen. et Sp. Pl. 1: 86. tab. 23. Mexico and tropical America. No. 286 E. Palmer from Guadalajara, Mexico, 1886.

PASPALUM HAENKEANUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 210 (1830). “Hab. in montanis huanoc-

censibus Peruviae." This is *Paspalum mandiocanum* Trin. var. *a. ellipticum* Doell in Mart. Flor. Bras. 2²: 80, and is represented in the National Herbarium by No. 356 Loefgren (1887). The species is, I think, a good one and Presl's name should be retained. — Plate 12.

PASPALUM LENTIGINOSUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 218 (1830). "Hab. in Mexico." E. Palmer's No. 1556 (1891) from Culiacan, Mexico, and distributed as *Paspalum paniculatum* L. is *P. lentiginosum* Presl. — Plate 13.

PASPALUM KORA Willd., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 216 (1830). "Hab. in insulis Marianis et Philippinis." *Paspalum kora* Willd. Sp. Pl. 1: 332; Hort. Berol. t. 74. = *P. scrobiculatum* Linn. Mant. 1: 29. All tropical countries. Florida specimens referable to this species are 5760 A. H. Curtiss 1896 collected at Jacksonville, Aug. 24.

PASPALUM MOLLE J. S. Presl in C. B. Presl Reliq. Haenk. 1: 213 (1830). "Hab. in Luzonia." = SYNTHERISMA MOLLE (Presl) Scribn. new name. *Paspalum mollicomum* Kth. Enum. Pl. 1: 47. Allied to *Syntherisma serotina* Walt.

PASPALUM PUBESCENS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 214 (1830). "Hab. in regione montana Peruviana." = SYNTHERISMA PUBESCENS (Presl) Scribn. new name. *Paspalum preslii* Kunth Enum. Pl. 1: 47. — Plate 10.

PASPALUM SCOPARIUM Flügge Monog. 125; J. S. Presl in C. B. Presl Reliq. Haenk. 1: 213. "Hab. in Peruviae montanis huanoccensibus." Doell unites *P. attenuatum* Presl with this, but that species is quite distinct although nearly allied. It is a much smaller species with spikelets hardly half the size of those in *P. scoparium*.

PEREILEMA CRINITUM J. S. Presl in C. B. Presl Reliq.

Haenk. 1: 233. *tab. 37. f. a* (1830). "Hab. in Panama." Not *P. crinitum* Trin. — Plate 29.

PIPTATHERUM PUNCTATUM Beauv., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 221 (1830). "Hab. in Mexico, Guayaquil." = *Eriochloa polystachya* HBK. Nov. Gen. et Sp. 1: 95.

POA HOLCIFORMIS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 272 (1830). "Hab. in Cordilleris chiliensibus." This grass has the habit and aspect of some of the species in the group containing *P. fendleriana* but is apparently distinct from any North American form. — Plate 50.

POA NOOTKAENSIS J. S. Presl in C. B. Presl. Reliq. Haenk. 1: 272 (1830). "*Poa nutkaensis*" in the text. "Hab. in sinu Nootka? in Mexico?" There is a question of doubt on the part of Presl as to where the specimens were collected, but they certainly must have come from Nootka Sound, as the grass does not occur in Mexico. The species ranges on the Pacific Coast from Washington northward and on the Atlantic Coast from Mt. Desert off the coast of Maine northward to the Arctic regions. = *Puccinellia angustata* Nash in Bull. Torr. Bot. Club 22: 512 (1895). *Poa angustata* R. Br. in Parry's First Voy. Suppl. 287 (1823). *Glyceria angustata* Fries. *Atropis angustata* Griseb. in Ledeb. Flor. Ross. — Plate 51.

POA SECUNDA J. S. Presl in C. B. Presl Reliq. Haenk. 1: 271. "Hab. in Cordilleris chiliensibus." The specimen consists of the upper portion of the culm with uppermost leaf and panicle. Judging from this material I would without hesitation refer to *Poa secunda* No. 1122 Brewer, from California, and 2035 Hartweg also from California, which Munro named *Sclerochloa californica*. This is quite distinct from *Poa fendleriana* (Steud.) Vasey. — Plate 51.

PODOSEUM DISTICHOHYLLUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 231 (1830). "Hab. in Mexico." = *Muhlenbergia distichophylla* Kunth Enum. Pl. 1: 202.

Muhlenbergia grandis Vasey Contrib. U. S. Nat. Herb. 1: 283 (1893) is identical with this species. The *Muhlenbergia* which is common in New Mexico and Arizona and which has been referred to *M. distichophylla* by most American authors (Vasey in Bot. Wheeler 283 and in Contrib. U. S. Nat. Herb. 3: 66), is a very distinct species and may be named MUHLENBERGIA VASEYANA Scribn. new name. *M. emersleyi* Vasey in Contrib. Nat. Herb. 3: 66 (1892) differs only in being somewhat more robust and in having the empty glumes distinctly longer than the flowering glume which is more hairy on the back. — Plate 28.

PODOSEAEMUM TENUISSIMUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 230 (1830). “Hab. in Panama et in Mexico.” = *Muhlenbergia tenuissima* Kunth Enum. Pl. 1: 198. *Muhlenbergia nebulosa* Scribn., in Beal Grasses N. Am. 2: 247 (1896) is a synonym. — Plate 29.

POGONOPSIS TENERA J. S. Presl in C. B. Presl Reliq. Haenk. 1: 333. tab. 46. The locality “Hab. in Mexico” is probably an error as the grass is an East Indian species. Presl’s specimens were probably collected in the Philippines. Hackel reduces *P. tenera* Presl to a variety of *P. saccharoideum* Beauv. β *monandrum* Hack. in DC. Monog. Phanerog. 6: 193. *Pollinia monandra* Spreng., *Andropogon crinitus* Thunb. and *Pogonatherum refractum* Nees are synonyms. — Plate 2.

SACCHARUM SPICATUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 346 (1830). “Hab. in insula Luzonia.” = *Imperata arundinacea* var. *koenigii* Hack. in DC. Monog. Phan. 6: 94. *I. koenigii* Benth. Flor. Hongk. p. 419. — Plate 1.

SETARIA GLOBULARIS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 314 (1830). “Hab. insularis Philippinis.” There are three species on the sheet. One is CHAETOCHELOA CAUDATA (Lam.) Scribn. new name, *Panicum caudatum* Lam., and is matched in the Nat. Herb. by

specimens from the ballast grounds at Mobile and also from Brazil. One is *Chaetochloa composita* (Kth.) Scribn. and is represented in the Nat. Herb. by No. 1897 A. A. Heller, collected at Kerville, Texas, and by other Texan and Mexican specimens. The third specimen is not determinable.

SETARIA PENICILLATA J. S. Presl in C. B. Presl Reliq. Haenk. 1: 314 (1830). "Hab. in Mexico." = *Panicum penicillatum* Willd. herb.; Nees. Agrost. Bras. p. 242. *Chaetochloa penicillatum* (Willd.) Scribn. Bull. U. S. Dept. Agr., Div. Agrostology 4: 39.

SPOROBOLUS CILIATUS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 242 (1830). "Hab. in Panama." — Plate 30.

SPOROBOLUS HUMILIS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 241 (1830). "Hab. in insula Luzonia." — Plate 30.

SPOROBOLUS REPENS J. S. Presl in C. B. Presl Reliq. Haenk. 1: 241 (1830). "Hab. in Mexico." *Vilfa repens* Trin. in Mem. Acad. Petersb. Sc. Nat. IV. 5: 102 (1840) is a synonym. The grass is essentially *Vilfa utilis* Torr. Fournier separates this species, *S. repens*, from his *Vilfa saccatilla* by its elongated ligule. — Plate 30.

STREPTACINE PILOSA HBK., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 225 (1830). "Hab. ad Acapulco in Mexico." = *Aristida jorullensis* Kunth Revis. Gram. 1: 62. Identical with No. 36 E. Palmer in Nat. Herb. from Mexico and distributed as *Aristida pilosa* (Nees), and No. 3334 H. Pittier from Rodeo de Pacaca, Costa Rica, 1891.

STREPTACHNE SCABRA HBK., J. S. Presl in C. B. Presl Reliq. Haenk. 1: 225 (1830). "Hab. in Mexico." = *Aristida scabra* Kth. Revis. Gram. 1: 62.

THYSANACHE PERUVIANA J. S. Presl in C. B. Presl Reliq. Haenk. 1: 253 (1830). "Hab. in montanis huanoccensibus Peruviae." = *Arundinella deppeana* Nees in Bon-

plandia **3** : 84 (1855). *Arundinella crinita* Trin. in *Linnaea* **10** : 299 (1836), from Peru, may be the same. I have no material for comparison. *Arundinella peruviana* Steud. *Syn. Gram.* 115 is based upon Presl's *Thysanachne peruviana*. — Plate 6.

THYSANACHNE SCOPARIA C. B. Presl *Thysan. Nov. Pl. Gen.* (1829); et J. S. Presl in *Reliq. Haenk.* **1** : 253. = *Arundinella deppeana* Nees. “Hab. in Mexico.” — Plate 7.

TRICHODIUM ALBUM J. S. Presl in C. B. Presl *Reliq. Haenk.* **1** : 244 (1830). “Hab. in sinu Nutkaensis.” = *Agrostis nutkaensis* Kunth *Enum. Pl.* **1** : 222. The specimen is fragmentary, but it is clearly the tall grass common in collections from Oregon and Washington which has been referred to *Agrostis scabra* Willd. or *A. laxiflora* Rich. — Plate 34.

TRICHODIUM NANUM J. S. Presl in C. B. Presl *Reliq. Haenk.* **1** : 243 (1830). “Hab. in Peruvia?” = *Agrostis nana* Kunth *Enum. Pl.* **1** : 266. — Plate 34.

UROCHLOA PASPALOIDES J. S. Presl in C. B. Presl *Reliq. Haenk.* **1** : 318 (1830). “Hab. in Luzonia ad Sorzogon.” = *Panicum ambiguum* Trin. in *Mem. Acad. Petersb.* VI. **3²** : 243 (1835). This grass is quite distinct from *Urochloa panicoides* Beauv. which has been cited as a synonym by some authors. — Plate 14.

UROCHLOA UNISETA J. S. Presl in C. B. Presl *Reliq. Haenk.* **1** : 319 (1830). = *Ixophorus unisetus* Schlecht. in *Linnaea* **31** : 420 (1861-62). *Panicum palmeri* Vasey. See *Bull. U. S. Dept. Agr.*, *Div. Agrost.* **4** : 6. *pl. 1* (1887).

VULPIA MYURUS Link, J. S. Presl in C. B. Presl *Reliq. Haenk.* **1** : 260 (1830). “Hab. in montanis Peruviae.” Three varieties are mentioned: α panicula simplicissima spicaeformi; β panicula simplici subspicaeformi. “Hab. as α ”; γ panicula simplici subspicaeformi, paleis inferioribus ciliatus. “Hab. in Chili.” There are three specimens on the sheet and neither one seems to be var. β = *Festuca myurus* Linn. *Sp. Pl.* 74.

XYSTIDIUM BARBATUM J. S. Presl in C. B. Presl Reliq. Haenk. 1: 228 (1830). "Hab. in insula Luzonia." = *Perotis rara* R. Br. Prod. 72.

EXPLANATION OF PLATES ILLUSTRATING PRESL GRASSES.

All of the illustrations, executed under my direction by Mrs. M. D. B. Willis, née Baker, unless otherwise stated were drawn from specimens in the herbarium of the Missouri Botanical Garden, labeled in Presl's handwriting, and unless otherwise noted the habit-sketches have been reduced one-half. The enlargement of the details is sufficiently indicated by the enlarged scale accompanying them.

Plate 1. *Saccharum spicatum* Presl. Island of Luzone. — a, Spikelet; b, dorsal view of first glume; c, dorsal view of second glume; d, pistil; e, flowering glume; f, palea.

Plate 2. 1, *Pogonopsis tenera* Presl. Mexico. — a, A pair of spikelets; b, first glume; c, second glume; d, flowering glume; e, palea — all of the sessile spikelet. 2, *Andropogon tenellus* Presl. — a, Spikelet; b, first glume; c, second glume; d, third glume; e, flowering or fourth glume.

Plate 3. *Andropogon malacostachyus* Presl. Acapulco. Natural size. — a, Joint of the rachis with sessile and pedicellate spikelets; b, first glume; c, second glume; d, third glume; e, flowering glume; f, lodicules.

Plate 4. *Diectomis angustata* Presl. — a, Pair of spikelets showing joint of rachis and side view of sessile spikelet; b, pistillate spikelet; c, first glume; d, second glume; e, third glume; f, flowering glume; g, palea and lodicules; h, pistil; i, stamens — all belonging to the sessile and fertile spikelet; k, first glume; l, second glume; m, third glume; n, flowering glume; o, palea with stamens and lodicules — all belonging to the pedicellate and staminate spikelet.

Plate 5. *Hexarrhena cenchroides* Presl. Mexico. — a, Group of spikelets; b, lateral spikelets; c, lateral floret, outer glumes removed; d, e, outer glumes of the pistillate spikelet; f, pistillate floret; g, palea of same; h, pistil, most of the style removed.

Plate 6. *Thysanachne peruviana* Presl. High mountains of Peru. — a, Spikelet; b, third glume, inner view showing its palea; c, fertile flower.

Plate 7. *Thysanachne scoparia* Presl. — a, Spikelet; b, first glume; c, second glume; d, third glume; e, palea of third glume; f, flower; g, palea and lodicules.

Plate 8. *Paspalum attenuatum* Presl.—a, Spikelet showing first glume; b, spikelet showing second glume; c, dorsal view of flowering glume; d, anterior face of flowering glume with inclosed palea; e, palea, lodicules, and stigmas.

Plate 9. *Paspalum bracteatum* Presl.—a, Spikelet showing first glume; b, spikelet showing second glume; c, back of flowering glume; d, opposite face of flowering glume showing inclosed palea; e, lodicules, palea, and stigmas.

Plate 10. 1, *Paspalum fuscescens* Presl.—a, Spikelet showing first glume; b, spikelet showing second glume; c, back of flowering glume; d, anterior view of flowering glume; e, palea and lodicules, the latter drawn outside the infolded edges of the palea. 2, *Paspalum pubescens* Presl. Monterey, Cal.—a, View of spikelet showing first glume; b, same showing second glume; c, dorsal view of flowering glume; d, anterior view of same.

Plate 11. *Paspalum fuscum* Presl.—a, Spikelet showing first glume; b, spikelet showing second glume; c, dorsal view of flowering glume; d, an interior view of flowering glume; e, palea and lodicules.

Plate 12. *Paspalum haenkeanum* Presl.—a, Spikelet showing first glume; b, spikelet showing second glume; c, dorsal view of flowering glume; d, palea, lodicules, and stigma.

Plate 13. *Paspalum lentiginosum* Presl.—a, Spikelet showing first glume; b, spikelet showing second glume; c, dorsal view of flowering glume; d, anterior view of flowering glume showing inclosed palea; e, palea, lodicules, and stigmas.

Plate 14. *Urochloa paspaloides* Presl.—a, Spikelet showing back of first glume; b, spikelet showing back of second glume; c, spikelet showing back of third glume, first being removed; d, inside of third glume with inclosed palea; e, back of flowering glume; f, opposite face of flowering glume with inclosed palea.

Plate 15. *Panicum auritum* Presl. Sorzogon Luzone.—a, View of spikelet showing first glume; b, view of spikelet showing third glume; c, lateral view of spikelet; d, dorsal view of fruiting glume; e, anterior view of palea showing lodicules, stigma, and stamens.

Plate 16. *Panicum brizaeforme* Presl.—a, Spikelet showing back of first glume; b, spikelet showing back of second glume; c, side view; d, palea and stamens of third glume, also lodicules; e, back of flower; f, opposite face of flower with inclosed palea.

Plate 17. *Panicum carinatum* Presl.—a, Spikelet showing back of first glume; b, spikelet showing back of second glume; c, side of spikelet; d, back of flower; e, opposite face of flower with inclosed palea.

Plate 18. *Panicum fimbriatum* Presl. Acapulco, Mexico. Monterey, Cal.—a, View of spikelet showing first glume and back of third glume; b, view of spikelet showing second glume, and part of the fourth or flowering glume; c, back of flowering glume; d, dorsal view of palea which is nearly inclosed by the margins of the flowering glume.

Plate 19. *Panicum hirticaulum* Presl. Acapulco, Mexico.—a, Spike-

let showing first glume; b, spikelet showing second glume; c, lateral view of spikelet; d, inner view of third glume, showing its palea; e, dorsal view of flowering glume; f, anterior view of floret showing palea.

Plate 20. *Panicum miliiforme* Presl. Luzone. — a, View of spikelet, showing first glume; b, view of spikelet showing the second glume; c, anterior view of third glume showing its palea; d, dorsal view of flowering glume; e, dorsal view of palea, which is partly inclosed by the flowering glume.

Plate 21. 1, *Panicum phleiforme* Presl. Mexico. Specimen fragmentary.—a, View of spikelet showing first glume and a part of third; b, view of spikelet showing second glume from the back; c, lateral view of spikelet; d, dorsal view of flowering glume; e, anterior view of same showing palea. 2, *Panicum polyyrrhizum* Presl. Monterey, Cal.—a, View of spikelet showing first glume; b, view of spikelet showing second glume; c, dorsal view of flowering glume; d, anterior view of first spikelet, the outer glumes removed showing palea; e, inner view of palea showing lodicules and stamens.

Plate 22. *Panicum stipatum* Presl.—a, Spikelet showing very minute first glume; b, spikelet showing second glume; c, back of flowering glume; d, opposite face of flowering glume with inclosed palea, showing also attached palea of third glume.

Plate 23. *Alloteropsis distachya* Presl. Monterey, Cal.—a, Spikelet showing first glume; b, view of the spikelet showing second glume; c, anterior face of second glume; d, palea, lodicules, and stamen of the staminate flower; e, fertile flower. —f, Joint of a rachis, a sessile spikelet and a pedicel of a pedicellate spikelet of some species of *Andropogon*. This spikelet, from which this drawing was made, was found only in one instance, inside the third glume, occurring there through some accident doubtless. It was upon this supposed compound spikelet that Presl based his genus *Alloteropsis*. The grass, however, is a species of *Panicum*.

Plate 24. *Oplismenus tenuis* Presl. Mexico, Panama.—a, Entire spikelet; b, inner view of third glume showing its palea; c, back of flower; d, anterior view of same.

Plate 25. *Berchtoldia bromoides* Presl.—a, Side view of spikelet; b, back of spikelet showing first glume; c, opposite view of palet, showing second glume; d, third glume; e, back of flower; f, opposite view of flower showing inclosed palea.

Plate 26. *Aristida longiramea* Presl.—a, Empty glume; b, flower, showing palea and inclosed stamens.

Plate 27. *Aristida nigrescens* Presl.—a, Spikelet; b, flower; c, palea.

Plate 28. *Podosaemum distichophyllum* Presl. Mexico.—a, Empty glumes; b, spikelet, empty glumes removed; c, dorsal view of flowering glume; d, anterior view of palea, showing stamens and lodicules.

Plate 29. 1, *Podosaemum tenuissimum* Presl. Panama, Mexico.—a, Empty glumes; b, floret; c, dorsal view of flowering glume; d, stamens and pistil. 2, *Pereilema crinitum* Presl. Panama.—a, Empty glumes; b,

dorsal view of flowering glume with a portion of the awn; c, palea; d, stamens.

Plate 30. 1, *Sporobolus ciliatus* Presl. Panama. — a, Spikelet; b, spikelet in fruit; c, pistil; d, fruit. 2, *Sporobolus humilis* Presl. Island of Luzone. — a, Entire spikelet; b, same, empty glumes removed; c, fruit. 3, *Sporobolus repens* Presl. Mexico. — Natural size. — a, Empty glumes; b, flowering glume and palea; c, pistil; d, anthers.

Plate 31. *Nowodworskya agrostoides* Presl. — a, Spikelet; b, back of flowering glume.

Plate 32. 1, 2, *Agrostis caespitosa* Presl. Peru (?). — a, Empty glumes; b, flowering glume; c, rudiment. — The lower figure is drawn from a specimen collected on the Wilkes Exploring Expedition in Peru. The upper figure is drawn from Presl's specimen. 3, *Agrostis rigescens* Presl. Peru (?). — a, Empty glumes; b, flowering glume and palea. — Habit drawings, natural size.

Plate 33. *Agrostis toluccensis* HBK. High mountains of Peru. — a, Empty glumes; b, spikelet with the empty glumes removed.

Plate 34. 1, *Trichodium album* Presl. Nootka Sound. — a, Empty glumes; b, floret. 2, 3, *Trichodium nanum* Presl. Peru (?). — Natural size. — a, Spikelet; b, floret. — The lower figure is drawn from a specimen of the same species collected on the Wilkes Exploring Expedition.

Plate 35. 1, *Deyeuxia densiflora* Presl. From mountans of Peru. — a, Empty glumes; b, floret, empty glumes removed, showing palea; c, rudiment. 2, *Deyeuxia ovata* Presl. High mountains of Peru. — a, Empty glumes; b, spikelet, empty glumes removed; c, rudiment.

Plate 36. *Deyeuxia fuscata* Presl. High mountains of Peru. — a, Empty glumes; b, spikelet, empty glumes removed; c, rudiment.

Plate 37. *Deschampsia calycina* Presl. — a, Empty glumes; b, spikelet, empty glumes removed; c, palea and grain.

Plate 38. *Avena pilosa* Presl. — a, Empty glumes; b, spikelet, empty glumes removed; c, floret; d, dorsal view of flowering glume; e, palea.

Plate 39. *Monopogon avenaceus* Presl. — a, Spikelet; b, back of first glume of one flower; c, back of second glume of one flower; d, third glume and inclosed palea; e, flowering glume, front; f, flowering glume, back; g, flowering glume, inside, flattened out; h, palea, back; i, ovary and lodicules.

Plate 40. 1, *Cynodon arcuatus* Presl. Island of Luzone. — a, Empty glumes; b, spikelet, empty glumes removed. 2, *Cynodon tener* Presl. Luzone. — a, Empty glumes; b, floret and rudiment.

Plate 41. *Chloris truncata* R. Br. — a, Empty glumes; b, spikelet, with the empty glumes removed; c, palea.

Plate 42. *Campulosis planifolius* Presl. Mexico. — a, Outer or empty glumes; b, spikelet, empty glumes removed, and floret expanded.

Plate 43. 1, *Diplachne brevifolia* Presl. High mountains of Peru, — a, Empty glumes; b, spikelet, empty glumes removed. 2, *Diplachne rigescens* Presl. — a, Empty glumes; b, spikelet, empty glumes removed.

Plate 44. 1, *Eragrostis alba* Presl. Monterey, Cal. Specimen in-

complete. — a, Empty glumes; b, spikelet, empty glumes removed. 2, *Eragrostis tenella* Beauv. — a, Spikelet; b, empty glume of the floret.

Plate 45. *Eragrostis lurida* Presl. Mountains of Peru. — a, Empty glumes; b, spikelet, empty glumes removed; c, dorsal view of flowering glumes; d, palea; e, grain.

Plate 46. *Eragrostis secundiflora* Presl. Mexico. — a, Spikelet; b, floret; c, inner view of the palea showing lodicules.

Plate 47. 1, *Eragrostis panamensis* Presl. Panama. — a, Spikelet; b, floret. 2, *Megastachya panicoides*. Presl. Mexico near Acapulco. — a, empty glumes; b, spikelet, empty glumes removed; c, floret.

Plate 48. 1, *Brizopyrum boreale* Presl. Nootka Sound. Specimen fragmentary. 2, *Brizopyrum pilosum* Presl. Acapulco. — a, Spikelet.

Plate 49. *Chascolytrum spicigerum* Presl. Mountains of Peru and Chili. — a, Entire spikelet; b, lateral view of flowering glume; c, palea; d, lodicules; e, pistil.

Plate 50. *Poa holciformis* Presl. — a, Empty glumes; b, spikelet, empty glumes removed; c, floret; d, palea; e, lodicules; f, pistil.

Plate 51. 1, *Poa nootkaensis* Presl. Nootka Sound (?), Mexico (?). — a, Empty glumes; b, spikelet, empty glumes removed. 2, *Poa secunda* Presl. Chilian Cordilleras. Fragmentary specimen. — a, Empty glumes; b, spikelet, empty glumes removed; c, dorsal view of flowering glume; d, palea; e, pistil and lodicules.

Plate 52. 1, *Bromus setifolius* Presl. In the Chilian Cordilleras. — a, Empty glumes; b, a single floret. 2, *Bromus secundus* Presl. Nootka Sound. — a, Empty glumes; b, florets.

Plate 53. *Bromus virgatus* Presl. Mexico (?). Monterey, Cal. — a, Empty glumes; b, spikelet, empty glumes removed.


Plate 54. 1, *Ceratochloa haenkeana* Presl. Chilian Cordilleras, Mountains of Peru. — a, Lateral view of flowering glume. 2, *Hordeum comosum* Presl. Peru. — a, Interior view of group of spikelets, tip of awns removed.





SACCHARUM SPICATUM, PRESL.





POGONOPSIS TENERA, PRESL (1). ANDROPOGON TENELLUS, PRESL (2).






ANDROPOGON MALACOSTACHYUS, PRESL.





DIECTOMIS ANGUSTATA, PRESL.






HEXARRHENA CENCHROIDES, PRESL.






THYSANACHNE PERUVIANA, PRESL.






THYSANACHNE SCOPARIA, PRESL.






PASPALUM ATTENUATUM, PRESL.






PASPALUM BRACTEATUM, PRESL.





PASPALUM FUSCESCENS, PRESL (1). P. PUBESCENS, PRESL (2).






PASPALUM FUSCUM, PRESL.






PASPALUM HAENKEANUM, PRESL.






PASPALUM LENTIGINOSUM, PRESL.





UROCHLOA PASPALOIDES, PRESL.






PANICUM AURITUM, PRESL.






PANICUM BRIZAEFORME, PRESL.






PANICUM CARINATUM, PRESL.







PANICUM FIMBRIATUM, PRESL.






PANICUM HIRTICAULUM, PRESL.





PANICUM MILIIFORME, PRESL.






PANICUM PHLEIFORME, PRESL (1). P. POLYRRIZUM, PRESL (2).










ALLOTEROPSIS DISTACHYIA, PRESL.





OPLISMENUS TENUIS, PRESL.





BERCHTOLDIA BROMOIDES, PRESL.





ARISTIDA LONGIRAMEA, PRESL.





ARISTIDA NIGRESCENS, PRESL.







PODOSAEMUM DISTICHOHYLLUM, PRESL.






PODOSAEMUM TENUISSIMUM, PRESL (1). *PEREILEMA CRINITUM*, PRESL (2)





SPOROBOLUS CILIATUS, PRESL (1). S. HUMILIS, PRESL (2).
S. REPENS, PRESL (3).






NOWODWORSKYA AGROSTOIDES, PRESL.




AGROSTIS CAESPITOSA, PRESL (1, 2). A. RIGESCENS, PRESL (3)







AGROSTIS TOLUCCENSIS, HBK.






TRICHODIUM ALBUM, PRESL (1). T. NANUM, PRESL (2, 3).






DEYEUXIA DENSIFLORA, PRESL (1) D. OVATA, PRESL (2).





DEYEUXIA FUSCATA, PRESL.





DE SCHAMPSIA CALYCINA, PRESL.



AVENA PILOSA, PRESL.




MONOPOGON AVENACEUS, PRESL





CYNODON ARCUATUS, PRESL (1). C. TENER, PRESL (2).





CHLORIS TRUNCATA, R. BR.





CAMPULOSUS PLANIFOLIUS, PRESL.




DIPLACHNE BREVIFOLIA, PRESL (1). D. RIGESCENS, PRESL (2).



ERAGROSTIS ALBA, PRESL (1). E. TENELLA, BEAUV. (2).






ERAGROSTIS LURIDA, PRESL.





ERAGROSTIS SECUNDIFLORA, PRESL.





ERAGROSTIS PANAMENSIS, PRESL (1). MEGASTACHYA PANICOOIDES, PRESL (2).





BRIZOPYRUM BOREALE, PRESL (1). B. PIOSUM, PRESL (2).






CHASCOLYTRUM SPICIGERUM, PRESL.






POA HOLCIFORMIS, PRESL.






POA NOOTKAENSIS, PRESL (1). P. SECUNDA PRESL (2).





BROMUS SETIFOLIUS, PRESL (1). B. SECUNDUS, PRESL (2).



BROMUS VIRGATUS, PRESL.





CERATOCHLOA HAENKEANA, PRESL (1). HORDEUM COMOSUM, PRESL (2).

A SCLEROTOID DISEASE OF BEECH ROOTS.

BY HERMANN VON SCHRENK.


In the examination of some beech humus at Grand View, Rockland Co., N. Y., during the past summer, a large number of small tubercles were found attached to the fibrous roots of the beech trees. These trees grew in a clump, thirty or forty together, in a creek bottom in a rich humus soil, strongly admixed with clay. Cattle had cropped the ground closely, and had here and there wounded the larger surface roots. From such points numerous shoots had grown. A number of these were carefully dug up, to verify the connection of the tubercles with the beech roots. No tubercles were found on any beeches away from the clump mentioned. Masses of earth with roots and tubercles were collected and washed out, and the smaller roots with the attached tubercles were hardened in alcohol.

The tubercles were of various shapes and sizes, some almost round, others more elliptical or heart-shaped, and varying in size from those about as large as a small pea to some barely visible to the naked eye. Many occurred close together, oftentimes several on a small root (Pl. 55, fig. 1). Here and there one tubercle has the appearance of being composed of two or more parts (Fig. 1 'a', Fig. 2). From each body colorless strands extended through the ground, which join or pass from the tubercle at no definite point (Pl. 55, fig. 1 'b', fig. 2. Pl. 56, fig. 3 'b'). The tubercles are grayish-white in color.

With these bodies, others, very similar to these, are found. These are more regular in form, of a finer texture, and yellowish in color. On examination they proved to be small sclerotia, such as one frequently finds in humus soils.

They probably belong to some one of the Agaricinae. The sclerotia had no very definite outer layer, and were uniformly composed of very fine hyphae, loosely interwoven. Toward the periphery these became more or less parallel, and at certain points passed off in the form of long strands, resembling those passing off from the tubercles. Nowhere was any direct connection established between the two masses.

On examining the gray tubercles more in detail, they are found to consist of a bundle of cylindrical bodies, much intertwined, evidently roots, which are covered and firmly held in place by a membrane or sheath. The latter is composed of fungus hyphae, arranged in two distinct layers, easily to be torn one from the other. The sheath as a whole is but loosely connected with the bundle of roots, as very slight teasing with a needle will enable one to pull off the whole intact. With this sheath the strands of hyphae already mentioned are pulled off. Of the two layers, the outer is the thicker one. It is formed of hyphae parallel to each other, or nearly so, of a very large diameter and many-septate. The individual cells are about twice as long as they are broad, and in all cases are empty. The hyphae branch freely, and anastomose frequently with neighboring hyphae. One cell may have several branches (at 'h') either of the same diameter or smaller, one



HYPHAE FROM OUTER LAYER OF SHEATH (X520).

branch extending forward, the other back. H-connections are frequent, and once a distinct clamp cell was found. Because of this frequent branching and anastomosing, the whole layer is firmly united, and forms a mat, which no teasing can separate into its component threads. In section this layer appears like a layer of pseudoparenchyma (Pl. 55, fig. 8 'p'. Pl. 56, fig. 2 'p'), varying in thickness at different points on the tubercle. Wherever any depression on the latter occurs, the hyphae of this layer immediately fill it, so that in many places it is several millimeters in thickness. The inner layer (Pl. 55, fig. 8 's') is formed of very fine hyphae, so closely interwoven that it was not possible to separate the individual threads. The hyphae of this layer are easily torn, so that in pulling off the sheath, they readily separate from the main mass of hyphae and rootlets. The latter are firmly held in place by the hyphae (Pl. 56, fig. 2 'o'); which completely surround each root, and fill all spaces between them. Often, open spaces occur between the roots, crossed by strands of mycelium, looking as if the roots had spread apart, and had not yet given the fungus an opportunity to fill the space. Around a number of root tips two layers of fine hyphae are very evident (Pl. 55, fig. 10 'h'. Pl. 56, figs. 1 and 2 'h'). The layer which is next the tip, is much denser than the following one, and consequently darker.

Coming now to the main body of the tubercle, it is found to consist of a large number of small rootlets, much twisted and contorted, which, when the sheath is removed, present an appearance much like a mass of intestines (Pl. 56, fig. 3). They are firmly pressed one against the other, and are held in place by the fine hyphae. If they are torn apart and straightened out as far as possible, it is seen that these roots are branches and branchlets of a larger root, and apparently have all originated from a single root. A small piece of the large mass is represented, much flattened, on Pl. 55, fig. 10. Each branch is much bent from side to

side, and looks as if some obstacle had been put in its path, and as if by a series of nutations it had endeavored to get away from the obstruction. At short intervals new branches appear, up to within a few millimeters of the root-tip. The branching is irregular, but the majority of the branchlets have a direction parallel to each other so that a longitudinal and transverse axis of each tubercle can be distinguished. If a longitudinal section be made through a tubercle some rootlets are cut transversely, but the majority in part radially and in part tangentially parallel to the longer axis. A complete radial section is impossible because of the contorted form of the roots. A section reconstructed from a large number of sections is represented on Pl. 56, fig. 1. It is to be noted that all roots keep on growing, even after giving off branches, so that on one transverse plane there are but few young roots (Pl. 55, fig. 10). A transverse section shows most of the roots cut across (Pl. 56, fig. 2). Between the roots the fine filling of fungus hyphae is seen, and about one, a darker ring ('h') indicating that this section has been made near the tip of the rootlet.

The structure of each root is peculiar. On the outside is an epidermal layer composed of elongated cells, looking much like palisade cells. These give one the impression that the root may have endeavored to get rid of the appressing fungus by increasing in diameter. Nowhere do any fungus threads enter this layer of cells. The hyphae lie closely appressed, and seem to adhere to the cell wall, but I never saw any of them penetrate it. Inside this epidermal layer come two layers of the cortex, the endodermis and two radial bundles (Pl. 55, fig. 8). There are no intercellular spaces, and the cell walls everywhere are very thin. The root tip is much simplified. The root cap consists of but two layers of flat cells (Pl. 55, fig. 9 'c') resembling in this respect the root cap of the mycorrhiza. The large columnar epidermal cells originate close

to the tip ('e'). The meristem cells are very large, compared with those found in the roots of the mycorrhiza.

In tracing the development of these tubercles the structure of the beech roots as they are found normally must be remembered. Since the researches of Frank * it is generally recognized that the roots of the beech when grown in humus soil, are surrounded at their tips by a mantle of fungus threads, which grow in more or less intimate contact with the root itself, and, according to Frank, sustain a sort of symbiotic relationship, known collectively as the mycorrhiza. But few of the fungi to which these hyphae are supposed to belong are known as yet, but wherever beeches occur in humus soils, some fungus is found associated with their roots.

This is true of our American beech, *Fagus ferruginea*, of which roots from different localities have been frequently examined. The roots of the mycorrhiza are as a rule coraloid in form, i. e. short, frequently branching, grayish-white in color, but never, so far as I have seen them, contorted or hypertrophied in any way.

The trees at Grand View had no fungus mantle on the ultimate root tips of the larger roots on which tubercles were found. All rootlets free from the tubercles were short, with a blackened epidermis. All stages from such short uncovered roots to the full-sized tubercle were seen, and the method of growth appears to be as follows. The strands of some humus inhabiting fungus happen to grow over one of the ultimate branches of the beech root. For some reason the hyphae of that strand then develop profusely at the point of contact and gradually grow around the root. The beginning and end of the strand are soon

* Frank, B. Über die auf Wurzelsymbiose beruhende Ernährung gewisser Bäume durch unterirdische Pilze. (Ber. d. deutsch. bot. Gesell. 3 : 128. 1885.) — Über die physiologische Bedeutung der Mycorhiza. (Ber. d. deutsch. bot. Gesell. 6 : 248. 1888.)

not to be distinguished (Pl. 55, fig. 7) as its hyphae pass imperceptibly over into those of the forming sheath. It ought to be said that hyphae of large as well as those of small diameter are found in the strands passing about the beech roots. The sheath grows rapidly along the rootlet, until it reaches the point where that root joins a larger one. If another small root happens to be close by, the hyphae may grow over that one in similar manner, as evidently they did in several instances (Pl. 55, figs. 1 and 2). Shortly after being thus enveloped the rootlet begins to grow vigorously, at least it tries to. Lateral rootlets begin to appear close to the tip (Pl. 55, figs. 4 and 7 'b'), and they are pressed against the parent root by the enveloping sheath. In their endeavor to grow out, the roots execute circumnavigating movements and gradually acquire the much contorted appearance already described. A number of stages in the process are shown in figs. 4, 5 and 6. Here the sheaths have been removed for clearness, and the branches have been pulled apart. Originally they were closely appressed. After some time the large skein is complete, and it is impossible to say how long the process would have continued. As each tubercle grew in size the enveloping hyphae kept pace with the growing roots. Sometimes two tubercles would touch, and then the hyphae of the two sheaths would fuse and thus bring about the appearance of a compound tubercle (Pl. 55, fig. 2).

It now remains to inquire what the cause and meaning of the formation of these structures may be. The beech roots are as a rule covered by a fungus mycelium, which surrounds them and of which many hyphae enter the epidermal cells. All observers, Frank,* Schlicht,† Sarauw,‡

* Frank, B. l. c.

† Schlicht, Alb. Über neue Fälle von Symbiose der Pflanzenwurzeln mit Pilzen. (Ber. d. deutsch. bot. Gesell. 6: 269. 1888.)

‡ Sarauw, G. F. L. Rodsymbiose og Mykorhizer saerlig hos Skovtræerne. (Bot. Tidsskrift 18: 127. 1893.)

Möbius,* and others agree that the only effect which the fungus has on the root is to stunt it, and as if to counter-balance this, it causes it to branch more frequently than it otherwise would. A multi-branched coraloid form of root is thus brought about. This has been one of the reasons for considering the relation of fungus and root a symbiotic one, for in cases of parasitism some form of hypertrophy, starch accumulation, or other evidence of stimulus is met with.† In the tubercles described there is evidently some form of stimulus which brings about the proliferation of roots, and that stimulus is probably exerted by the fungus mycelium. To that extent the phenomenon would lead one to class the structures among such as are formed because of the action of some parasitic fungus. But there is here no evidence of parasitism, no starch accumulation, and what is more, no evident connection between the fungus and the root. The hyphae simply surround the roots without entering the cells. Because of the greatly increased and abnormal growth of the roots, which cannot be without effect on their physiological activity, much less of benefit to them, one must class the tubercles as pathological conditions of these roots. The presence of a large number of small sclerotia together with the tubercles suggests that the sterile mycelium of the tubercles probably belongs to some Hymenomycete which usually forms sclerotia. Some of these hyphae come into contact with the beech roots, stimulate them, and then, in their further growth, adhere to the sclerotium-forming tendency and thus bring about the tubercles described. Their nearly constant form and size, as well as the similarity of the loose hyphal network with that of the small sclerotia all point in that direction.

The formation of numerous twisted roots with short

* Möbius, M. *Der Erdboden in Beziehung zur Ernährung der Pflanzen.* (Gartenwelt 3: 154. *Ag. 1.* 1898.)

† Frank, B. *Ber. d. deutsch. bot. Gesell.* 3: 258. 1885.

branches is without doubt due to a stimulus exerted by the fungus. The only causes which could bring about advancement toward the root tips of lateral root-formation are two, pressure at the tip, and injury to the same, both equally effective in preventing onward growth of the root.* The experiments of Pfeffer and of Newcombe showed that growth had to cease entirely before the lateral roots make their appearance. Experiments of my own led to similar conclusions. Seedling beans, peas, cotton, squash, castor beans were grown in plaster, both completely hard, and softened plaster kept in moist chambers, solutions of gelatin, in rubber bags, etc. The results are to be recorded elsewhere. All the experiments showed conclusively that only when there was an absolute cessation of growth, did the lateral roots appear. The pressure must be a great one, which prevents onward growth, and it is scarcely conceivable that the pressure exerted by an envelope of fungus hyphae would be sufficiently great to do this. But aside from this the pressure, if such existed, did not stop the growth, for as has been said, the roots all kept on growing, even after being covered by the fungus sheath. It would then appear that the only other cause except that of stimulus, which would bring about lateral root development, could not have been effective in this case.

It is impossible to say what kind of fungus it was, which enveloped the roots, but it seems probable that it is distinct from those forming the mycorhiza. It is by no means a rare occurrence to find fungus mycelium about beech roots, which seems to have no connection with the same. Masses of roots collected at Oran, Mo., during October were almost white in color because of some fungus surrounding the roots like a fine web. The smaller roots

* Pfeffer, W. Druck und Arbeitsleistung durch wachsende Pflanzen. (Abh. d. könig. sächs. Ges. d. Wiss. **20** : 235-474. 1893.)—Newcombe, F. C. The influence of Mechanical Resistance on the Development and Life Period of Cells. (Bot. Gazette **19** : 149. 1894.)


were much contorted, and like those in the tubercles, but each rootlet was covered with a sheath of fungus mycelium, like that of the typical mycorhiza. It is difficult to say whether this mycelium was distinct from that of the mycorhiza. I am inclined to think that it was, as it occurred in isolated spots, and only among definite clumps of trees, while all trees of that locality had the mycorhiza form of root. The occurrence of so many forms of mycelia, some apparently closely associated with the roots, laying claim to symbiotic relationship, others evidently more distinct from the root, such as the one which formed the tubercles, suggests that the problem of the root fungi in relation to trees is still an open one.

EXPLANATION OF PLATES ILLUSTRATING SCLEROTOID DISEASE OF BEECH ROOTS.

Plate 55.—1, Beech root from Grand View, N. Y., showing sclerotoid bodies 'a' with fungus strands 'b' leading from each one ($\times 3$). 2, Large tubercle, composed of three smaller ones, whose sheaths have united ($\times 1$). The various depressions indicate separate masses of roots. A fungus strand comes from each mass. 3, A small sclerotium found near the beech roots ($\times 4$). 4, Optical section of early stage of tubercle; covered with fungus sheath and showing two branches originating close to the root-tip ($\times 6$). 5, An older stage of a tubercle ($\times 6$). The fungus sheath has been removed, and the branches are spread out. Some of the fungus threads adhere to the roots. 6, Still more advanced stage, roots spread out ($\times 6$). 7, a, The beginning of a tubercle, 's' fungus strands growing over a root, and spreading out forming a sheath ($\times 7$); b, sheath removed, showing three branches just appearing ($\times 7$). 8, Transection of root from tubercle, with a portion of the sheath; 'p' outer layer of sheath, composed of fungus threads of large diameter; 's' inner layer of sheath; 'e' epidermis of root. 9, Longisection through tip of root, slightly diagrammatic; the enveloping fungus hyphae have been omitted; 'c' two-layered root cap; 'e' epidermis; 'v' plerome cylinder. 10, A small portion of roots from a tubercle. Each branch keeps on growing, and forms branches constantly. The line at the side equals 2 millimeters; 'h' double layer of fungus hyphae around the root-tip.


Plate 56.—1, Longisection of a young tubercle, reconstructed from

25 sections. Two adjacent rootlets have been covered by the fungus. 2, Transection of tubercle. All roots but two are cut transversely; 'h' double layer of hyphae; 'p' outer layer of sheath; 'o' mass of fine fungus threads surrounding each root and holding it in place. 3, Small tubercle, from which the fungus sheath has been partially removed, exposing the coiled mass of rootlets lying underneath; 'b' the strand from which the sheath developed. The line at the side equals 1 millimeter.



SCLEROTOID DISEASE OF BEECH ROOTS.





SCLEROTOID DISEASE OF BEECH ROOTS.

SPECIAL PUBLICATIONS.

EDWARD LEWIS STURTEVANT.

A Biographical Sketch.

BY C. S. PLUMB.

The gift of Dr. E. Lewis Sturtevant to the Missouri Botanical Garden of his extensive and valuable library of Prelinnean works, was an event in the history of this institution. This collection of books, which contains many rarities, was secured only through years of searching and at great expense. Its equal probably does not exist to-day in America.

The recent death of Dr. Sturtevant is a matter of more than passing moment to those interested in the work of this Garden. He was one of its benefactors, was interested in its work, and was a botanical student through many years of his life. In donating his library to this institution, he did it with the belief that here in future was to be one of the world's greatest botanical gardens, where such a collection of books would prove of far-reaching influence.

Edward Lewis Sturtevant was born in Boston, Mass., Jan. 23, 1842. His father and mother died within a short time of each other, in Philadelphia, Pa., shortly after the birth of his brother, Joseph N. When a small boy, with his aunt and guardian, Mrs. Benson, he moved to Winthrop, Maine, the birthplace of his father, where he resided for some time. He attended school there, and later went to New Jersey to a preparatory school. At 17 years of age he entered the class of '63 at Bowdoin College, in Maine, withdrawing in his senior year to enlist in the army. In

September, 1862, he was appointed First Lieut. of Co. G. of the 24th regiment of Maine Volunteers, and the next January was made Captain of his company. He served with the 19th army corps on the lower Mississippi, and was present at the siege of Port Hudson. A portion of his army service was on the staff of General Nickerson, 3rd brigade, 2nd division, with the rank of Captain. His career in the army was brought to a close by an attack of typhoid malaria, which necessitated his return home.

Soon after his return from the war, he entered the Harvard University Medical School, from which he received the degree of M. D. in 1866. The degrees of B. A. and A. M. were also conferred upon him by Bowdoin at different times in his early career.

Notwithstanding the degree of M. D. had been bestowed upon him, he never practiced medicine. After his graduation from Harvard, E. Lewis and his brother Thomas lived with their wives in the same home in Boston for a year or so. In 1867, with his brothers Joseph N. and Thomas, he purchased and resided on what afterwards became well known as "Waushakum Farm." Here with his brothers, he gave his attention to agricultural affairs. The farm became a field for practical research work, while his library offered another field of research, which he was not slow to make use of.

Waushakum Farm soon became celebrated as the home of Ayrshire cattle, and as the place of development of Waushakum Flint corn.

These two brothers became greatly interested in Ayrshire cattle, a large herd was maintained for some years, and extensive milk records kept. The writer doubts if there are in America milk records of twenty-five years ago, that are so extensive and cover so many milking periods, and different animals, as the Sturtevant Brothers kept. They made a careful study of the Ayrshire breed of cattle and finally in 1875 published a monograph of 252 pages

concerning this breed. This volume exists to-day as the only book of importance on Ayrshires outside of the herd book, that has been published in the English language.

With a herd of dairy cows at his disposal, Dr. Sturtevant became interested in the physiology of milk and the subject of milk secretion. He made active use of the microscope, and lectured early in the seventies before agricultural associations on this important topic. Among other things, his diagrams illustrating variations in size of fat globules in milk of different breeds of cows attracted much attention.

Dr. Sturtevant began his agricultural work in 1867, and among the first things to engage his attention was Indian corn, a plant he was constantly studying for 30 years, or nearly to the time of his death. He wrote many articles on Indian corn, addressed many agricultural societies and carried on extensive observations concerning it, both in farm practice and on the experimental field. One of the important pieces of corn work which he conducted in his early career on the farm, was to improve by selection and otherwise, a form of Canadian Yellow Flint which afterwards became widely known as Waushakum corn. This was bred with such care that 125 bushels of shelled corn to the acre have been grown on Waushakum Farm from its seed.

In addition to the work in developing this variety of corn, Dr. Sturtevant also improved a variety of muskmelon, which he called the New Christiana, a salmon fleshed melon of unusual sweetness, quality and amount of flesh.

Late in the fall of 1875, a lysimeter embracing five thousandths of an acre in size and 25 inches deep, was put in on Waushakum Farm. This was, so far as I am aware, the first lysimeter built in America. Its purpose was to study the percolation of moisture through a given area of soil under agricultural conditions. The apparatus was completed Nov. 19, 1875, and up to Jan. 1, 1880, careful record was made of all the water of filtration. At the

Cincinnati meeting of the American Association for the Advancement of Science, in 1881, Dr. Sturtevant gave a statement of the records of this lysimeter for the years 1876-1879 inclusive.

So intense became his interest in things agricultural, and so fertile was he in suggestions relative to agricultural problems, that he came to be quite in demand as a speaker before agricultural societies. He delivered many addresses in the seventies before boards of agriculture, dairy associations, etc., and gradually his reputation as an advanced agricultural thinker and scientist spread over New England and the Middle States. So favorably was he known, that in 1882 the newly created board of trustees of the New York State Agricultural Experiment Station invited him to become Director and organizer of the station. This position he accepted, removing to Geneva with his family and taking up the development of this new work. There was but little for him to pattern after. None of the stations organized under the Hatch Act of Congress was then in existence. Connecticut, on July 11, 1877, had organized a modest station, which was mainly a chemical laboratory, and Massachusetts, New Jersey, North Carolina and perhaps one or two other States had begun the work of organization before New York, but the latter State was the first to plan on an extensive scale. Scarcely anything but chemical research work had been accomplished, unless we except some field and feeding experiments carried on in a small way by the agricultural departments of some of the State colleges. Dr. Sturtevant began to develop the Station as a several-sided institution. Chemical, botanical, horticultural, live stock and crop departments were established. Within two or three years a working plant was organized and put into operation, that at that time received much attention from agriculturally interested persons. The chemical work of Babcock and Ladd, the botanical work of Arthur, the horticultural work of Goff and the field and

feeding experiments of the Director, made the name of the Station and their investigations well and favorably known before Dr. Sturtevant's administration ceased. The work of these men was the foundation upon which has been erected the splendid station of to-day at Geneva.

In 1887, Dr. Sturtevant resigned his Directorship of the New York station, and returned to South Framingham to reside in the old home. Here, however, conditions were greatly changed. During his absence at Geneva, the growth of South Framingham had caused the brothers to plat off the farm into streets and building lots, where at the present time are many comfortable dwellings. And then Waushakum Farm passed out of existence. Here in the old home, however, he resided, devoted to his family and books. Near by the house he erected a small building for a library, which he designated as his "Den," and in which he wrote. In 1893, he became quite ill with la grippe, which finally assumed the phase of tuberculosis. Unable to secure relief in the Massachusetts climate, he spent three winters in southern California, part of the time entirely absent from his family and intimate friends. This absence while greatly beneficial, chafed him, so that he did not return after his third visit, preferring to remain at home and accept conditions as they were. But his hold upon life was not thereby strengthened, and he gradually failed until July 30, 1898, when he quietly dropped asleep forever.

On the back leaves of a volume of his Agricultural Essays, that he had bound in for annotation, are a number of definitions, aphorisms, or sayings in his own unique and characteristic handwriting, undoubtedly the product of his own thought. Some of these are worthy of record here, as for example: —

"Agriculture is a complex art. To be a good farmer requires varied abilities and a sound judgment."

"The farmer who deals so exclusively with nature in her varied moods,

must ever remember that he cannot originate but only turn to good account the results of thoughtful observations and studied experiences."

"The season is much, the farmer is more. Crops follow judgment more than the weather."

"Agriculture as an art and a science, must be progressive, otherwise it will fail to keep pace with the requirements of our age."

"Any class of men who have not thought-makers among them, must become hewers of wood and the drawers of water. This is a social law. In education must be the farmer's hope, in thought-power must be the reliance of farmers."

"The peril to agriculture is to come more from personal ignorance than from other's competition; not higher prices, but cheap food and intelligence are for the continued and best interests of the country, the farmer included. The farmer should consider himself, both for his own welfare and as a fact, a citizen rather than as belonging to a class."

During all his life, Dr. Sturtevant was industrious with his pen. A great reader, and with an extensive private library at his command, he stowed away in his retentive memory, or in card note form, much to assist him in his subsequent work. An examination of his writings in pamphlet or book form will show foot-note references to an extent seldom seen. During his life, he had accumulated many thousand notes on cards, which he filed away and found of constant use. I counted in his library this summer over 170 small card catalogue boxes, each of which would hold about 75 cards. In these he gathered together an agricultural dictionary, and thousands of miscellaneous notes on things agricultural, botanical and historical. Later he had a large wooden case built, containing 30 drawers for cards, about 20 of which he filled with thousands of cards. Between 1883 and 1896 he inscribed notes on these cards, and among the last things he attended to a few weeks before his death, was to see that these were presented to the Missouri Botanical Garden, where he felt that they would meet with appreciative use.

While Director of the New York Station he became greatly interested in agricultural plants, and commenced to gather historical data concerning them. After exhausting

the library at his disposal, he began to purchase the works of old botanical writers, and thus continued his search. This led to the expenditure of large sums of money and the gradual accumulation of the finest Prelinnean library in the United States. An extensive importing house in New York made him constant shipments of rare old botanical or agricultural works, and thousands of dollars were thus spent. Being desirous that this valuable collection should be kept intact and yet in a place where it might be available to students, in 1892 Dr. Sturtevant donated these volumes to the library of the Missouri Botanical Garden. The size of the collection is indicated somewhat from the fact that it numbers over 500 titles and many more volumes than that. A list of the books occupies 86 octavo pages in the seventh annual report of the Missouri Botanical Garden. In the words of Dr. Trelease, "No conditions were attached to this gift, though it was suggested that the collection be kept in a group by itself." It is accordingly kept by itself and is known as "The Sturtevant Prelinnean Library."

Dr. Sturtevant was an active member and one of the founders of the Society for the Promotion of Agricultural Science, and presented a number of papers before its sessions during his life. He served as its first secretary and fourth president. He was also a Fellow in the American Association for the Advancement of Science.

The pen contributions of Dr. Sturtevant cover about 30 years and number many titles. He was a facile writer, and, until sickness incapacitated him, found time to furnish contributions of a scientific character to *Science*, *American Naturalist*, *Botanical Gazette*, *Torrey Botanical Club Bulletin* and several learned societies.

In his library I found 12 scrap book volumes, some nine by seven inches, of about 100 pages each, filled with his writings, cut from agricultural and other journals, these extending from November 2, 1867, to October 6, 1896.

The last article was from *Science*, and was a brief note relative to some "new apples," and two different colored dahlias found growing on one stem. Besides these, there were two bound volumes of his own writings, one containing 22 pamphlets ranging from three or four to 67 pages, and all published prior to 1882 and mainly in the seventies, while the other contained 42 pamphlets, additional to some experiment station documents.

On June 1, 1875, the first number of the *Scientific Farmer* was published. In March, 1876, the subject of this sketch joined with E. H. Libbey, then editor, in editing that paper. In May, 1878, the first number of the *Scientific Farmer* with E. Lewis Sturtevant as sole editor and proprietor, was issued. This journal, however, which was rather in advance of the times, did not prove a success, and was discontinued in October, 1879. It contained a large amount of information in relation to agricultural science, and was contributed to by the prominent men of the day in agricultural investigation.

As a student of the history and botanical characteristics of maize, Sturtevant was without a peer in the world. During his whole life, after settling on the farm, this subject engaged his attention. At the New York Station he grew varieties of corn from seed secured from all over America and abroad, and made an extensive botanical classification from field study, which was fully illustrated, and published in the reports of that station.

A year or two before his death, at the request of the United States Department of Agriculture, he prepared and furnished the Department the manuscript concerning varieties of maize, which Director True of the Office of Experiment Stations of the Department, informs me will soon appear as Bulletin 57 of that Division.

Five children survive him, of whom two sons and two daughters were by a first wife, to whom he was married in 1864, and one son by a second wife, to whom he was mar-

ried in 1882. He took great pride in his family, to which he was much devoted, and rarely sought companionship outside their midst. While at Geneva his wife and eldest daughter took keen interest in his studies of agricultural plants, and made under his direction hundreds of beautiful colored and other drawings of varieties and types of ears of corn and other plants, many of which served to illustrate his writings and especially those on maize, as published in the New York Station report for 1884.

A man of less than average height and weight, and nervous temperament, Dr. Sturtevant was a thinker of the most active type. He was gifted with great fertility of thought, as his coworkers at Geneva and intimate friends well know. Said one of those who had known him long, "Dr. Sturtevant was one of the most remarkable men I ever knew, to suggest new ideas to others and set them to thinking."

His early training had given him liberal views, and he was well informed on topics of the time outside of his own special sphere of work. Such an industrious reader and lover of books could hardly be otherwise. He was not a great mingler with men, but he had a wide circle of friends, whose friendship he prized. Without a distinctive agricultural education, such as may be secured in the agricultural colleges of to-day, he had such a natural trend of mind in this direction, that he readily accomplished by the aid of his University training, what but few men in his generation could have done. Unquestionably the world is richer for his life, and mankind is his beneficiary.

BIBLIOGRAPHY.

The following so far as I have been able to learn is a complete list of the principal writings of Dr. Sturtevant, not including many short communications in agricultural and other journals.

Why the Ayrshire Cow should be the Dairyman's Choice. Trans. Vermont Dairymen's Association, 1872, pp. 150-159.

Cost of a Crop of Corn to the Massachusetts Farmer. *Agriculture of Massachusetts, 1872-73*, part II, pp. 80-89.

Ayrshire Points. *Ohio Agricultural Report, 1872*, pp. 261-270. Reprinted in *Mark Lane Express*, London, Eng., Feb. 3, 1873; in *Farmers' Magazine*, London, May, 1873, p. 230; and in the *North British Agriculturist*, Edinburg, Scotland, July 16, 1873.

The Claims of the Ayrshire Cow upon the Dairy Farmer. *Trans. N. Y. State Agr. Society, 1872-76*, pp. 266-279. Copied in *Gardeners' Chronicle and Agricultural Gazette*, England, May 3, 1873, p. 624.

Food, Physiology and Force. *N. H. Agriculture, 1874*, p. 157. Also in *Scientific Farmer*, July, 1879, p. 89, and *Scientific American Supplement*, No. 186.

Milk: Physiological and Miscellaneous. A Prize Essay. *Transactions New York State Agricultural Society, 1872-76*, pp. 91-124, plates III.

Milk: Some Considerations concerning its Morphology. Report Massachusetts State Board of Agriculture, 1873-74, pp. 374-388.

Milk: Its typal Relations, etc. A lecture before the Vermont Dairymen's Association, Jan. 21, 1874. Printed for the author, 1874, pp. 20, figs. 3. Also in 9th Report American Dairymen's Association.

Physiological Considerations concerning Feeding for Butter and Cheese. Report Connecticut Board of Agriculture, 1874, pp. 67, figs. 4.

Cream. *American Dairymen's Association Report, 1874*, p. 39. Also in *New England Farmer*, Jan. 28, 1875.

Associate Dairying. The Appendix to Flints' "Milch Cows and Dairy Farming." No name signed.

The Wild Cattle of Scotland, or White Forest Breed. *American Naturalist, Vol. VIII*, March, 1874, pp. 135-145.

The Law of Inheritance; or the Philosophy of Breeding. Twenty-second Annual Report Massachusetts State Board of Agriculture, 1875, pp. 48.

Chemical Corn Growing. *Trans. Middlesex South Agricultural Society, 1875*, pp. 11-32.

The Dairy Cow. A Monograph of the Ayrshire Breed of Cattle. By E. Lewis Sturtevant, M. D., and Joseph N. Sturtevant, of Waushakum Farm, South Framingham, Mass. With an appendix on Ayrshire, Jersey and Dutch Milks; their Formation and Peculiarities. Boston, Mass. A. Williams & Co., 1875. Cloth, 12mo., pp. 252. Illustrated.

The Dairy Cow—What she is and whence she came. Report Maine State Board of Agriculture, 1875-76, pp. 112-125.

Plant Food and Agriculture. Report Connecticut Board of Agriculture, 1876, pp. 14.

American Agricultural Literature. Proc. Fifth annual session National Agr. Congress, Philadelphia, Sept. 12-14, 1876, pp. 30-37.

Agriculture. Report Massachusetts State Commissioners to the Centennial Exhibition at Philadelphia, 1876, pp. 49-53.

Philosophy of Dairying. *Trans. American Dairymen's Association, 1876*, pp. 90.

Inter Cultural Tillage. Report Connecticut State Board of Agriculture, 1877-78, pp. 42.

Dairying vs. Thoroughbred Bulls. Trans. Vermont Dairymen's Association, 1876, pp. 60.

Fertilizer Laws. Agriculture of Pennsylvania, 1877, pp. 108.

Corn Culture. *Ibid.*, 1878, pp. 252-256.

Seed Breeding. Report Connecticut Board of Agriculture, 1878, pp. 149-187. Reprinted in *Monthly Journal of Science*, Aug., 1879.

Seed Corn. Report Maine State Board of Agriculture. 1878-79, pp. 30-47.

Fertility. Journal American Agricultural Association, vol. 1.

Corn Culture at Waushakum Farm. Trans. New York State Agricultural Society, vol. 32, 1872-76, pp. 170-176.

Indian Corn. Trans. New York State Agricultural Society, 1872-76, pp. 37-74.

Some Thoughts and Facts concerning the Food of Man. Report Connecticut Board of Agriculture, 1880, pp. 114-155.

Seedless Fruits. Trans. Mass. Horticultural Society, part I, 1880, pp. 29.

Deerfoot Farm Centrifugal Dairy. Report United States Commissioner of Agriculture, pp. 629-651, plates III. Reprinted in Journal of Royal Agricultural Society of England, Second Series, vol. XVIII, 1882, pp. 475-495.

Thoughts on Agricultural Education. Report Connecticut State Board of Agriculture, 1881, pp. 19.

The Growing of Corn. Twenty-eighth Annual Report of the Massachusetts State Board of Agriculture, 1881, pp. 77-130.

Lysimeter Records. Proc. American Assoc. for Advancement of Science, 1881, pp. 37-39.

Experimental Observations on the Potato. Trans. N. Y. State Agricultural Society, 1877-1882, pp. 261-265.

The Need of a Better Seed Supply. *Ibid.*, pp. 286-289.

Conditions Necessary to Success in Dairying. Report New York State Dairymen's Association, 1883, pp. 56-60.

Relations between Seeding and Quality in certain Vegetables and Fruits. Proc. Society for the Promotion of Agr. Science, vol. I, 1883, pp. 109-118.

Different Modes of Cutting Potatoes for Planting. *Ibid.*, pp. 77-78.

Agricultural Botany. Proc. Society for the Promotion of Agri. Science, 1883, p. 7. Also Trans. American Association for the Advancement of Science, 1883, pp. 293-295, Abstract.

History of Cereal Plants. Sibley's Grain and Farm Seeds Annual, 1883, pp. 5-14.

Maize: An Attempt at Classification. Rochester, N. Y., 1884, pp. 9. Illustrated. Printed for private distribution only.

Agricultural Botany. *American Naturalist*, June, 1884, pp. 573-577, fig. 3.

Hungarian Grass. Trans. N. Y. State Agricultural Society, vol. 33, 1877-82, pp. 208-220.

Experiment Stations. *Ibid.*, pp. 235-243.

The Feeding of Spoiled Brewer's Grains. Report New York State Dairy-men's Association, 1884, pp. 46-64.

Influence of Insulation upon Vegetation. Proc. American Association for the Advancement of Science, 1884.

Dairy Interests in General. Report New York State Dairymen's Association, 1884, pp. 102-108.

The Work of the Station. Ninth Annual Report New York State Dairy-men's Association, 1885, pp. 25-29.

▲ List of Edible Fungi. Trans. Mass. Horticultural Society, 1881, pp. 322-348.

Germination Studies. Proc. Amer. Assn. for the Advancement of Science, 1885, pp. 287-291.

An Observation on the Hybridization and Cross Breeding of Plants. Proc. Amer. Assn. for Adv. of Science, vol. 34, 1885, pp. 283-287.

Germination Studies. *Ibid.*, pp. 287-291.

Lowest Germination of Maize. *Botanical Gazette*, April, 1885, pp. 259-261.

Cultivated Food Plants. Proc. Society for the Promotion of Agricultural Science, 1885, pp. 59-72.

Indian Corn and the Indian. *American Naturalist*, March, 1885, pp. 225-234.

Kitchen Garden Esculents of American Origin. *American Naturalist*, I, May, 1885, pp. 444-457. II, June, 1885, pp. 542-552. III, July, 1885, pp. 658-669.

Horticultural Botany. Proc. Western New York Hort. Society for 1886, pp. 25-32.

▲ A Study of the Dandelion. *American Naturalist*, Jan. 1886, pp. 5-9. Illustrated.

▲ A Study of Garden Lettuce. *American Naturalist*, March, 1886, pp. 230-233.

History of Celery. *American Naturalist*, July, 1886, pp. 599-606, figs. 3.

History of Garden Vegetables. *American Naturalist*, 1887, vol. 21, pp. 49-59; 125-133; 321-333; 433-444; 701-712; 826-833; 903-912; 975-985. 1888, vol. 22, pp. 420-433; 802-808; 979-987. 1890, vol. 24, pp. 30-48; 143-157; 629-646; 719-744.

The Dandelion and the Lettuce. Proc. Society for Promotion of Agricultural Science, 1886, vol. 3, pp. 40-44.

▲ A Study in Agricultural Botany. *Ibid.*, 1886, vol. 4, pp. 68-73.

Atavism the Result of Cross Breeding in Lettuce. *Ibid.*, 1886, vol. 4, pp. 73-74.

History of the Currant. Proc. Western New York Hort. Society, 1887.

Seed Germination — A Study. *Agricultural Science*, Feb., 1887.

Capsicum umbilicatum. *Bull. Torrey Botanical Club*, April, 1888.

Capsicum fasciculatum. *Ibid.*, May, 1888.

Notes on the History of the Strawberry. Trans. Mass. Horticultural Society, 1888, pp. 191-204.

Seedless Fruits. *Memoirs Torrey Botanical Club*, vol. 1, part 4. 1890.

Ensilage Experiments in 1884-1885 at the New York State Agricultural Experiment Station. *Trans. New York State Agr. Society*, 1889, pp. 116-120.

Forage Crops: Maize and Sorghum. *Ibid.*, pp. 135-143.

Agricultural Botany. *Ibid.*, pp. 335-338.

Edible Plants of the World. *Agricultural Science*, vol. 3, no. 7, 1889, pp. 174-178.

The Tomato. Report Maryland Experiment Station, 1889, p. 18.

Huckleberries and Blueberries. *Trans. Mass. Hort. Society*, 1890, pp. 17-38.

Concerning some names for Cucurbitae. *Bull. Torrey Botanical Club*, October, 1891.

Notes on Maize. *Bull. Torrey Botanical Club*, vol. 21, 1894, pp. 319-343; 503-523.

Paramount Fertilizers. Report Mass. State Board of Agriculture, 1888, pp. 37-55.

Report of the New York State Agricultural Experiment Station, 1882-1887, first six volumes. The following are the special topics reported on by Dr. Sturtevant:

- 1882. Organization of Station work. Experiments with wheat, barley and oats. Studies on Maize. Experiments with potatoes. Forage crops.
- 1883. Botanical notes. Studies on Maize. Station grown seeds. Weight of seeds. Relation of feed to milk. Experiments with potatoes. Experiments with corn. Experiments with grasses.
- 1884. Feeding experiments and milk analysis. Study of milk. Experiments with potatoes. Wheat improvement. Experiments with corn. Germination of seeds. Study of maize, including sweet, pop and dent corn.
- 1885. Starch waste as cattle food. Ensilage and forage crops. Studies on corn. Fertilizers on potatoes. Tests on germination of maize and other seeds. The sweet corns.
- 1886. Cattle feeding experiments. Temperature and crops. Vitality of seeds as influenced by age. Experiments with cabbage. Studies of Indian corn.
- 1887. Feeding for beef. Experiments with potatoes. Seed germinations.

While at the New York Station, between July 24, 1882, and March, 1887, Dr. Sturtevant published from the Station under his own name 124 newspaper bulletins, from one half to two columns long, covering many different subjects in a brief way and relative to work in progress at the Station.

In one of the bound volumes of essays of Dr. Sturtevant, is a list of titles and sources of publication of 97 "newspaper contributions that I desire to remember, to date, Jan. 1, 1882." These include many topics, but notably on dairying and dairy cattle, agricultural education and experiment stations, corn growing, farm wastes, etc.

LIBRARY CONTRIBUTIONS.

A LIST OF BOOKS AND PAPERS PUBLISHED FROM THE MISSOURI BOTANICAL GARDEN OR BY ITS EMPLOYEES, OR BASED CHIEFLY ON WORK DONE BY AID OF THE FACILITIES OF THE GARDEN, FROM JANUARY, 1897, TO DECEMBER, 1898, INCLUSIVE.*

BY C. E. HUTCHINGS.

Allen, T. F. — See A. S. HITCHCOCK, List of cryptogams.

155. **Anderson, A. P.** Stomata on the bud-seals of *Abies pectinata*. *Bot. Gaz.* **24** : 294-295. *f. 1, 2.* 1897.

156. — Comparative anatomy of the normal and diseased organs of *Abies balsamea* affected with *Aecidium elatinum*. *Bot. Gaz.* **24** : 309-344. *pl. 14, 15.* 1897.

157. **Brannon, M. A.** The structure and development of *Grinnellia americana*, Harv. *Ann. Bot.* **11** : 1-28. *pl. 1-4.* 1897.

158. **Bush, B. F.** Notes on the botany of some southern swamps. *Gard. & Forest.* **10** : 514-516. 1897.

159. **Cardot, J.** The mosses of the Azores. *Rept. Mo. Bot. Gard.* **8** : 51-72. *pl. 1-10.* 1897.

160. — On some mosses collected in Madeira by William Trelease, in June, 1896. *Rept. Mo. Bot. Gard.* **8** : 73-75. *pl. 11.* 1897.

Carleton, M. A. — See A. S. HITCHCOCK, List of cryptogams.

Cunningham, A. D. — See R. J. LACKLAND, Report of the officers of the Board.

* Cf. *Rept. 8* : 221-236. 1897. — The present supplementary list includes not only such papers as have appeared since December, 1896, but also a few that escaped the first enumeration. — Nos. 218-223 inclusive are publications from the Henry Shaw School of Botany.

Ellis, J. B. — See A. S. HITCHCOCK, List of cryptogams.

Farlow, W. G. — See A. S. HITCHCOCK, List of cryptogams.

161. **Glatfelter, N. M.** A study of the relations of *Salix nigra* and *Salix amygdaloïdes*, together with the hybrids arising from them as these species exhibit themselves in the vicinity of St. Louis. — *Trans. Acad. Sci. St. Louis.* **6** : 427-431. *1 pl.* 1894.

162. — Notes on *Salix longipes*, Shattlw. and its relations to *S. nigra*, Marsh. *Rept. Mo. Bot. Gard.* **9** : 43-51. *pl. 5-7.* 1898. — Separately issued 24 D 1897.

163. **Hitchcock, A. S.** List of cryptogams collected in the Bahamas, Jamaica and Grand Cayman. *Rept. Mo. Bot. Gard.* **9** : 111-120. 1898.
Determinations, citations and notes by T. F. Allen, M. A. Carleton, J. B. Ellis, W. G. Farlow, P. Magnus, L. M. Underwood and T. A. Williams.

164. **Irish, H. C.** Bulb growing: selection of varieties and their treatment. *Rept. Hort. Soc. Mo.* **39** : 91-98. 1897. — *Canad. Horticulturist.* **21** : 396-403. *f. 1445-1449.* 1898.

165. — How to make a lawn. *Rept. Hort. Soc. Mo.* **40** : 87-91. 1898.

166. — Comparative phenological notes. *Rept. Hort. Soc. Mo.* **40** : 325-339. *pl. 1-4.* 1898.

167. — Revision of the genus *Capsicum* with especial reference to garden varieties. *Rept. Mo. Bot. Gard.* **9** : 53-110. *pl. 8-28.* 1898.

168. — A new grass. *Colman's Rural World.* **51** : 273. 1898.

169. — A lady bug. *Colman's Rural World.* **51** : 283. 1898.

170. — Twig girdler. *Colman's Rural World.* **51** : 299. 1898.

171. — Switeh grass. *Colman's Rural World.* **51** : 305. 1898.

172. — English plantain. *Colman's Rural World.* **51** : 344. 1898.

173. — Spring pigweed. Colman's Rural World. **51**: 345. 1898.
174. — Planting a lawn. Colman's Rural World. **51**: 347. 1898.
175. — Violet leaf spot. Colman's Rural World. **51**: 371. 1898.
176. — White pond lilies. Colman's Rural World. **51**: 395. 1898.
177. — Notes on methods of tree-planting. Bull. Nebr. Exp. Sta. **56**: 22-23. 1898.
178. — The structure of plants. The Southwest. 20 Jl 1898.
179. **Lackland, R. J.** Report of the officers of the Board. Rept. Mo. Bot. Gard. **8**: 7-11. 1897. **9**: 7-11. 1898.
180. **McMullen, J. F.** The evolution of cacti. So. Florist & Gard. **5¹²**: 7. 1898. **6¹**: 7-8. **6³**: 9-10. 1899. — Cactus Journ. **2**: 25-27. 1899.
- Magnus, P.** — See A. S. HITCHCOCK, List of cryptogams.
181. **Norton, J. B. S.** The effects of wind on trees. Gard. & Forest. **10**: 292-293. 1897.
182. — A coloring matter found in some Borraginaceae. Rept. Mo. Bot. Gard. **9**: 149-151. 1898. — Amer. Journ. Pharm. **70**: 346-348. 1898.
183. — Notes on some plants, chiefly from the southern United States. Rept. Mo. Bot. Gard. **9**: 151-157. *pl. 46-50*. 1898.
184. — What to plant on the home grounds. Industrialist. **24**: 207-208. Manhattan. 1898.
185. — Joseph F. Joor. [With a portrait]. Bot. Gaz. **26**: 270-274. 1898.
186. — [Notes from Mo. Botanical Garden]. Journ. Appl. Mier. **1**: 204. 1898.
187. **Olmsted, F. L.** and J. C. Proposed extension and improvement of the Missouri Botanical Garden. 19 pp. St. Louis. Je 1897. — Privately printed.
188. **Pammel, L. H.** Some methods in the study of mature seeds. Journ. Appl. Mier. **1**: 37-39. *f. 1-6*. 1898.

189. **Reed, E. M.** Trees in winter. *Pop. Science.* **31** : 101. *f. 1-8.* 1897.
190. — The Shaw Garden library, [and a] list of the best botanical books for amateurs, beginners and young people. *St. Louis Pub. Libr. Mag.* **5** : 233-239. 1898.
191. **Rose, J. N.** *Agave Washingtonensis* and other *Agaves* flowering in the Washington Botanic Garden in 1897. *Rept. Mo. Bot. Gard.* **9** : 121-126. *pl. 29-31.* 1898.
- Saccardo, P. A.**—See W. TRELEASE, A new disease of palms.
192. **Thompson, C. H.** A revision of the American Lemnaceae occurring north of Mexico. *Rept. Mo. Bot. Gard.* **9** : 21-42. *pl. 1-4.* 1898.—Separately issued 1 N 1897.
193. — The species of cacti commonly cultivated under the generic name *Anhalonium*. *Rept. Mo. Bot. Gard.* **9** : 127-135. *pl. 32-37.* 1898.—*Cactus Journ.* **1** : 134-135, 152-153, 162-163. 1898.
194. **Trelease, W.** The fungi of forage plants. *W. J. Beal, Grasses of North America.* **1** : 413-431. *f. 159-175.* 1896. [2d ed.]
195. — Linaceae. Gray, *Syn. Fl.* **1¹** : 344-349. 1897.
196. — Geraniaceae. Gray, *Syn. Fl.* **1¹** : 357-369. 1897.
197. — Aquifoliaceae. Gray, *Syn. Fl.* **1¹** : 388-391. 1897.
198. — Celastraceae. Gray, *Syn. Fl.* **1¹** : 395-401. 1897.
199. — Rhamnaceae. Gray, *Syn. Fl.* **1¹** : 401-419. 1897.
200. — The national university: a suggestion. *Science. n. s.* **5** : 345-347. 1897.
201. — Botanical observations on the Azores. *Rept. Mo. Bot. Gard.* **8** : 77-220. *pl. 12-66.* 1897.
202. — A list of books and papers published from the Missouri Botanical Garden or by its employees, or based

chiefly on work done by aid of the facilities of the Garden, from September, 1889, to December, 1896, inclusive. Rept. Mo. Bot. Gard. **8** : 221-228. 1897.

203. — A list of books and papers published by instructors in the Henry Shaw School of Botany, from September, 1885, to December, 1896, inclusive, and not included in the foregoing list. Rept. Mo. Bot. Gard. **8** : 229-232. 1897.

204. — A general subject index to the contents of the papers mentioned in the foregoing lists [Nos. 202 and 203]. Rept. Mo. Bot. Gard. **8** : 233-236. 1897.

205. — The swamps of south-eastern Missouri. Gard. & Forest. **10** : 370-371. 1897.

206. — The Terceira dog. Amer. Naturalist. **31** : 79. *pl. 5.* 1897.

207. — Medical botany. Journ. Amer. Med. Assn. **4** S 1897. — Pharm. Era. **18** : 634-637. 1897. — Presented to the American Medical Association, June 1897.

(96). — Botanical opportunity. — Rept. Smithsonian Institution. **1897** : 519-536. 1898.

208. — Annual report of the Director. Rept. Mo. Bot. Gard. **8** : 12-50. 1897. **9** : 12-19. 1898.

209. — [Botanical notes and reviews]. American Naturalist, 1897 and 1898.

210. — [Secretary's abstracts of proceedings of the Academy of Science of St. Louis]. Science, through 1897 and 1898; occasionally in American Naturalist, Nature, and Botanical Gazette.

211. The biological problems of to-day: Botany. Science. n. s. **7** : 147-150. 1898. — Annual discussion of the American Society of Naturalists. Ithaca meeting, December 1897. 22-28. [1898].

212. — An unusual phyto-bezoar. Trans. Acad. Sci. St. Louis. **7** : 493-497. *pl. 11.* 1898. — Pharm. Rev. **16** : 66-70. 1898.

213. — The Epidendrum venosum of Florida. Rept. Mo. Bot. Gard. **9** : 137-139. *pl. 38, 39.* 1898.

214. — Miscellaneous observations on Yucca. Rept. Mo. Bot. Gard. **9** : 141-146. *pl. 40-43.* 1898.

215. — The Missouri dogbanes. Rept. Mo. Bot. Gard. **9** : 147. *pl. 44, 45.* 1898. — Pharm. Rev. **16** : 347 350. 1898.

216. — A new disease of cultivated palms. Rept. Mo. Bot. Gard. **9** : 159. *f. 1-6.* 1898.
Containing description of a new fungus by P. A. Saccardo.

Trelease, W. — See J. CARDOT, Mosses of the Azores, and Mosses collected in Madera.

Underwood, L. M. — See A. S. HITCHCOCK, List of cryptogams.

217. **Willey, H.** Parmelia molliuscula. Rept. Mo. Bot. Gard. **9** : 160.

Williams, T. A. — See A. S. HITCHCOCK, List of cryptogams.

Contributions from the Shaw School of Botany, 10-12: —

218. **10. von Schrenk, H.** The trees of St. Louis as influenced by the tornado of 1896. Trans. Acad. Sci. St. Louis. **8** : 25-41. *pl. 3-9.* 1898.

219. **11. von Schrenk, H.** On the mode of dissemination of *Usnea barbata*. Trans. Acad. Sci. St. Louis. **8** : 189-198. *pl. 16.* 1898.

220. **12. Pammel, L. H.** The histology of the caryopsis and endosperm of some grasses. Trans. Acad. Sci. St. Louis. **8** : 199-220. *pl. 17-19.* 1898.

221. **von Schrenk, H.** Oedema in roots of *Salix nigra*. Bot. Gaz. **24** : 52-54. *f. 1, 2.* 1897.

222. — [Reviews and abstracts of literature]. Botanisches Centralblatt and Beihefte zum Botanischen Centralblatt, during 1898.

223. — [Secretary's abstracts of proceedings of Engelmann Botanical Club]. Science, through 1898.

LIST OF SERIAL PUBLICATIONS RECEIVED AT THE LIBRARY
OF THE MISSOURI BOTANICAL GARDEN.

BY WILLIAM TRELEASE.

Academia nacional de ciencias en Cordoba.

BULLETIN.* Buenos Aires. O.

Academia polytechnica do Porto.

ANNUARIO.* Porto. O.

Academia română.

ANALELE.* Bucuresci. Sq. Q.

Academia technica badensis. — See Grossherzogliche technische Hochschule, Karlsruhe.

Académie d'Angers. — See Société nationale . . . d'Angers.

Académie d'Hippone.

BULLETIN.* Bone. Q.

COMPTEs-rendus des réunions.* Bone. Q.

Académie de La Rochelle. — See Société des sciences naturelles de la Charente-Inférieure.

Académie de Stanislas.

MÉMOIRES.* Nancy. O.

Académie de Vaucluse.

MÉMOIRES.* Avignon. Q.

Académie des belles-lettres, sciences et arts de La Rochelle. — See Académie de La Rochelle.

Académie des sciences. [Institut de France].

COMPTEs rendus hebdomadaires. Paris. Q.

Académie des sciences, arts et belles-lettres de Dijon.

MÉMOIRES.* Dijon. O.

Académie des sciences, belles-lettres et arts de Rouen.

PRÉCIS analytique des travaux.* Rouen. O.

* Presented, or received in exchange for the publications of the Garden.

Académie des sciences de Cracovie. — See Akademia umiejetności.

Académie des sciences de Hongrie. — See Királyi magyar természettudományi társulat.

Académie des sciences de l'Empereur François Joseph I. — See Česká akademie císaře Františka Josefa I.

Académie hongroise des sciences. — See Királyi magyar természettudományi társulat.

Académie impériale des sciences de St. Pétersbourg.

BULLETIN.* St. Pétersbourg. Q.

Académie internationale de géographie botanique.

BULLETIN.* Le Mans. Q.

Académie nationale des sciences, arts et belles-lettres de Caen.

MÉMOIRES.* Caen. O.

Académie nationale des sciences, belles-lettres et arts de Bordeaux.

ACTES. Paris. O.

Académie royale des sciences et des lettres de Danemark. — See Kongelige danske Videnskabernes Selskab.

Academy of natural sciences of Philadelphia.

JOURNAL. Philadelphia. F⁵.

PROCEEDINGS.* Philadelphia. O.

Academy of science of Kansas City.

TRANSACTIONS.* [Kansas City, Mo.]. O.

Academy of science of St. Louis.

TRANSACTIONS.* St. Louis. O.

Accademia gioenia di scienze naturali in Catania.

ATTI.* Catania. O.

BOLLETTINO delle sedute.* Catania. O.

Accademia reale delle scienze di Torino. — See Reale accademia delle scienze di Torino.

Agassiz association. — See Wilson ornithological chapter.

Agiati. — See Imperiale reale accademia . . . degli,.

Agri-horticultural society of Madras.

PROCEEDINGS.* Madras. O.

Agricultural college of Utah. Experiment station. [Logan].

BULLETIN.* Salt Lake City. O.

REPORT.* Logan. O.

Agricultural experiment station of Colorado.

ANNUAL REPORT.* Fort Collins. O.

BULLETIN.* Fort Collins. O.

AGRICULTURAL journal.* Cape Town. O.

L'Ain. — See Société d'émulation . . . de,.

Akademia umiejętności w Krakowie.

ANZEIGER der Akademie der Wissenschaften in Krakau.* Krakau. O.

BULLETIN international de l'Académie des sciences de Cracovie.* Cracovie. O.

ROZPRAWY. Wydział matematyczno-przyrodniczy.* w Krakowie. Q.

SPRAWOZDANIE komisyi fizyograficznej.* Krakowie. O.

Akademie der Wissenschaften in Krakau. — See Akademia umiejętności w Krakowie.

Alabama. — See Geological survey of,.

Alabama agricultural experiment station of the Agricultural and mechanical college, Auburn.

ANNUAL report.* Montgomery. O.

BULLETIN.* Birmingham. O.

— — See Canebrake agricultural experiment station.

Alabama biological survey.

CONTRIBUTIONS.* [Auburn]. O.

Alabama industrial and scientific society.

PROCEEDINGS.* [University, Ala.]. O.

Albany institute.

TRANSACTIONS.* Albany. O.

ALLGEMEINE botanische Zeitschrift für Systematik, Floristik, Pflanzengeographie etc.* Karlsruhe. O.

Alumni association of the college of pharmacy of the city of New York. — See Journal of pharmacology.

Alzate. — See Sociedad científica "Antonio Alzate."

America. — See Botanical society of.,
American academy of arts and sciences.

MEMOIRS.* Cambridge. Sq. F.

PROCEEDINGS.* Boston. O.

AMERICAN agriculturist.* New York. F.
——— See Orange Judd Farmer.

AMERICAN amateur photographer.* New York. O.
American association for the advancement of science.

PROCEEDINGS.* Salem. O.

AMERICAN cultivator. Boston. F⁵.

AMERICAN druggist and Pharmaceutical record.* New York
and Chicago. Q.

AMERICAN farmer magazine.* Chicago. Q.

AMERICAN florist.* Chicago and New York. Q.

American forestry association. — See The Forester.

AMERICAN fruit growers' journal.* Atlanta, Chicago, San
Francisco. Q.

AMERICAN gardening. New York. Q.

AMERICAN journal of pharmacy.* Philadelphia. O.

AMERICAN journal of photography.* Philadelphia. O.

AMERICAN journal of science.* New Haven. O.

American microscopical society.

TRANSACTIONS. Buffalo. O.

AMERICAN monthly microscopical journal.* Washington. O.

American museum of natural history.

ANNUAL report of the president.* New York. O.

BULLETIN.* New York. O.

AMERICAN naturalist.* Boston. Q.

American philosophical society.

PROCEEDINGS.* Philadelphia. O.

American pomological society.

PROCEEDINGS. — . O.

Amiens. — See Chambre syndicale . . . d' Amiens.

Amsterdam. — See Koninklijke akademie van wetenschappen te, . — Université d' Amsterdam.

Angers. — See Société d'études scientifiques d' Angers. —
Société nationale . . . d' Angers.

Annaberg-Buchholzer Verein für Naturkunde.
BERICHT.* Annaberg. O.

ANNAES de sciencias naturae.* Porto. O.

ANNALES des sciences naturelles. Botanique. Paris. Q.

ANNALS of botany. London and Oxford. Q.

ANNALS of Scottish natural history.* Edinburgh. O.

Antigua. Government laboratory.
REPORT.* Antigua. F.

Antonio Alzate. — See Sociedad científica,.

Antverpiensis. — See Hortus botanicus,.

APPLETONS' popular science monthly. New York. O.

Argentina. — See Sociedad científica,.

Arizona. — See University of,.

Arkansas agricultural experiment station. [Fayetteville].
BULLETIN.* Fayetteville. O.

REPORT.* Little Rock. O.

Arnigadh. — See Government botanical gardens Saharanpur and,.

Arnstadt. — See Thüringische botanische Gesellschaft
“Irmischia” zu,.

ASA GRAY bulletin.* Washington. O.

Asiatic society of Bengal.
JOURNAL.* Calcutta. O.

Associated natural history societies of the South East of
England. — See South Eastern naturalist.

Association française de botanique. — See Le Monde des
plantes.

Association française pour l'avancement des sciences.
COMPTE rendu.* Paris. O.

Association of economic entomologists.
PROCEEDINGS.* Washington. O.

Association of official agricultural chemists.
PROCEEDINGS.* Washington. O.

Association pour la protection des plantes.
BULLETIN.* Genève. O.

Association tunisienne des lettres, sciences et arts. — See
Revue tunisienne.

Ateneo di scienze lettere ed arti in Bergamo.

ATTI.* Bergamo. Q.

Auckland institute. — See New Zealand institute.

AUGUSTANA library publications.* Rock Island. Q.

Australian museum.

RECORDS.* Sydney. O.

REPORT of trustees.* [Sydney]. F.

Autun. — See Société d'histoire naturelle d'Autun.

Bacteriological review. — See Modern medicine.

Badensis. Hortus botanicus — See Grossherzogliche technische Hochschule in Karlsruhe.

Badischer botanischer Verein.

MITTEILUNGEN.* Freiburg i.B. O.

Bamberg. — See Naturforschende Gesellschaft in,.

Bangalore. — See Government gardens and parks in Mysore.

Barbados. — See Botanical station,. — Dodds reformatory,.

Basel. — See Naturforschende Gesellschaft in,.

Basse-Alsace. — See Gesellschaft zur Förderung der Wissenschaften . . . im Unter-Elsass.

Bayerische botanische Gesellschaft.

BERICHIETE.* München. Q.

BEIHEFTE zum Botanischen Centralblatt. Cassel. O.

Belfast natural history and philosophical society.

REPORT and proceedings.* Belfast. O.

Belfast naturalists' field club.

ANNUAL report and proceedings.* Belfast. O.

Belge. — See Société de microscopie.

Belgique. — See Société centrale forestière de,. — Société royale de botanique de,.

Belgrade. — See Jardin botanique du royaume de Serbie à,.

Bengal. — See Asiatic society of,.

Bergamo. — See Ateneo . . . in,.

Bergens Museum.

AARBOG.* Bergen. O.

Bergielunds botaniska trädgård. (Hortus bergianus stockholmiensis.)

DELECTUS sporarum, etc.* Stockholmiae. O.

Berlin.— See Gesellschaft naturforschender Freunde zu.,.— Königlich-preussische Akademie der Wissenschaften zu.,— Königlicher botanischer Garten und Museum zu.,. Berliner botanischer Tauschverein.— See Allgemeine botanische Zeitschrift.

Bernensis.— See Hortus botanicus.,.

BIBLIOTHECA botanica. Stuttgart. Q.

Biological society of Washington.

PROCEEDINGS.* Washington. O.

Biologische Anstalt auf Helgoland.— See Ministerial-Kommission zur Untersuchung der deutschen Meere in Kiel.

BIOLOGISCHES Centralblatt. Leipzig. O.

Birmingham botanical and horticultural society.

REPORT.* Birmingham. D.

Bogoriensis. Hortus botanicus.— See 's Lands plantentuin.

Boissier.— See Herbier Boissier.

BOLETÍN de agricultura, minería e industrias.* México. O.

Bologna.— See Reale accademia delle scienze . . . di,.— Regia universitas bononiensis.

Bombay branch of the royal Asiatic society.— See Royal Asiatic society.

Bonn.— See Niederrheinische Gesellschaft . . . zu.,.

Bononiensis.— See Regia universitas.,.

Borda.— See Société de,.

Bordeaux.— See Académie nationale des sciences, belles-lettres et arts de,.— Société linnéenne de,.

Boston.— See City of,.

BOSTON society of natural history.

PROCEEDINGS.* Boston. O.

Botanic garden, Grenada.

ANNUAL report.* Saint George. F.

Botanic station, Colony of Lagos.

REPORT.* [Lagos]. F.

Botanical department, Jamaica.

BULLETIN.* Kingston. O.

BOTANICAL gazette.* Chicago. Q.

BOTANICAL magazine.* Tōkyō. O.

— — See Curtis.

Botanical society of America.

ADDRESS of the retiring president.* [Chicago]. Q.
Botanical society of Edinburgh.

TRANSACTIONS and proceedings.* Edinburgh. O.
Botanical station, Barbados.

OCCASIONAL bulletin.* Barbados. F.
Botanical survey of India.

RECORDS.* Calcutta. O.
REPORT of the director.* [Calcutta]. F.

BOTANISCH jaarboek.* Gent. O.

Botanisch-zoologische Gesellschaft, Danzig. — See Naturforschende Gesellschaft in Danzig.

BOTANISCHE Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie. Leipzig. O.

Botanische Vereinigung in Würzburg. — See Allgemeine botanische Zeitschrift.

BOTANISCHE Zeitung. Abteilung I, II. Leipzig. Q.

Botanischer Garten Erlangen. — See Königliche Universität Erlangen.

Botanischer Garten in Freiburg i.B. — See Grossherzoglich-badische . . . Universität.

Botanischer Garten . . . zu Bukarest. — See Universitatea . . . din Bucuresti.

Botanischer Garten zu Darmstadt. — See Technische Hochschule Darmstadt.

Botanischer Garten zu Innsbruck. — See Kaiserlich-königliche Leopold-Franzens-Universität.

Botanischer Jahresbericht. — See Just.

Botanischer Verein der Provinz Brandenburg.

VERHANDLUNGEN.* Berlin. Q.
— — See Allgemeine botanische Zeitschrift.

Botanischer Verein in Hamburg. — See Deutsche botanische Monatsschrift.

Botanischer Verein in Landshut.

BERICHT.* Landshut. O.

Botanischer Verein in Lund. — See Lunds botaniska förening.

Botanischer Verein in München. — See Botanisches Centralblatt.

Botanischer Verein in Nürnberg. — See Botanisches Centralblatt.

BOTANISCHES Centralblatt. Cassel. O.

— — See Beihefte zum Botanischen Centralblatt.

Botanisches Museum in Hamburg.

ARBEITEN.* Hamburg. Q.

MITTEILUNGEN.* Hamburg. Q.

Botanisches Museum und Laboratorium für Waarenkunde zu Hamburg.

BERICHT über die Thätigkeit der Abtheilung für Samencontrole.* Hamburg. Q.

BOTANISK Tidsskrift.* Kjøbenhavn. O.

BOTANISKA notiser.* Lund. O.

Botaniska sällskapet i Stockholm. — See Botanisches Centralblatt.

Botaniske Forening i Kjøbenhavn. — See Botanisk Tidsskrift.

LE BOTANISTE. Poitiers. O.

Bouches-du-Rhone. — See Société d'horticulture & de botanique des,.

Brandenburg. — See Botanischer Verein der Provinz,.

Braunschweig. — See Herzoglich-braunschweigische forstliche Versuchsanstalt. — Technische Hochschule . . . zu, . — Verein für Naturwissenschaft zu,.

Bremen. — See Naturwissenschaftlicher Verein zu,.

Bristol naturalists' society.

PROCEEDINGS.* Bristol. O.

British association for the advancement of science.

REPORT. London. O.

British Columbia.

ANNUAL report of the minister of mines.* Victoria. Q.

REPORT of the chief commissioner of lands and works.* Victoria. Q.

— — See Dairymen's association of,.

British Guiana. — See Royal agricultural . . . society of,.
British Guiana. Botanic gardens.

REPORT.* Georgetown. F.

British museum. (Natural history).

[Publications].* London. O.

Brooklyn. — See Tree planting and fountain society of,.
Broteriana. — See Sociedade,.

Brünn. — See Naturforschender Verein in,.
The Bryologist. — See Fern Bulletin.

Bucuresci. — See Universitatea din,.
Budapest. — See Királyi magyar természettudományi társulat. — Magyar nemzeti múzeum.

Buenos Aires. — See Museo nacional de,.
Buffalo. Park commissioners.

ANNUAL report.* Buffalo. O.

Buffalo society of natural sciences.

BULLETIN.* Buffalo. O.

REPORTS.* Buffalo. O.

Buitenzorg. — See 's Lands plantentuin.

Bukarest. — See Universitatea din Bucuresci.

BULLETIN of pharmacy.* Detroit. Q.

BULLETINS d' arboriculture de floriculture et de culture potagère.* Gand. O.

Bussey institution. — See Harvard university.

CACTUS journal.* London. O.

Caen. — See Académie nationale des sciences, arts et belles-lettres de,.

Caen. Jardin botanique de la ville.

CATALOGUE des graines.* Caen. O.

Calcutta. — See Royal botanic garden,.

California. — See University of,.
California academy of sciences.

PROCEEDINGS. Botany.* San Francisco. Q.

California fruit bulletin. — See Pacific rural press.

Cambridge entomological club. — See Psyche.

Cambridge philosophical society.

PROCEEDINGS.* Cambridge. O.

Cambridge university botanic gardens.

DELECTUS seminum.* Cantabrigiae. O.

Canada. — See Royal society of.,

Canada. Department of agriculture.

Central experimental farm.

BULLETIN.* Ottawa. O.

Experimental farms.

REPORTS.* Ottawa. O.

CANADIAN entomologist.* London. O.

CANADIAN horticulturist*. Toronto. Q.

Canadian institute.

PROCEEDINGS.* Toronto. O.

TRANSACTIONS.* Toronto. Q.

CANADIAN record of science.* Montreal. O.

Canebrake agricultural experiment station. Uniontown.

ANNUAL report.* Montgomery, Ala. O.

Cannes. — See Ville de.,

Cape of Good Hope. Department of agriculture. — See Agricultural journal.

Cardiff naturalists' society.

REPORT & transactions.* Cardiff. O.

Carolo-Wilhelmina. — See Technische Hochschule.,

Carthage. — See Institut de.,

Catania. — See Accademia gioenia.

Cawnpore experimental farm.

REPORT.* Allahabad. F.

LA CELLULE. Lierre, Louvain. Q.

CENTRALBLATT für Bakteriologie, Parasitenkunde und Infektionskrankheiten. Abteilung I, II. Jena. O.

Cercle d'arboriculture de Belgique. — See Bulletins d'arboriculture de floriculture, etc.

Cercle horticole de Roubaix.

BULLETIN mensuel.* Roubaix. O.

Cercle horticole du Nord. — See Société centrale d'horticulture du Nord.

Česká akademie císaře Františka Josefa I.

BULLETIN international.* Prague. Q.

ROZPRAWY.* v Praze. Q.

Ceylon. — See Royal botanic gardens,.

Chambre syndicale professionnelle des horticulteurs & maraîchers d'Amiens.

BULLETIN.* Amiens. O.

Chamrousse. — See Université de Grenoble.

La Charente-Inférieure. — See Société des sciences naturelles de,.

Chelsea botanic garden. — See Society of apothecaries of London.

Chemnitz. — See Naturwissenschaftliche Gesellschaft zu,.

Cherbourg. — See Société nationale des sciences naturelles et mathématiques de,.

Chester society of natural science and literature.

ANNUAL report.* Chester. O.

PROCEEDINGS.* Chester. O.

Chicago.

ANNUAL report, West Chicago park commissioners.*

Chicago. O.

REPORT of South park commissioners.* Chicago. O.

Chicago academy of sciences.

ANNUAL report.* Chicago. O.

BULLETIN.* Chicago. O.

BULLETIN . . . of the geological and natural history survey.* [Chicago]. O.

China branch of the Royal Asiatic society. — See Royal Asiatic society.

Christianensis. Hortus botanicus, — See Kongelige Frederiks Universitet.

CHRONIQUE orchidienne. Supplément mensuel au Dictionnaire iconographique des orchidées. Verviers. D.

Cincinnati. — See City of,.

Cincinnati society of natural history.

JOURNAL.* Cincinnati. O.

City of Boston. Department of parks.
ANNUAL report of the board of commissioners.*
[Boston]. O.

City of Cincinnati. Park department.
ANNUAL report.* Cincinnati. O.

City of London college science society.
JOURNAL.* London. O.

City of Louisville. Board of park commissioners.
ANNUAL report.* Louisville. O.

City of Milwaukee. Public museum.
REPORT of the board of trustees.* Milwaukee. O.

City of Rochester.
REPORT of the board of park commissioners.* [Rochester]. O.

City of St. Louis.
Board of commissioners of Tower Grove park.
ANNUAL report.* St. Louis. O.

Health department.
ANNUAL report of the health commissioner.* St. Louis. O.

STATEMENT of mortality, vital statistics . . . and local meteorology.* St. Louis. O.

Park commissioner.
ANNUAL report.* St. Louis. O.

City of Toledo. Board of park commissioners.
REPORT.* Toledo. O.

Claudinopolitanae. Hortus botanicus regiae universitatis,. — See Kolozsvári . . . Ferencz-József-tudomány-egyetem.

Clemson agricultural college. — See South Carolina agricultural experiment station.

Coimbra. — See Universidade de,.

College of pharmacy of the city of New York. Alumni association. — See Journal of pharmacy.

Colmar. — See Naturhistorische Gesellschaft in,.

Colorado. — See Agricultural experiment station of,.

Colorado college scientific society.
COLORADO college studies.* Colorado Springs. O.

Colorado scientific society.

PROCEEDINGS.* Denver. O.

Columbia university.

COLUMBIA university quarterly.* New York. O.

PRESIDENT's annual report.* New York. O.

Department of botany.

CONTRIBUTIONS.* New York. O.

MEMOIRS. New York. Q.

Columbus horticultral society.

ANNUAL report.* Columbus. O.

QUARTERLY journal of proceedings.* Columbus. O.

Commissioner of education.—See United States.,

Congo.—See Musée du,.

Conimbricensis. Hortus botanicus — See Universidade de Coimbra.

Connecticut academy of arts and sciences.

TRANSACTIONS.* New Haven. O.

Connecticut agricultural experiment station. New Haven.

ANNUAL report.* Hartford. O.

BULLETIN.* New Haven. O.

— — — See Storrs agricultural experiment station.

Connecticut board of agriculture.

REPORT of the secretary.* Hartford. O.

Conservatoire & jardin botaniques de Genève.—See Genève.

Consular reports.—See United States.

Cooper union for the advancement of science and art.

REPORT.* New York. O.

Copenhague.—See Société botanique de,—See Kjøbenhavn.

Cordoba.—See Academia nacional de ciencias en,.

Cornell university.

ANNUAL report of the president.* Ithaca. O.

CORNELL reading course for farmers.* [Ithaca]. O.

Agricultural experiment station.

BULLETIN.* Ithaca. O.

REPORT.* Ithaca. O.

College of agriculture.

TEACHER's leaflets.* Ithaca. O.

Cornwall. — See Royal institution of,.

La Corse. — See Société des sciences . . . de,.

Costa Rica. — See Instituto físico-geográfico nacional de,.—
Museo nacional de,.

Cottage gardener. — See Journal of horticulture.

COUNTRY gentleman. Albany. F⁴.

Cracovie. Académie des sciences de,.— See Akademia umiejętności.

Croydon microscopical and natural history club.

PROCEEDINGS & transactions.* Croydon. O.

CURTIS's botanical magazine. London. O.

Dairymen's association of British Columbia.

REPORT.* Victoria. Q.

Danske. — See Kongelige, Videnskabernes Selskab.

Danzig. — See Naturforschende Gesellschaft in,.

Darmstadt. — See Technische Hochschule,.

Dauphiné. — See Société des touristes du,.

Davenport academy of natural sciences.

PROCEEDINGS.* Davenport. O.

Delaware college agricultural experiment station [Newark].

ANNUAL report.* Wilmington. O.

BULLETIN.* Newark. O.

Denison university. Denison scientific association.

BULLETIN of the scientific laboratories.* Granville. O.

Department of agriculture. — See United States.

Deutsche botanische Gesellschaft.

BERICHTE. Berlin. O.

DEUTSCHE botanische Monatssehrift. Berlin. O.

Deutsche Forstmänner. — See Herzoglich-braunschweigische forstliche Versuchsanstalt.

Deutsche Gärtner-Zeitung. — See Möller.

Deutsche Gesellschaft für Natur- und Völkerkunde Ostasiens.

MITTHEILUNGEN.* Tokyo. O.

Deutsche Kakteen-Gesellschaft. — See Monatsschrift für Kakteenkunde.

Deutsche pharmaceutische Gesellschaft.

BERICHT über die pharmacognostische Litteratur . . .*
Berlin. O.

Deutscher wissenschaftlicher Verein zu Santiago de Chile.

VERHANDLUNGEN.* Valparaiso. O.

Deux-Sèvres. — See Société botanique des,.

DICTIONNAIRE iconographique des orchidées. Schaerbeck-
Bruxelles. Ob. T.

— — See Chronique orchidienne.

Dijon. — See Académie des sciences, arts . . . de,.

Dodds reformatory, Barbados. Experimental fields.

REPORT.* [Bridgetown]. F.

Dodonaea. — See Kruidkundig genootschap,.

Dominion of Canada. — See Canada.

Doria. — See Herbarium Camillae Doriae.

Dorpat. — See Imperatorskii jurjevskii universitet.

Douai. — See Société d'agriculture . . . séant à,.

Le Doubs. — See Société d'émulation du Doubs.

DRAINAGE journal.* Indianapolis. O.

Dresden. — See Königlich-sächsische . . . Hochschule,.

Drug clerks journal. — See Registered pharmacist.

DRUGGISTS circular [and Chemical gazette].* New York.

Sq. F⁴.

Dublin. — See Royal botanic gardens, Glasnevin,.

Durban botanic society. — See Natal botanic gardens.

East Kent scientific and natural history society.

REPORT.* Canterbury. O.

Edgbaston botanical gardens. — See Birmingham botanical
and horticultural society.

Edinburgh. — See Botanical society of, — Royal botanic
garden,.

Edinburgh field naturalists' and microscopical society.

TRANSACTIONS.* Edinburgh. O.

EDUCATIONAL review.* St. John. Q.

Égyptien. — See Institut,.

Elberfeld. — See Naturwissenschaftlicher Verein zu,.

Elisha Mitchell scientific society.

JOURNAL.* Chapel Hill. O.

Elsass.—See Gesellschaft zur Förderung der Wissenschaften . . . im Unter-Elsass.

Emden.—See Naturforschende Gesellschaft in.,.

England.—See Royal agricultural society of.,.

Entomological society of Ontario.

REPORT.* Toronto. O.

— — — See Canadian entomologist.

Erdélyi múzeum-egylet.

ÉRTESTITÖ.* Kolozsvárt. O.

Erfurt.—See Königliche Akademie gemeinnütziger Wissenschaften zu.,.

Erlangen.—See Königliche Universität.,.

ERYTHEA. Berkeley. O.

Española.—See Sociedad, de historia natural.

Essex county, New Jersey. Department of parks.

ANNUAL report.* Newark. O.

Essex institute.

BULLETIN.* Salem. O.

État indépendant du Congo.—See Musée du Congo.

EXPERIMENT station record.* Washington. O.

Experimental farms.—See Canada.

FARM field and fireside.* Chicago. F.

Fennica.—See Societas pro fauna et flora.,.

Ferdinandeum für Tirol und Vorarlberg.

ZEITSCHRIFT.* Innsbruck. O.

Ferencz-József-tudomány-egyetem.—See Kolozsvári.

THE FERN bulletin.* Binghamton. O.

Ferrara.—See Universitas ferrariensis.

FEUILLE des jeunes naturalistes.* Paris. Q.

Field Columbian museum publication.

BOTANICAL series.* Chicago. Q.

REPORT series.* Chicago. Q.

Field naturalists' club of Victoria.—See Victorian naturalist.

FLORA oder allgemeine botanische Zeitung. Marburg. O.
Florentinus. Regius hortus botanicus, — See Reale isti-
tuto di studi etc.

Florida agricultural experiment station. [Lake City].
BULLETIN.* Jacksonville. O.

REPORT of the biologist and horticulturist.* [Lake
City]. O.

FLORISTS' exchange.* New York. Q.

Florists' review. — See Weekly florists' review.

FOREST leaves. Philadelphia. Q.

THE FORESTER.* Washington. Q.

Française. — See Association, de botanique. — Association,
pour l'avancement des sciences.

France. — See Institut de, — Société botanique de, — So-
ciété mycologique de,.

Francisco-carolinum. — See Museum,.

Frankfurt. — See Naturwissenschaftlicher Verein des Re-
gierungsbezirkes,.

Frankfurt am Main. — See Senckenbergische naturfor-
schende Gesellschaft in,.

Franklin institute.

JOURNAL.* Philadelphia. O.

Františka Josefa I. — See Česká academie císaře,.

Freiburg i.B. — See Grossherzoglich-badische . . . Univer-
sität. — Naturforschende Gesellschaft zu,.

Fribourgeoise. — See Société, des sciences naturelles.

Fruit growers' association of Ontario. — See Canadian
horticulturist.

THE GARDEN. London. O.

THE GARDENERS' chronicle.* London. Sq. F.

THE GARDENERS' magazine.* London. F.

GARDENING.* Chieago. Q.

GARDENING illustrated. London. F.

Gartenbau-Gesellschaft in Wien. — See Wiener illustrirte
Garten-Zeitung.

GARTENFLORA.* Berlin. Q.

DIE GARTENWELT.* Berlin. Q.
Geisenheim. — See Königliche Lehranstalt . . . zu.,
Genève. — See Société botanique de, — Société de physique et d'histoire naturelle de, — Université de,.
Genève.
Conservatoire & jardin botaniques.
ANNUAIRE.* Genève. O.
Jardin botanique.
CATALOGUE des graines.* [Genève]. O.
Gent. — See Hoogeschool te, — Kruidkundig genootschap Dodonaea te,.
Geological and natural history survey of Minnesota.
BULLETIN. Botanical series. (Minnesota botanical studies).* Minneapolis. Q.
Geological survey of Alabama.
BULLETIN.* Montgomery. O.
REPORT.* Montgomery. O.
Georgia experiment station. [Experiment].
BULLETIN [with appended report].* Atlanta. O.
Gera. — See Gesellschaft von Freunden der Naturwissenschaften in,.
Gesellschaft für Botanik zu Hamburg. — See Botanisches Centralblatt.
Gesellschaft naturforschender Freunde zu Berlin.
SITZUNGS-Berichte.* Berlin. O.
Gesellschaft von Freunden der Naturwissenschaften in Gera (Reuss).
JAHRESBERICHT.* Gera. O.
Gesellschaft zur Beförderung der gesammten Naturwissenschaften zu Marburg.
SITZUNGSBERICHTE.* Marburg. O.
Gesellschaft zur Förderung der Wissenschaften, des Ackerbaues und der Künste im Unter-Elsass.
MONATSBERICHT.* Strassburg. O.
Gioenia. — See Accademia,.
Glasgow. — See Natural history society of,.
Glasnevin. — See Royal botanic gardens,.

Görlitz. — See Naturforschende Gesellschaft zu.,.

Görlitz. Stadtischer botanischer Garten.

SÄMEREIEN.* Görlitz. O.

Göteborgs kungliga vetenskaps- och vitterhetssamhälle.

HANLINGAR.* Göteborg. O.

Gouvernement's kinaonderneming.

MEDEDEELINGEN van de laboratoria.* Batavia. Q. etc.

Government agricultural experiment station for North Dakota. — See North Dakota.

Government botanical gardens, Saharanpur and Arnigadh.

REPORT.* Allahabad. F.

Government gardens and parks in Mysore.

ANNUAL report.* [Bangalore]. F.

Government horticultural gardens, Lucknow.

REPORT.* Allahabad. F.

Graaff-Reinet botanic gardens.

ANNUAL report.* Graaff-Reinet. F.

Grahamstown botanic gardens.

ANNUAL report.* Grahamstown. O.

Graubünden. — See Naturforschende Gesellschaft Graubünden's.

Gray. — See Asa Gray bulletin.

Great Britain. — See Pharmaceutical society of.,.

GREEN's fruit grower and home companion. Rochester.
Sq. F⁶.

Greene, E. L. — See Pittonia.

Greifswald. — See Königliche Universität., — Naturwissenschaftlicher Verein für Neu-Vorpommern . . . in.,.

Greiz. — See Verein der Naturfreunde zu.,.

Grenada. — See Botanic garden.,.

Grenoble. — See Université de.,.

Groningen. — See Natuurkundig genootschap te., — Université de Groningue.

Grossherzoglich - badische Albert - Ludwigs - Universität.

Botanischer Garten in Freiburg i.B.

SAMEN-Verzeichnis.* Freiburg i.B. Sq. Q.

Grossherzogliche technische Hochschule. Grossherzoglicher botanischer Garten zu Karlsruhe i.B.

SAMEN-Verzeichnis.* Karlsruhe. Q.

Grossherzoglicher botanischer Garten, Darmstadt. — See Technische Hochschule, Darmstadt.

Guiana. — See British,.

Haarlem. — See Koloniaal museum te,.

Halifax. — See Nova Scotian institute.

Halle. — See Naturforschende Gesellschaft zu,.

Hamburg. — See Botanisches Museum in, — Botanisches Museum und Laboratorium . . . zu, — Botanischer Verein in, — Gesellschaft für Botanik zu,.

Hamilton association.

JOURNAL and proceedings.* [Hamilton]. Q.

Hanau. — See Wetterauische Gesellschaft . . . zu,.

Hannover. — See Naturhistorische Gesellschaft zu, — Provinzial-Museum in,.

Harvard university.

Bussey institution. [Jamaica Plain].

BULLETIN.* Cambridge. O.

Cryptogamic laboratory.

CONTRIBUTIONS.* [Cambridge]. O.

Gray herbarium.

CONTRIBUTIONS.* [Cambridge]. O.

Harz. — See Naturwissenschaftlicher Verein des Harzes.

Hatch experiment station. — See Massachusetts agricultural college.

Hauniensis. Hortus. . . . — See Kjøbenhavns Universitet.

La Haute-Saône. — See Société d'agriculture . . . de,.

Hawke's bay philosophical institute. — See New Zealand institute.

HEDWIGIA. Dresden. O.

Helgoland. Biologische Anstalt. — See Ministerial-Kommission zur Untersuchung der deutschen Meere in Kiel.

HELIOS.* Berlin. O.

Helsingfors. — See Societas pro fauna et flora fennica in,.

Helvétique. Société, des sciences naturelles. — See Schweizerische naturforschende Gesellschaft.

Henry Shaw school of botany. — See Washington university.

HERBARIUM Camillae Doriae.* Genova. Q.

Herbier Boissier. [Chambésy].

BULLETIN.* Genève et Bâle. O.

Hermannstadt. — See Siebenbürgischer Verein für Naturwissenschaften zu. — Verein für siebenbürgische Landeskunde.

Herzoglich-braunschweigische forstliche Versuchsanstalt. [Publications].* Braunschweig. O.

Hippone. — See Académie d'Hippone.

Historical and scientific society of Manitoba.

ANNUAL report.* Winnipeg. O.

TRANSACTIONS.* Winnipeg. O.

Historical and philosophical society of Ohio.

ANNUAL report.* Cincinnati. O.

Holstein. — See Naturwissenschaftlicher Verein für Schleswig-.,

HOME and garden.* Minneapolis. F.

Home farmer. — See Journal of horticulture.

Home study magazine. — See Mechanic arts magazine.

Hongroise. Académie, des sciences. — See Királyi magyar természettudományi társulat.

Hoogeschool te Gent. Plantentuin.

LIJST der Zaden.* [Gent]. Q.

HOOKER's icones plantarum. London. O.

Hortus academicus hauniensis. — See Kjøbenhavns Universitet.

Hortus bergianus stockholmiensis. — See Bergielunds botaniska trädgård.

Hortus botanicus academicus lugduno-batavus. See Rijks universiteit, Leiden.

Hortus botanicus, Amsterdam. — See Université d'Amsterdam.

Hortus botanicus antverpiensis.

DELECTUS seminum.* Antverpiae. O.

Hortus botanicus bernensis.

DELECTUS seminum.* Bern. F⁵.

Hortus botanicus christianensis. — See Kongelige Frederiks Universitet.

Hortus botanicus imperialis petropolitanus.

ACTA.* [St. Petersburg]. Q.

DELECTUS seminum.* [St. Petersburg]. O.

Hortus botanicus namnetum. — See Nantes.

Hortus botanicus tergestinus.

DELECTUS seminum.* Tergeste. Sq. Q.

Hortus botanicus tiflisiensis. — See Tiflisskii botanicheskii sad.

Hortus botanicus varsoviensis.

DELECTUS seminum.* Varshava. O.

Hortus lausonensis.

GRAINES offertes.* Lausanne. Q.

Hortus regius botanicus academicus conimbricensis. — See Universidade de Coimbra.

Hortus regius neapolitanus. — See Regia università . . . di Napoli.

Hortus upsalensis. — See Kongliga universitet i Upsala.

HOW TO GROW flowers.* Springfield, Ohio. Q.

Hull scientific and field naturalists' club.

TRANSACTIONS.* Hull. O.

Hungarica. Regia societas scientiarum naturalium, . — See Királyi magyar természettudományi társulat.

Icones bogorienses. — See 's Lands plantentuin.

Icones plantarum. — See Hooker.

Idaho. — See University of.,

Illinois. — See University of.,

Illinois state laboratory of natural history.

BIENNIAL report of the director.* Urbana. O.

BULLETIN.* Urbana. O.

Illinois state museum of natural history.

BULLETIN.* Springfield. Q.

Imperatorskii jurjevskii universitet. Hortus botanicus.
DELECTUS seminum.* [Dorpat]. Q.

I. S.-Peterburgskoe obstchestvo estestvoispytatelei.
TRUDY.* S.-Peterburg. O.

Imperial university of Tōkyō. Botanic garden.
CATALOGUS seminum.* [Tōkyō]. Sq. Q.
LIST of seeds.* [Tōkyō]. Q.

Imperiale reale accademia di scienze lettere ad arti degli
Agiati in Rovereto.
ATTI.* Rovereto. O.

India. — See Botanical survey of, — Scientific memoirs by
medical officers of the army of,.

INDIAN forester.* Mussoorie. O.

Indiana. Department of geology and natural resources.
ANNUAL report.* Indianapolis. O.

Indiana academy of science.
PROCEEDINGS.* Indianapolis. O.

Indiana agricultural experiment station. — See Purdue
university.

LA INDUSTRIA agricola.* Caracas. O.

Innsbruck. — See Kaiserlich-königliche Leopold-Franzens-
Universität.

Institut colonial de Marseille.
ANNALES.* Marseille. Q.

Institut de Carthage. — See Revue tunisienne.

Institut de France. — See Académie des sciences.

Institut égyptien.
BULLETIN.* Le Caire. O.

MÉMOIRES.* Le Caire. Sq. Q.

Instituto físico-geográfico nacional de Costa Rica.
ANALES.* San José. F.

INFORME.* San José. Q.

Internationale phytopathologische Kommission. — See Zeit-
schrift für Pflanzenkrankheiten.

Iowa. — See State university of,.

Iowa academy of sciences.
PROCEEDINGS.* Des Moines. O.

Iowa geological survey.
ANNUAL report.* Des Moines. Q.

Iowa state agricultural society.
ANNUAL report.* Des Moines. O.

Iowa state college of agriculture and mechanic arts.
[Ames].
Botanical department.
CONTRIBUTIONS.* Des Moines. O.

Department of zoology and entomology.
CONTRIBUTIONS.* Des Moines. O.

Experiment station.
BULLETIN.* Ames. O.

Iowa state horticultural society.
REPORT.* Des Moines. O.

Iowa weather and crop service.— See United States department of agriculture. Weather bureau.

Ireland.— See Pharmaceutical society of,.

Irmischia.— See Thüringische botanische Gesellschaft, zu Arnstadt.

Isis.— See Naturwissenschaftliche Gesellschaft,.

L' ITALIA agricola.* Milano, Piacenza, Bologna. Q.

Italiana.— See Società botanica,.— Società, di scienze naturali.— Stazioni sperimentali agrarie italiane.— Nuovo giornale botanico italiano.

JAHRBUCHER für wissenschaftliche Botanik. Berlin. O.

JAHRESBERICHT über die Fortschritte in der Lehre von den pathogenen Mikroorganismen.* Braunschweig. O.

Jamaica.— See Botanical department,.

Japan. Japanese horticultural society.— Japanische Gartenbau-Gesellschaft.— See Société d'horticulture du Japon.

Jardin alpin d'acclimatation . . . Genève.
LISTE des graines.* — Genève. O.

Jardin botanique de Buitenzorg.— See 's Lands plantentuin.

Jardin botanique de Genève. — See Genève.

Jardin botanique de la ville, Lyon. — See Lyon.

Jardin botanique de la ville de Caen. — See Caen.

Jardin botanique de la ville de Lille. — See Lille.

Jardin botanique de Varsovie. — See Hortus botanicus varsoviensis.

Jardin botanique du royaume de Serbie, à Belgrade.

GRAINES, recoltées à "Jevremovac."* Belgrade. O.

Jardin des plantes, Paris. — See Muséum d'histoire naturelle.

Jardin impérial de botanique à St.-Pétersbourg. — See Hortus botanicus imperialis petropolitanus.

Java. — See Proefstation Oost-Java. — Proefstation . . . in West-Java.

JENAISCHE Zeitschrift für Naturwissenschaft.* Jena. O.

Jevremovac. — See Jardin botanique du royaume de Serbie.

JOHNS Hopkins university circulars.* Baltimore. Q.

JOURNAL de botanique. Paris. O.

— — — See Botanisk Tidsskrift.

JOURNAL of applied microscopy.* Rochester. O.

JOURNAL of botany British and foreign. London. O.

JOURNAL of horticulture, Cottage gardener and Home farmer. London. Q.

JOURNAL of pharmacology and therapeutics.* New York. Q.

Jurjevensis. Hortus botanicus universitatis,. — See Imperatorskii jurjevskii universitet.

JUST's botanischer Jahresbericht. Berlin. O.

Kärntnerisches naturhistorisches Landesmuseum. — See Naturhistorisches Landesmuseum von Kärnten.

Kagok-Tegal. — See Proefstation . . . te.,

Kaiserlich-königliche deutsche Universität in Prag. Botanisches Institut.

ARBEITEN. — See Österreichische botanische Zeitschrift.

K.-k. botanischer Garten.

SÄMEREIEN.* Prag. Sq. Q.

K.-k. Gartenbau-Gesellschaft in Steiermark.

MITTHEILUNGEN.* Graz. O.

K.-k. Landwirthschafts-Gesellschaft des Herzogthumes Salzburg.

RECHENSCHAFTS-Bericht des Central-Ausschusses.*
Salzburg. O.

K.-k. Landwirthschafts-Gesellschaft in Salzburg. — See Salzburger Landwirthschafts-Blätter.

K.-k. Leopold-Franzens-Universität. Botanischer Garten.
VERZEICHNIS von Samen.* Innsbruck. Sq. Q.

K.-k. zoologisch-botanische Gesellschaft in Wien.

VERHANDLUNGEN.* Wien. O.

— — See Botanisches Centralblatt.

Kaiserlich-königlicher botanischer Garten in Prag-Smichow. — See K. k. deutsche Universität in Prag.

Kaiserlich-königliches naturhistorisches Hofmuseum.

ANNALEN.* Wien. Q.

Kaiserlich-leopoldinisch-carolinische deutsche Akademie der Naturforscher.

NOVA acta (Abhandlungen). Halle. Q.

Kaiserliche Akademie der Wissenschaften.

ALMANACH. Wien. D.

DENKSCHRIFTEN. Wien. Sq. Q.

SITZUNGSBERICHTE, Mathematisch-naturwissenschaftliche Classe.* Wien. Q.

Kansas academy of science.

TRANSACTIONS.* Topeka. O.

Kansas City. — See Academy of science of,.

Kansas state agricultural college. Experiment station.

BULLETIN [with appended report].* Manhattan. O.

PRESS bulletin.* Manhattan. O.

Kansas state horticultural society.

TRANSACTIONS.* Topeka. O.

KANSAS university quarterly. Series A: — Science and mathematics.* Lawrence. O.

Karlsruhe i.B. — See Grossherzogliche technische Hochschule.

Karlsruhe i.B. Stadtgarten.

SÄMEREIEN aus dem Schulgarten.* Karlsruhe. O.
Kassel. — See Verein für Naturkunde zu,,
Kazan. — See Obstchestvo estestvoispytatelei pri imper-
atorskom kazanskom universitete.

Kaukasisches Museum.

BERICHT.* Tiflis. O.

IZVYESTIYA.* Tiflis. O.

MITTHEILUNGEN.* Tiflis. O.

Kentucky agricultural experiment station of the State college of Kentucky.

ANNUAL report.* Lexington. O.

BULLETIN.* Lexington. O.

Kew. — See Royal gardens,,

Kew guild.

JOURNAL.* London. O.

Kiel. — See Ministerial-Kommission zur Untersuchung der deutschen Meere in,,

Kievskoe obstchestvo estestvoispytatelei.

ZAPISKI.* Kieff. O.

Királyi magyar természettudományi társulat.

[MONOGRAPHS].* Budapest. O. & Q.

RAPPORT sur les travaux de l'Académie hongroise des sciences.* Budapest. O.

— — — See Mathematische und naturwissenschaftliche Berichte aus Ungarn.

Kjøbenhavn. — See Botaniske Forening i., — Naturhistoriske Forening i., — Société botanique de Copenhague.

Kjøbenhavns Universitet. Botaniske Have.

INDEX seminum.* Hauniae. O.

Klagenfurt. — See Naturhistorisches Landesmuseum von Kärnten.

Klausenburg. — See Kolozsvári magyar kiralyi Ferencz-József-tudomány-egyetem.

Königlich botanischer Garten zu Dresden. — See Königlich-sächsische . . . Hochschule.

Königlich-bayerische Akademie der Wissenschaften zu München.

SITZUNGSBERICHTE der mathematisch-physikalischen Classe.* München. O.

K.-b. botanische Gesellschaft zu Regensburg.

DENKSCHRIFTEN.* Regensburg. Sq. Q.

K.-böhmische Gesellschaft der Wissenschaften.

JAHRESBERICHT.* Prag. O.

SITZUNGSBERICHTE. Mathematisch-naturwissenschaftliche Classe.* Prag. O.

K.-preussische Akademie der Wissenschaften zu Berlin.

SITZUNGSBERICHTE. Berlin. Q.

K.-sächsische technische Hochschule Dresden. Königlich botanischer Garten.

VERZEICHNIS der . . . Sämereien.* Dresden. O.

K.-ungarische naturwissenschaftliche Gesellschaft. — See Királyi magyar természettudományi társulat.

Königliche Akademie gemeinnütziger Wissenschaften zu Erfurt.

JAHRBÜCHER.* Erfurt. O.

K. botanische Gesellschaft zu Regensburg. — See Allgemeine botanische Zeitschrift.

K. Kommission. . . — See Ministerial-Kommission zur Untersuchung der deutschen Meere in Kiel.

K. Lehranstalt für Obst-, Wein- und Gartenbau zu Geisenheim a. Rhein.

BERICHT.* Wiesbaden. O.

K. Universität Erlangen. Botanischer Garten.

AUSWAHL von Sämereien.* Erlangen. Q.

K. Universität Greifswald. Botanischer Garten.

SAMEN-Verzeichniss.* Greifswald. Sq. Q.

Königlicher botanischer Garten und Museum zu Berlin.

NOTIZBLATT.* Berlin. O.

K. botanischer Garten zu München.

SAMEN-Verzeichnis.* [München]. O.

Königsberg. — See Preussischer botanischer Verein in.,

Koloniaal museum te Haarlem.

BULLETIN.* Amsterdam. O.

Kolonial-wirtschaftliches Komitee. — See Der Tropenpflanzer.

Kolozsvári magyar kiralyi Ferencz-József-tudomány-egyetem. Hortus botanicus regiae universitatis claudinopolitanae.

SEMINA . . . offert.* Kolozsvár. F.

Kommission zur Untersuchung der deutschen Meere in Kiel. — See Ministerial-Kommission.

Kongelige danske Videnskabernes Selskab.

OVERSIGT over . . . Forhandlinger.* Kjøbenhavn. O.

K. Frederiks Universitet. Hortus botanicus christianensis.

DELECTUS seminum fructuum.* Christianiae. O.

K. norske Videnskabers Selskab.

AARSBERETNING.* Trondhjem. O.

SKRIFTER.* Trondhjem. O.

Kongliga fysiografiska sällskapet. — See Lunds universitet.

K. svenska vetenskaps-akademien.

BIHANG till handlingar. Afdelning III. Botanik.* Stockholm. O.

K. universitetet i Upsala. Hortus upsalensis.

SEMINA selecta.* Upsaliae. Sq. F.

Koninklijke akademie van wetenschappen te Amsterdam.

VERHANDELINGEN, tweede sectie.* Amsterdam. Q.

VERSLAGEN . . . der wis- en natuurkundige afdeeling.* Amsterdam. Q.

K. natuurkundige vereeniging in Nederlandsch Indië. — See Natuurkundig tijdschrift.

K. nederlandsch aardrijkskundig genootschap.

VERSLAGEN.* Leiden. O.

K. zoölogisch botanisch genootschap te 's-Gravenhage.

VERSLAG.* [s' Gravenhage]. O.

Krakau. — See Akademia umiejetności.

Královské české společnosti náuk. — See Königlich-böhmisiche Gesellschaft der Wissenschaften.

Kruidkundig genootschap Dodonaea te Gent. — See Botanisch jaarboek.

La Mortola, Ventimiglia.

LIST of seeds collected.* La Mortola. O.

La Rochelle. — See Société des sciences naturelles de la Charente-Inférieure. (Académie des belles-lettres, sciences et arts de La Rochelle).

Laboratorio ed orto botanico, R. università degli studi di Siena. — See Regia università . . . di Siena.

Lagos. — See Botanic station, colony of,.

LAND OF sunshine.* Los Angeles. O.

's Lands plantentuin. [Buitenzorg].

ANNALES du jardin botanique de Buitenzorg. Leide. Q.

CATALOGUS plantarum phanerogamarum quae in horto botanico bogoriensi coluntur.* Bataviae. Q.

ICONES bogorienses. Leide. Q.

MEDEDEELINGEN.* Batavia, 's Gravenhage. Q.

VERSLAG.* Batavia. Q.

Landshut. — See Botanischer Verein in,.

Lausonensis. — See Hortus,.

Le Lauteret. — See Université de Grenoble.

Leiden. — See Rijks universiteit,.

Leipzig. — See Naturforschende Gesellschaft zu,.

Leland Stanford Junior university publications.

CONTRIBUTIONS to biology from the Hopkins laboratory of biology.* Palo Alto. Q.

GEOLOGY and palaeontology.* Palo Alto. Q.

STUDIES in electricity.* Palo Alto. Q.

Leopold-Franzens-Universität. — See Kaiserlich-königliche,.

Leopoldinisch-carolinische deutsche Akademie. — See Kaiserlich-,.

Liége. — See Société royale des sciences de, . — Université de,.

Lille. Jardin botanique de la ville.

CATALOGUE des graines.* Lille. Q.

Le Limousin. — See Revue scientifique du Limousin.

Lincei. — See Reale accademia dei,.

LINDENIA. Iconographie des orchidées. Bruxelles. F⁴.

Linnean society of London.

JOURNAL. Botany.* London. O.

PROCEEDINGS.* London. O.

TRANSACTIONS. London. Q.

Linnean society of New South Wales.

PROCEEDINGS.* Sydney. O.

Linz. — See Museum francisco-carolinum. — Verein für Naturkunde in Oesterreich ob der Enns zu,.

Lloyd mycological museum.

PHOTOGRAVURE of American fungi. Cincinnati. Ob. O.

REPORT.* Cincinnati. O.

London. — See City of, — Linnean society of, — Royal botanic society of, . — Society of apothecaries of,.

Louisiana state university and a. and m. college. Agricultural experiment station.

ANNUAL report.* Baton Rouge. O.

BULLETIN.* Baton Rouge. O.

Louisville. — See City of,.

Lucknow. — See Government horticultural gardens, — North-Western provinces.

Lüneburg. — See Naturwissenschaftlicher Verein für das Fürstentum,.

Lugduno-batavus. Hortus botanicus academicus, — See Rijks universiteit, Leiden.

Lugdunum. — See Lyon.

Lunds botaniska förening.

KATALOG öfver de växter* Lund. Sq. Q.

— — See Botanisches Centralblatt.

Lunds universitet.

ÅRS-SKRIFT. Kongliga fysiografiska sällskapets handlingar.* Lund. Sq. Q.

Lyon. — See Société botanique de,.

Lyon. Jardin botanique de la ville, au parc de la tête d'or.

INDEX fructuum et seminum.* Lugduni. O.

LYON HORTICOLE.* Lyon. Q.
Madras. — See Agri- horticultural society of,.
Magdeburg. — See Naturwissenschaftlicher Verein in,.
Magyar kiralyi Ferencz-József-tudomány-egyetem. — See Kolozsvári,.
Magyar nemzeti múzeum.
TERMÉSZETRAJZI füzetek.* Budapest. Q.
Magyar tudományos akadémia. — See Magyar nemzeti múzeum.
Maine. — See University of,.
MALPIGHIA. Genova. O.
Manchester field naturalists' and archaeologists' society.
REPORT and proceedings.* Manchester. O.
Manchester literary and philosophical society.
MEMOIRS and proceedings.* Manchester. O.
Manitoba. — See Historical and scientific society of,.
Mantova. — See Reale accademia virgiliana di,.
MANUFACTURERS' gazette.* Providence. Q.
Marburg. — See Gesellschaft zur Beförderung der gesammten Naturwissenschaften zu,.
Marine biological laboratory of Wood's Holl.
ANNUAL report.* Boston. O.
BIOLOGICAL lectures.* Boston and London. O.
Marseille. — See Institut colonial de,. — Musée d'histoire naturelle de,. — Société scientifique industrielle de,.
Maryland agricultural college.
QUARTERLY.* College Park. O.
Maryland agricultural experiment station.
BULLETIN [with appended report].* College Park. O.
Maryland geological survey.
[REPORT].* Baltimore. Q.
Massachusetts. State board of health.
ANNUAL report.* Boston. O.
Massachusetts agricultural college. Hatch experiment station. [Amherst].
BULLETIN.* Amherst. O.
REPORT.* Boston. O.

Massachusetts horticultural society.

TRANSACTIONS.* Boston. O.

Massachusetts institute of technology.

ANNUAL report of president and trustees.* Boston. O.
— — — See Technology quarterly.

MATHEMATISCHE und naturwissenschaftliche Berichte aus
Ungarn.* Berlin, Budapest. O.

THE MAYFLOWER.* Floral Park. Q.

McGill university.

PAPERS from the department of botany.* Montreal. Q.
MECHANIC arts magazine.* Scranton. O.

Mecklenburg.— See Verein der Freunde der Naturge-
schichte in,.

Medizinisch-naturwissenschaftliche Gesellschaft zu Jena. —
See Jenaische Zeitschrift.

MEEHANS' monthly. Germantown, Philadelphia. Q.

Meriden scientific association.

TRANSACTIONS.* Meriden. O.
Metz. — See Verein für Erdkunde zu,.

Mexicana. — See Repùblica, — Sociedad, de historia
natural.

MEYER brothers druggist.* St. Louis. Q.

Michigan fish commission.

BIENNIAL report of the state board of fish commis-
sioners.* Lansing. O.

BULLETIN.* Lansing. O.

Michigan state agricultural college experiment station.

BULLETIN.* Agricultural College. O.

ELEMENTARY science bulletin.* Agricultural College. O.

SPECIAL bulletin.* [Agricultural college]. O.

Michigan state board of agriculture.

ANNUAL report of the secretary.* Lansing. O.

Michoacano. — See Museo,.

MICROSCOPICAL bulletin and science news. Philadelphia. O.

Milano. Museo civico di storia naturale in, — See Società
italiana di scienze naturali.

THE MILLHILLIAN.* Mill Hill. O.

Milwaukee. — See city of.,

MINERVA. Strassburg. S.

Ministerial-Kommission zur Untersuchung der deutschen Meere in Kiel.

ERGEBNISSE der Beobachtungsstationen.* Berlin. Ob.O.

WISSENSCHAFTLICHE Meeresuntersuchungen.* Kiel und Leipzig. Nar. F.

Minnesota. — See Geological and natural history survey of., — University of.,

Minnesota academy of natural sciences.

BULLETIN.* Minneapolis. O.

OCCASIONAL papers.* Minneapolis. Q.

Minnesota botanical studies. — See Geological and natural history survey of Minnesota.

Minnesota state agricultural experiment station. [St. Anthony Park].

ANNUAL report of the entomologist.* St. Paul. O.

BIENNIAL report.* Minneapolis. O.

Minnesota state horticultural society.

ANNUAL report.* Minneapolis. O.

MINNESOTA horticulturist.* Minneapolis. O.

Mississippi agricultural and mechanical college. Experiment station.

ANNUAL report.* Agricultural College. O.

BULLETIN.* Agricultural College. O.

Missouri. — See State of., — State horticultural society of., — University of the state of.,

Mitchell. — See Elisha Mitchell scientific society.

MITTEILUNGEN aus dem Osterlande.* Altenburg i. S.-A. O.

Modena. — See Regia accademia . . . in.,

MODERN medicine and Bacteriological review.* Battle Creek. Q.

MÖLLER's deutsche Gärtner-Zeitung.* Erfurt. Q.

MONATSSCHRIFT für Kakteenkunde. Neudamm. O.

Le Monde des plantes. — See Académie internationale de géographie botanique.

THE MONIST.* Chicago. O.

Montana agricultural experiment station.

BULLETIN.* Bozeman. O.

MONTANA fruit grower.* Missoula. F⁴.

Montevideo. — See Museo nacional de,.

Montpellier. — See Université de,.

Montreal. — See Natural history society of,.

Mortola. — See La Mortola.

Moscou. — See Société impériale des naturalistes de,.

München. — See Botanischer Verein in,.. Königlich-bayerische Akademie der Wissenschaften zu,.. — Königlicher botanischer Garten zu,.

Musée d'histoire naturelle de Marseille.

ANNALES.* Marseille. Sq. F.

Musée du Congo.

ANNALES.* Bruxelles. Sq. F⁴.

Musée Teyler.

ARCHIVES.* Haarlem. Q.

Museo civico di storia naturale in Milano. — See Società italiana di scienze naturali.

Museo civico di storia naturale di Trieste.

ATTI.* Trieste. O.

Museo michoacano.

ANALES.* Morelia. O.

Museo nacional de Buenos Aires.

ANALES.* Buenos Aires. F⁴.

COMUNICACIONES.* Buenos Aires. O.

MEMORIA.* Buenos Aires. Q.

Museo nacional de Costa Rica.

INFORME.* San José. Q.

Museo nacional de Montevideo.

ANALES.* Montevideo. Q.

Museu paraense de historia natural e ethnographia.

BOLETIM.* Pará. O.

Museu paulista.

REVISTA.* S. Paulo. O.

Muséum d'histoire naturelle.

BULLETIN.* Paris. Q.

INDEX seminum.* Paris. Q.

PLANTES vivantes.* Paris. Q.

Museum francisco-carolinum.

JAHRES-Bericht.* Linz. O.

Mussoorie.—See Government botanical gardens Saharanpur and Arnigadh.

Mysore.—See Government gardens and parks in.,.

Namnetum. Hortus botanicus,.—See Nantes.

Nancy.—See Société des sciences de,,.

Nantes. Jardin botanique de la ville.

INDEX seminum horti botanici namnetum.* Namnetum. O.

Napoli.—See Reale istituto d'incoraggiamento di,,. Regia università . . . di,.—Società di naturalisti in.,.

Nassauischer Verein für Naturkunde.

JAHRBÜCHER.* Wiesbaden. O.

Natal botanic gardens, and colonial herbarium.

REPORT.* Durban. O.

National-Arboretum und Alpengarten zu Zöschen bei Merseburg. [Seed and plant lists].* Zöschen. Q.

National convention for the suppression of insect pests and plant diseases by legislation.

PROCEEDINGS.* Washington. O.

NATIONAL nurseryman.* Rochester. Q.

National science club.

JOURNAL.* Washington. O.

DIE NATUR. Halle. Q.

NATURAE novitates.* Berlin. O.

Natural history society of Glasgow.

TRANSACTIONS.* Glasgow. O.

Natural history society of Montreal.—See Canadian record of science.

Natural history society of New Brunswick.

BULLETIN.* St. John. O.

Natural history society of Wisconsin.
 OCCASIONAL papers.* Milwaukee. O.

NATURAL science. London. O.

Natural science association of Staten Island.
 PROCEEDINGS.* New Brighton. O.

LA NATURALEZA.* México. F.

LE NATURALISTE canadien.* Chicoutimi. O.

NATURE. London. Q.

NATURE NOTES.* London. O.

Naturforschende Gesellschaft des Osterlandes. — See Mitteilungen aus dem Osterlande.

Naturforschende Gesellschaft Graubünden's.
 JAHRESBERICHT.* Chur. O.

Naturforschende Gesellschaft in Bamberg.
 BERICHT.* Bamberg. O.

Naturforschende Gesellschaft in Basel.
 VERHANDLUNGEN.* Basel. O.

Naturforschende Gesellschaft in Danzig.
 SCHRIFTEN.* Danzig. Q.

Naturforschende Gesellschaft in Emden.
 JAHRESBERICHT.* Emdem. O.

Naturforschende Gesellschaft in Zürich.
 NEUJAIRSBLATT.* Zürich. Q.

VIERTELJAHRSSCHRIFT.* Zürich. O.

Naturforschende Gesellschaft zu Freiburg i.B.
 BERICHTE.* Freiburg i.B. O.

Naturforschende Gesellschaft zu Görlitz.
 ABHANDLUNGEN.* Görlitz. O.

Naturforschende Gesellschaft zu Halle.
 ABHANDLUNGEN.* Halle. Q.

Naturforschende Gesellschaft zu Leipzig.
 SITZUNGSBERICHTE.* Leipzig. O.

Naturforschender Verein in Brünn.
 BERICHT der meteorologischen Commission.* Brünn. O.

VERHANDLUNGEN.* Brünn. O.

Naturforscher-Verein zu Riga.
 KORRESPONDENZBLATT.* Riga. O.

Naturhistorische Gesellschaft in Colmar.

MITTHEILUNGEN.* Colmar. O.

Naturhistorische Gesellschaft zu Hannover.

JAHRESBERICHT.* Hannover. O.

— — — See Provinzial-Museum in Hannover.

Naturhistorische Gesellschaft zu Nürnberg.

ABHANDLUNGEN.* Nürnberg. O.

Naturhistorischer Verein der preussischen Rheinlande, Westfalens und des Reg.-Bezirks Osnabrück.

VERHANDLUNGEN.* Bonn. O.

Naturhistorisches Landesmuseum von Kärnten.

DIAGRAMME der magnetischen und meteorologischen Beobachtungen zu Klagenfurt.* [Klagenfurt]. F.

FESTSCHRIFT.* Klagenfurt. Q.

JAHRBUCH.* Klagenfurt. O.

Naturhistoriske Forening i Kjøbenhavn.

VIDENSKABELIGE Meddelelser.* Kjøbenhavn. O.

Naturvetenskapliga studentsällskapet i Upsala. — See Botanisches Centralblatt.

Naturwissenschaftliche Gesellschaft Isis.

SITZUNGSBERICHTE und Abhandlungen.* Dresden. O.

Naturwissenschaftliche Gesellschaft zu Chemnitz.

BERICHT.* Chemnitz. O.

NATURWISSENSCHAFTLICHE Rundschau. Braunschweig. Q.

Naturwissenschaftlicher Verein des Harzes in Wernigerode.

SCHRIFTEN.* Wernigerode. O.

Naturwissenschaftlicher Verein des Regierungsbezirkes Frankfurt. — See Helios. — Societatum litterae.

Naturwissenschaftlicher Verein des trencsiner Comitatus. — See Trenesén vármegyei természettudományi egylet.

Naturwissenschaftlicher Verein für das Fürstentum Lüneburg.

JAHRESHEFTE.* Lüneburg. O.

Naturwissenschaftlicher Verein für Neu-Vorpommern und Rügen in Greifswald.

MITTHEILUNGEN.* Berlin. O.

Naturwissenschaftlicher Verein für Schleswig-Holstein.
SCHRIFTEN.* Kiel. O.

Naturwissenschaftlicher Verein für Schwaben und Neuburg.
BERICHT.* Augsburg. O.

Naturwissenschaftlicher Verein für Steiermark.
MITTHEILUNGEN.* Graz. O.

Naturwissenschaftlicher Verein in Magdeburg.
JAHRESBERICHT und Abhandlungen.* Magdeburg. O.

Naturwissenschaftlicher Verein zu Bremen.
ABHANDLUNGEN.* Bremen. O.

Naturwissenschaftlicher Verein zu Elberfeld.
JAHRES-BERICHT.* Elberfeld. O.

Naturwissenschaftlicher Verein zu Osnabrück.
JAHRESBERICHT.* Osnabrück. O.

Natuurkundig genootschap te Groningen.
VERSLAG.* Groningen. O.

NATUURKUNDIG tijdschrift voor Nederlandich-Indië.* Batavia, 's Gravenhage. O.

Neapolitanus. Hortus regius, — See Regia università . . . di Napoli.

Nebraska. — See University of,

Nederlandsch. — See Koninklijke, aardrijks-kundig genootschap.

Nelson philosophical society. — See New Zealand institute.

Neu-Vorpommern. — See Naturwissenschaftlicher Verein für, und Rügen.

Neuburg. — See Naturwissenschaftlicher Verein für Schwaben und.,

Neuchatel. — See Société des sciences naturelles de,,

Nevada state university. Agricultural experiment station.
ANNUAL report.* Reno. O.

BULLETIN.* Reno. O.

New Brunswick. — See Natural history society of,,

New England botanical club. — See Rhodora.

NEW ENGLAND florist.* Boston. Q.

NEW HAMPSHIRE agriculture. Report of the board of agriculture.* Concord. O.

New Hampshire college. Agricultural experiment station.

BULLETIN [including report].* Durham. O.

New Jersey. — See Essex county,.

New Jersey agricultural experiment station. [New Brunswick].

BULLETIN.* New Brunswick. O.

REPORT of the botanical department.* Trenton. O.

New Mexico college of agriculture. Agricultural experiment station.

BULLETIN.* Mesilla Park. O.

New South Wales. — See Linnean society of, — Royal society of,.

New York. — See College of pharmacy of the city of,.

New York academy of science.

ANNALS.* New York. O.

MEMOIR.* New York. Q.

TRANSACTIONS.* New York. O.

Merged into the Annals, after vol 16.

New York agricultural experiment station.

BULLETIN [including report].* Geneva. O.

BULLETIN. Popular edition.* Geneva. O.

— — — See also Cornell university.

New York botanical garden.

BULLETIN.* New York. O.

New York college of pharmacy. — See Journal of pharmacology and therapeutics.

New York microscopical society.

JOURNAL.* New York. O.

Suspended publication early in 1898.

New York state museum.

ANNUAL report of the regents.* Albany. O.

ANNUAL report of the state botanist.* New York and Albany. O.

BULLETIN.* Albany. O.

REPORT of state entomologist.* Albany. O.

REPORT of state geologist and field assistants.* Albany. Sq. Q.

New Zealand institute.

TRANSACTIONS and proceedings.* Wellington. O
Niederrheinische Gesellschaft für Natur- und Heilkunde
zu Bonn.

SITZUNGSBERICHTE.* Bonn. O.

Nimes. — See Société d'étude des sciences naturelles de,,
Le Nord. — See Société centrale d'horticulture du Nord. —

Société d' agriculture . . . du Nord.
Nordböhmischer Excursions-Club.

MITTHEILUNGEN.* Leipzig. O.

Normandie. — See Société linnéenne de,,

Norske. — See Kongelige, Videnskabers Selskab.

NORTH American fauna.* Washington. O.

North Carolina agricultural experiment station.

BULLETIN.* Raleigh. O.

REPORT.* Raleigh. O.

North Carolina geological survey.

BIENNIAL report.* Raleigh. O.

BULLETIN.* Raleigh. O.

North Dakota agricultural college. [Agricultural College].

ANNUAL report.* Bismarck. O.

Government agricultural experiment station.

ANNUAL report.* Bismarck. O.

BULLETIN.* Fargo. O.

North-Western provinces and Oudh.

Department of land records and agriculture.

REPORT.* Allahabad. F.

Provincial museum.

MINUTES of the managing committee.* Lucknow. O.

— — — See Government botanical gardens. — Government
horticultural gardens.

Northamptonshire natural history society and field club.

JOURNAL.* Northampton. O.

Notarisia. — See Nuova,.

Nova Scotia.

ANNUAL report of the secretary for agriculture.* Hali-
fax. O.

Nova Scotia — *Continued.*

PROVINCIAL government crop report.* Halifax. O.

Nova Scotian institute of science, Halifax, Nova Scotia.

PROCEEDINGS and transactions.* Halifax. O.

Novae-Rossiae. — See *Universitas caesarica*,.

Nürnberg. — See *Botanischer Verein* in., — Naturhistorische Gesellschaft zu,,.

Nuovo giornale botanico italiano. Firenze. O.

LA NUOVA notarisia. Padova. O.

Oberhessische Gesellschaft für Natur- und Heilkunde.

BERICHT.* Giessen. O.

Oberlin college.

LABORATORY bulletin.* Oberlin. O.

Observatoire météorologique de Ponta Delgada.

RÉSUMÉ des observations.* Ponta Delgada. Sheets.

Obstchestvo estestvoispytatelei pri imperatorskom kazanskom universitete.

TRUDY.* Kazan. Q.

Odessa. — See *Universitas caesarica Novae-Rossiae*.

Oekonomische Gesellschaft im Königreiche Sachsen.

MITTHEILUNGEN.* Dresden. O.

Oesterreich. — See Verein für Naturkunde in, ob der Enns.

ÖSTERREICHISCHE botanische Zeitschrift. Wien. O.

Oesterreichische Touristen-Club.

OESTERREICHISCHE Touristen-Zeitung.* Wien. Q.

Offenbacher Verein für Naturkunde.

BERICHT.* Offenbach a. M. O.

Ohio. — See Historical and philosophical society of.,.

Ohio agricultural experiment station. [Wooster].

BULLETIN [including annual report].* Norwalk. O.

Ohio state horticultural society.

ANNUAL report.* Wooster. etc. O.

Ohio state university.

UNIVERSITY bulletins, series 4.* Columbus. O.

Oklahoma agricultural experiment station.

BULLETIN.* Stillwater. O.

Oneida historical society.

TRANSACTIONS.* Utica. O.

Ontario. — See Entomological society of,.

Oodeypore. Gardens of his highness the Maharana of, —

See Sajjan Niwas gardens.

Oost-Java. — See Proefstation,.

Oporto. — See Porto.

ORANGE JUDD farmer. Western edition of American agriculturist.* Chicago. Q.

Oregon agricultural experiment station.

BULLETIN.* Corvallis. O.

OREGON naturalist.* Palestine. O.

Oregon state board of horticulture, forestry and arid land interests.

REPORT of the secretary.* Salem. O.

Osnabrück. — See Naturhistorischer Verein . . . , — Naturwissenschaftlicher Verein zu,.

Ostasien. — See Deutsche Gesellschaft . . . Ostasiens.

Osterlande. — See Mitteilungen aus dem,.

Otago institute. — See New Zealand institute.

Ottawa field-naturalists' club.

OTTAWA naturalist.* Ottawa. O.

Ottawa literary and scientific society.

TRANSACTIONS.* Ottawa. O.

Oudh. — See North-Western provinces and,.

L'Ouest. — See Société des sciences naturelles de,.

OUR HORTICULTURAL visitor.* Kinmundy. O.

PACIFIC rural press and California fruit bulletin.* San Francisco. Q.

Padóva. — See Reale accademia di scienze, lettere ed arti in,.

Palermo. — See Reale accademia . . . di, — Regia università . . . di,.

Paraense. — See Museu, de historia natural e ethnografia.

Paris. — See Académie des sciences. — Muséum d'histoire naturelle. — Société de biologie. — Société philomathique.

PARK and cemetery.* Chicago. Q.

Parma. — See *Regia università . . . di.*,.

Paulista. — See *Museu.*,

Pavia. — See *Regia università . . . di.*,.

Pennsylvania. — See *University of.*,

Pennsylvania forestry association. — See *Forest leaves.*

Pennsylvania state college. Agricultural experiment station.

BULLETIN.* State College. O.

Penzance natural history and antiquarian society.

REPORT.* Plymouth. O.

Perak museum.

NOTES.* Taiping. O.

Perthshire society of natural science.

TRANSACTIONS and proceedings.* Perth. O.

Petropolitana. — See *Universitas imperialis.*, — *Hortus botanicus imperialis petropolitanus.*

PHARMACEUTICAL archives.* [Milwaukee]. O.

PHARMACEUTICAL era.* New York. Q.

PHARMACEUTICAL journal.* London. Q.

Pharmaceutical record. — See *American druggist and..*

PHARMACEUTICAL review.* Milwaukee. Q.

Pharmaceutical society of Great Britain. — See *Pharmaceutical journal.*

Pharmaceutical society of Ireland.

CALENDAR.* Dublin. D.

Philadelphia. — See *Academy of natural sciences of..* — *Wagner free institute of science of.,*

Philadelphia college of pharmacy. — See *American journal of pharmacy.*

Philosophical institute of Canterbury. — See *New Zealand institute.*

The Photogram. — See *Process photogram.*

Pisa. — See *Regia università di.*,

PITTONIA. A series of botanical papers by Edward L. Greene.* San Francisco. O.

THE PLANT world.* Binghamton. O.

Ponta Delgada. — See *Observatoire météorologique de.,*

POPULAR SCIENCE. New York. Q.

Popular science monthly. — See Appleton.

Populäre Vorträge aus allen Fächern der Naturwissenschaft. — See Verein zur Verbreitung naturwissenschaftlicher Kenntnisse.

Portici. — See Reale scuola superiore d'agricoltura in.,

Portland society of natural history.

PROCEEDINGS.* Portland. O.

Porto. — See Academia polytechnica do Porto.

Prag. — See Česká akademie císaře Františka Josefa I. — Kaiserlich-königliche deutsche Universität in., — Königlich-böhmisiche Gesellschaft der Wissenschaften.

PRAIRIE farmer.* Chicago. Q.

PRAKTISCHE Blätter für Pflanzenschutz. Stuttgart. O.

Preussische Rheinlande. — See Naturhistorischer Verein.

Preussische Staaten. — See Verein zur Beförderung des Gartenbaues in den preussischen Staaten.

Preussischer botanischer Verein.

JAHRES-BERICHT.* Königsberg in Pr. Sq. Q.

— — See Allgemeine botanische Zeitschrift.

THE PROCESS photogram.* London. O.

Proefstation Oost-Java.

MEDEDEELINGEN.* Soerabaia. Q.

Proefstation voor suikerriet in West-Java, te Kagok-Tegal.

MEDEDEELINGEN.* Soerabaia. Q.

PROMETHEUS.* Berlin. F.

Provincial museum, Lucknow. — See North-Western provinces.

Provinzial-Museum in Hannover.

KATALOG.* Hannover. O.

PSYCHE. Cambridge. O.

Purdue university.

MONOGRAPHS. Series relating to food.* La Fayette. O.

Agricultural experiment station. [La Fayette].

BULLETIN.* La Fayette. O.

REPORT.* Indianapolis. O.

QUARTERLY journal of microscopical science. London. O.
 Queensland. — See Royal society of,,
 Queensland. Department of agriculture.
 ANNUAL report.* Brisbane. O.
 Queensland acclimatisation society.
 ANNUAL report.* Brisbane. O.
 TRANSACTIONS.* Brisbane. O.
 Queensland agricultural journal.* Brisbane. O.
 Queensland museum.
 ANNALS.* Brisbane. O.
 ANNUAL report of the trustees.* Brisbane. F.
 Quekett microscopical club.
 JOURNAL.* London. O.
 Reale accademia dei Lincei.
 ATTI. Rendiconti, classe di scienze fisiche, matematiche e naturali.* Roma. Q.
 R. accademia delle scienze dell' istituto di Bologna.
 MEMORIE. Sezione delle scienze naturali.* Bologna.
 Sq. F.
 RENDICONTO delle sessioni.* Bologna. O.
 R. accademia delle scienze di Torino.
 ATTI. Classe di scienze fisiche, matematiche e naturali.*
 Torino. O.
 OSSERVAZIONI meteorologiche.* Torino. O.
 R. accademia di scienze, lettere e belle arti di Palermo.
 ATTI.* Palermo. F.
 R. accademia di scienze lettere ed arti in Padova.
 ATTI e memorie.* Padova. O.
 R. accademia virgiliana di Mantova.
 ATTI e memorie.* Mantova. O.
 R. istituto botanico di Roma. — See R. università degli
 studi di Roma.
 R. istituto d'incoraggiamento di Napoli.
 ATTI.* Napoli. F.
 Reale istituto di studi superiori pratici e di perfezionamento. Regius hortus botanicus florentinus.
 ENUMERATIO seminum.* Florentiae. O.

R. scuola superiore d'agricoltura in Portici.
 ANNUARIO.* Portici. Q.

R. società toscana di orticoltura.
 BULLETTINO.* Firenze. Q.

RECREATION.* New York. O.

Regensburg.—See Königlich-bayerische botanische Gesellschaft zu.,.

Regia accademia di scienze, lettere ed arti in Modena.
 [BOTANICAL papers].* Modena. Q.

R. societas scientiarum—See Királyi magyar természettudományi társulat.

R. università degli studi di Palermo.
 R. istituto di botanico.
 CONTRIBUZIONI alla biologia vegetale.* Palermo. Q.

R. orto botanico.
 BOLLETTINO.* Palermo. O.

INDEX seminum.* Palermo. O.

R. università degli studi di Napoli.
 Hortus regius neapolitanus.
 INDEX seminum.* Napoli. O.

R. università degli studi di Parma. Orto botanico.
 INDEX seminum.* Parma. Q.

R. università degli studi di Pavia. Istituto botanico.
 ATTI.* Milano. Q.

R. università degli studi di Roma.
 R. istituto botanico.
 ANNUARIO.* Milano, Roma. Q.

R. università degli studi di Siena.
 Laboratorio ed orto botanico.
 BULLETTINO.* Siena. O.

ENUMERATIO seminum.* Siena. O.

R. università di Pisa. Istituto botanico.
 RICERCHE e lavori.* Pisa. Q.

R. universitas bononiensis. Hortus botanicus.
 DELECTUS seminum.* Bononiae. F.

R. universitas claudinopolitana.—See Kolozsvári . . . Ferencz-József-tudomány-egyetem.

REGISTERED pharmacist and Drug clerks journal.* Chicago. Q.

Regius hortus botanicus florentinus. — See Reale istituto di studi.

R. hortus botanicus senensis. — See Regia università . . . di Siena.

Reichenberg. — See Verein der Naturfreunde in.,

Reims. — See Société d'étude des sciences naturelles de.,

República mexicana. Secretaría de fomento, colonización é industria. — See Boletín de agricultura.

REVUE bryologique. Cahan. O.

REVUE de viticulture. Paris. Q.

REVUE des sciences naturelles appliquées.* Paris. O.

REVUE générale de botanique. Paris. O.

REVUE horticole.* Marseille. O.

— Paris. O.

REVUE mycologique. Toulouse. O.

REVUE savoisienn.* Annecy. O.

REVUE scientifique du Limousin.* Limoges. O.

REVUE tunisienne.* Tunis. O.

Rheinlande. — See Naturhistorischer Verein der preussischen.,

Rheno-triaectina. — See Universitas.,

Rhode Island agricultural experiment station. [Kingston].

BULLETIN.* Kingston. O.

REPORT.* Providence. O.

RHODORA. Boston, Providence. O.

Riga. — See Naturforscher-Verein zu.,

Rijks universiteit, Leiden. Hortus botanicus academicus lugduno batavus.

DELECTUS seminum.* Leide. Sq. Q.

RIVISTA di patologia végétale. Avellino. O.

Rochefort. — See Société de géographie de.,

Rochelle. — See La Rochelle.

Rochester. — See City of.,

Rochester academy of science.

PROCEEDINGS.* Rochester. Q.

Roma. R. istituto botanico di, — See Regia università . . . di,.

Română. — See Academia,.

[Rothamsted farm and laboratory.

REPORTS of field experiments].* Rothamsted. Q.

Roubaix. — See Cercle horticole de,.

Rouen. — See Académie des sciences . . . de,.

Rovereto. — See Imperiale reale accademia . . . in,.

Royal agricultural and commercial society of British Guiana. — See Timehri.

Royal agricultural society of England.

JOURNAL. London. O.

Royal Asiatic society.

Bombay branch.

JOURNAL.* Bombay. O.

China branch.

JOURNAL.* Shanghai. Q.

Royal botanic garden, Calcutta.

ANNALS.* Calcutta. Sq. F⁴.

Royal botanic garden, Edinburgh.

LIST of seeds.* Edinburgh. O.

Royal botanic gardens, Ceylon. [Pérádeniya].

CIRCULAR.* Colombo. O.

REPORT.* Pérádeniya. F.

Royal botanic gardens, Glasnevin, Dublin. (Science and art department).

LIST of seeds for exchange.* Dublin. Sq. Q.

REPORT.* Dublin. O.

Royal botanic gardens, Trinidad.

ANNUAL report.* Trinidad. F.

BULLETIN of miscellaneous information.* Trinidad. O.

Royal botanic society of London.

QUARTERLY record.* London. O.

Royal colonial institute.

PROCEEDINGS.* London. O.

Royal gardens, Kew.

BULLETIN of miscellaneous information.* London. O.

— — See Kew guild.

Royal horticultural society.

JOURNAL.* London. O.

REPORT of the council.* London. O.

Royal institution of Cornwall.

JOURNAL.* Truro. O.

Royal society of Canada.

PROCEEDINGS and transactions.* Montreal. Q.

Royal society of New South Wales.

ABSTRACT of proceedings.* [Sidney]. O.

JOURNAL and proceedings.* Sidney. O.

Royal society of Queensland.

PROCEEDINGS.* Brisbane. O.

Royal society of Victoria.

PROCEEDINGS.* Melbourne. O.

Rügen. — See Naturwissenschaftlicher Verein für . . . und.,.

Rugby school natural history society.

REPORT.* Rugby. O.

RURAL New Yorker.* New York. F⁵.

Sachsen. — See Oekonomische Gesellschaft

Saharanpur. — See Government botanical gardens, and
Arnigadh.

Sajjan Niwas gardens, Oodeypore.

ANNUAL report.* Ajmere. F.

SALZBURGER Landwirthschafts-Blätter.* Salzburg. F⁴.

San Francisco. Board of park commissioners.

ANNUAL report.* San Francisco. O.

Santiago de Chile. — See Deutscher wissenschaftlicher
Verein zu.,.

Saône-et-Loire. — See Société des sciences naturelles de.,.

La Sarthe. — See Société d'agriculture, sciences et arts
de.,.

Schimmel & Co. (Fritzsche Brothers).

SEMI-ANNUAL report.* Leipzig & New York. D.

Schlesische Gesellschaft für vaterländische Cultur.

JAHRES-BERICHT.* Breslau. O.

— — See Botanisches Centralblatt.

Schlesischer botanischer Tausch-Verein.

GENERAL-Doubletten-Verzeichnis.* Planegg. Q.

— — See Allgemeine botanische Zeitschrift.

Schleswig-Holstein. — See Naturwissenschaftlicher Verein.

Schwaben. — See Naturwissenschaftlicher Verein für,,

Schweizerische botanische Gesellschaft.

BERICHTE.* Bern. O.

Schweizerische naturforschende Gesellschaft.

VERHANDLUNGEN.* Zürich, etc. O.

For alternate sessions see Société helvétique des sciences naturelles.

SCIENCE. New York. Q.

SCIENCE gossip. London. Q.

SCIENTIFIC memoirs by medical officers of the army of India. Calcutta. Q.

Seine-et-Oise. — See Société des sciences naturelles et médicales de,,.

Selbourne society. — See Nature notes.

LA SEMAINE horticole.* Bruxelles. O.

Senckenbergische naturforschende Gesellschaft in Frankfurt am Main.

BERICHT.* Frankfurt a. M. O.

KATALOG.* Frankfurt a. M. O.

Senensis. R. hortus botanicus,, — See Regia università . . . di Siena.

Serbie. — See Jardin botanique du royaume de, à Belgrade.

Shaw school of botany. — See Washington university.

Siebenbürgische. — See Verein für, Landeskunde.

Siebenbürgischer Museumverein. — See Erdélyi múzeumegylet.

Siebenbürgischer Verein für Naturwissenschaften zu Hermannstadt.

VERHANDLUNGEN und Mittheilungen.* Hermannstadt. O.

Siena. — See *Regia università . . . di..*

Smichow. — See *Kaiserlich-königliche deutsche Universität in Prag.*

Smith college, Northampton, Mass., U. S. A. Botanic garden.

LIST of seeds collected.* [Northampton]. Sq. Q.

Smithsonian institution.

ANNUAL report of the board of regents.* Washington. O.

CONTRIBUTIONS to knowledge.* Washington. Q.

MISCELLANEOUS collections.* Washington. O.

Bureau of American ethnology.

ANNUAL report.* Washington. Q.

U. S. national museum.

BULLETIN.* Washington. O.

PROCEEDINGS.* Washington. O.

REPORT.* Washington. O.

Sociedad científica alemana. — See *Deutscher wissenschaftlicher Verein zu Santiago de Chile.*

Sociedad científica "Antonio Alzate."

MEMORIAS y revista.* México. O.

Sociedad científica argentina.

ANALES.* Buenos Aires. Q.

Sociedad española de historia natural.

ANALES.* Madrid. Q.

Sociedad mexicana de historia natural. — See *La Naturaleza.*

Sociedade broteriana.

BOLETIM.* Coimbra. Q.

Società adriatica di scienze naturali in Trieste.

BOLLETTINO.* Trieste. O.

Società botanica italiana.

BULLETTINO. Firenze. O.

MEMORIE. — See *Nuovo giornale botanico italiano.*

Società di naturalisti in Napoli.

BOLLETTINO.* Napoli. Q.

Società italiana di scienze naturali.

ATTI.* Milano. O.

Società toscana di scienze naturali.

ATTI.* [Pisa]. Q.

Societas pro fauna et flora fennica.

ACTA.* Helsingforsiae. O.

MEDDELENDAR.* Helsingfors. O.

— — — See Botanisches Centralblatt.

SOCIETATUM litterae.* Frankfurt a. O. O.

Société belge de microscopie.

ANNALES.* Bruxelles. O.

BULLETIN.* Bruxelles. O.

Société botanique de Copenhague.

CATALOGUE des plantes.* København. Sq. O.

— — — See Botanisk Tidsskrift.

Société botanique de France.

BULLETIN. Paris. O.

Société botanique de Genève.

BULLETIN.* Genève. O.

Société botanique de Lyon.

ANNALES.* [Lyon]. Q.

Société botanique des Deux-Sèvres, Vienne, Vendée.

BULLETIN.* Niort. O.

INTERMÉDIAIRE mensuel.* [Niort]. O.

Société botanique du Limousin. — See Revue scientifique du Limousin.

Société botanique suisse. — See Schweizerische botanische Gesellschaft.

Société centrale d'horticulture du Nord. Ancien Cercle horticole du Nord.

JOURNAL.* Lille. O.

Société centrale forestière de Belgique.

BULLETIN.* Bruxelles. O.

Société d'agriculture sciences et arts centrale du département du Nord séant à Douai.

MÉMOIRES.* Douai. Q.

Société d'agriculture, sciences et arts de la Sarthe.

BULLETIN.* Le Mans. Q.

Société d'agriculture sciences et arts du département de la Haute-Saône.

BULLETIN.* Vesoul. O.

Société d'échanges botaniques silésienne. — See Schlesischer botanischer Tausch-Verein.

Société d'émulation du Doubs.

MÉMOIRES. Besançon. O.

Société d'émulation et d'agriculture (lettres, sciences et arts) de l'Ain.

ANNALES.* Bourg. O.

Société d'étude des sciences naturelles de Nîmes.

BULLETIN.* Nîmes. Q.

Société d'étude des sciences naturelles de Reims.

BULLETIN.* Reims. O.

Société d'études scientifiques d'Angers.

BULLETIN.* Angers. O.

Société d'histoire naturelle d'Autun.

BULLETIN.* Autun. Q.

Société d'histoire naturelle de Colmar. — See Naturhistorische Gesellschaft in Colmar.

Société d'horticulture du Japan.

JOURNAL.* Tokyo. O.

Société d'horticulture & de botanique des Bouches-du-Rhône. — See Revue horticole, Marseille.

Société de biologie.

COMPTES rendus hebdomadaires. Paris. O.

Société de Borda.

BULLETIN.* Dax. Q.

Société de géographie de Rochefort. (Agriculture, lettres, sciences et arts).

BULLETIN.* Rochefort. Q.

Société de physique et d'histoire naturelle de Genève.

COMITÉ rendu.* Genève. O.

Société des naturalistes de Kiev. — See Kieffskoe obstchestvo estestvoispytatelei.

Société des sciences, agriculture et arts de la Basse-Alsace. —
See Gesellschaft zur Förderung der Wissenschaften . . .
im Unter-Elsass.

Société des sciences de Nancy. (Ancienne Société des
sciences naturelles de Strasbourg).

BULLETIN.* Paris, Nancy. Q.

Société des sciences historiques & naturelles de la Corse.

BULLETIN.* Bastia. O.

Société des sciences historiques & naturelles de Semur.

BULLETIN.* Semur. Q.

Société des sciences naturelles de l' Ouest de la France.

BULLETIN.* Nantes. Q.

Société des sciences naturelles de la Charente-Inférieure.

ANNALES.* La Rochelle. O.

Société des sciences naturelles de Neuchatel.

BULLETIN.* Neuchatel. O.

Société des sciences naturelles de Saône-et-Loire.

BULLETIN.* Chalon-sur-Saône. Q.

Société des sciences naturelles de Strasbourg. — See So-
ciété des sciences de Nancy.

Société des sciences naturelles et médicales de Seine-et-
Oise.

MÉMOIRES.* Versailles. O.

Société des touristes du Dauphiné.

ANNUAIRE.* Grenoble. O.

Société florimontane d'Annecy. — See Revue savoisiennne.

Société fribourgeoise des sciences naturelles.

BULLETIN.* Fribourg. O.

Société helvétique des sciences naturelles.

ACTES.* Sion, etc. O.

For alternate sessions see Schweizerische . . . Gesellschaft.

COMPTE rendu des travaux.* Genève. O.

Société impériale des naturalistes de Moscou.

BULLETIN.* Moscou. O.

Société impériale des naturalistes de St. Pétersbourg. — See

Imperatorskoe S.-Peterburgskoe obstchestvo estestvois-
pytatelei.

Société linnéenne de Bordeaux.
PROCÈS-VERBAUX.* Bordeaux.* Q.

Société linnéenne de Normandie.
BULLETIN.* Caen. O.

MÉMOIRES.* Caen. Sq. Q.

Société mycologique de France.
BULLETIN.* Paris. O.

Société nationale d'acclimatation de France.— See Revue des sciences naturelles appliquées.

Société nationale d'agriculture, sciences & arts d'Angers.
(Ancienne Académie d'Angers).
MÉMOIRES.* Angers. O.

Société nationale des sciences naturelles et mathématiques de Cherbourg.
MÉMOIRES.* Paris, Cherbourg. Q.

Société philomathique de Paris.
BULLETIN. Paris. O.

COMPTE-rendu sommaire de séance. Paris. O.

Société royale de botanique de Belgique.
BULLETIN.* Bruxelles. O.

Société royale des sciences de Liége.
MÉMOIRES.* Bruxelles. O.

Société royale du Canada.— See Royal society of Canada.

Société scientifique industrielle de Marseille.
BULLETIN.* Marseille. Q.

Société suisse de botanique.— See Société botanique de Genève.

Société vaudoise des sciences naturelles.
BULLETIN.* Lausanne. O.

Society for the promotion of agricultural science.
PROCEEDINGS.* [La Fayette etc.]. O.

Society of apothecaries of London. Chelsea botanic garden.
LIST of seeds.* London. Q.

Society of arts.— See Technology quarterly.

South Carolina agricultural experiment station. [Clemson College].

ANNUAL report.* Charleston. O.

BULLETIN.* Greenville. O.

South Dakota. U. S. experiment station.

BULLETIN.* Brookings. O.

South Eastern naturalist.* Canterbury. Q.

Southern florist and gardener.* Chattanooga. Q.

Southland institute.—See New Zealand institute.

Southport society of natural science.

REPORT.* Southport. O.

THE SOUTHWEST.* Springfield, Mo. F⁴.

Springfield, Massachusetts. Park commissioners.

REPORT.* Springfield. O.

St. Gallische naturwissenschaftliche Gesellschaft.

BERICHT.* St. Gallen. O.

St. Louis.—See Academy of science of,.—City of,.—United States department of agriculture. Weather bureau.

St. LOUIS daily market reporter.* St. Louis. Sheets.

St. LOUIS medical and surgical journal.* St. Louis. O.

St. Lucia. Botanic garden.

ANNUAL report.* Castries. F.

SYNOPSIS of meteorological observations.* — F.

St. Pétersbourg.—See Académie impériale des sciences de,.—Hortus botanicus imperialis petropolitanus.—Imperatorskoe S.-Peterburgskoe obstchestvo estestvoispytatelei.—Universitas imperialis petropolitana.

Stadtgarten in Karlsruhe i. B.—See Karlsruhe.

Städtischer botanischer Garten zu Görlitz.—See Görlitz.

Stanislas.—See Académie de,.

State agricultural college.—See Agricultural experiment station of Colorado.

State board of fish commissioners.—See Michigan fish commission.

State board of health of Massachusetts.—See Massachusetts.

State college of Kentucky.—See Kentucky agricultural experiment station.

State experiment stations.—See Louisiana state university.

State horticultural society of Missouri.

ANNUAL report.* Jefferson City. O.

State of Michigan—See Michigan.

State of Missouri. Bureau of geology and mines.

BIENNIAL report.* Jefferson City. O.

State of New York.—See New York state museum.

State of Wisconsin. Forestry commission.

REPORT.* Madison. O.

State university of Iowa.

BULLETIN from the laboratories of natural history.*
Iowa City. O.

Staten Island.—See Natural science association of,.

Stavanger museum.

AARSBERETNING.* Stavanger. O.

LE STAZIONI sperimentali agrarie italiane.* Modena. Q.

Steiermark.—See Kaiserlich-königliche Gartenbau-Gesellschaft.—Naturwissenschaftlicher Verein für,.

Stockholm.—See Bergelunds botaniska trädgård.—Botaniska sällskapet i.,.

Storrs agricultural experiment station. [Storrs, Ct.].

ANNUAL report.* Hartford, etc. O.

BULLETIN.* Storrs. O.

Straits settlements. Botanic gardens and forest department.

ANNUAL report.* Singapore. F.

Strasbourg.—See Société des sciences de Nancy.

Suisse.—See Société botanique,.—Société, de botanique.

Svenska trädgårdsföreningen.

TIDSKRIFT. Stockholm. Q.

Svenska vetenskaps-akademien.—See Kongliga..

Technische Hochschule Carolo-Wilhelmina zu Braunschweig. Herzoglicher botanischer Garten.

SÄMEREIEN.* Braunschweig. F.

Technische Hochschule, Darmstadt. Botanischer Garten.
AUSWAHL von Sämereien.* Darmstadt. Sq. Q.

Technische Hochschule in Karlsruhe. — See Grossherzogliche,.

TECHNOLOGY quarterly and proceedings of the Society of arts.* Boston. Q.

Tennessee. — See University of,.

Tergestinus. — See Hortus botanicus,.

Texas academy of science.
TRANSACTIONS.* Austin. Q.

Texas agricultural experiment stations. [College Station].
BULLETIN.* Temple. O.

REPORT.* Austin. O.

Teyler. — See Musée,.

Thüringische botanische Gesellschaft "Irmischia" zu Arnstadt. — See Deutsche botanische Monatsschrift.

Thüringischer botanischer Verein.
MITTHEILUNGEN.* Weimar. O.

Thurgauische naturforschende Gesellschaft.
MITTEILUNGEN.* Frauenfeld. O.

Tiflis. — See Kaukasisches Museum.
Tiflisskii botanicheskii sad.
INDEX seminum.* Tiflis. O.

TRUDY.* Tiflis. Q.

TIMEHRI.* Demarara. O.

Tirol. — See Ferdinandeum für, und Vorarlberg.

Tōkyō. — See Imperial university of,.

Tōkyō botanical society. — See Botanical magazine.

Toledo. — See City of,.

Torino. — See Reale accademia delle scienze di,.

Toronto. — See University of,.

Torrey botanical club.
BULLETIN. New York. O.

MEMOIRS. New York. O.

Toscana. — See Reale società, di orticoltura. — Società, di scienze naturali.

Toulouse. *Jardin des plantes de la ville.*
CATALOGUE des graines.* Toulouse. F⁴.

Traiectina. — See *Universitas rheno-.*

Tree planting and fountain society of Brooklyn, N. Y.
REPORT.* Brooklyn. O.

Trencsén vármegyei természettudományi egylet.
ÉVKÖNYVE.* Trenesén. O.

Trieste. — See *Hortus botanicus tergestinus.* — Museo civico di storia naturale di,. — Società adriatica . . . in,.

Trinidad. — See *Royal botanic gardens.*

Tromsø Museum.
AARSBERETNING.* Tromsø. O.

DER TROPENPFLANZER.* Berlin. O.

TUFTS COLLEGE studies.* Tufts College. Q.

Tuskegee normal and industrial institute. Experiment station.
BULLETIN.* Tuskegee. D.

Ulm a. D. — See *Verein für Mathematik und Naturwissenschaft* in,.

Ungarische Akademie der Wissenschaften. — See *Királyi magyar természettudományi társulat.*

Unique journal horticole japonais. — See *Société d'horticulture du Japan.*

United States agricultural experiment station of Nebraska. — See *University of Nebraska.*

U. S. civil service commission.
REPORT.* Washington. O.

U. S. commission of fish and fisheries.
BULLETIN.* Washington. Q.

REPORT of the commissioner.* Washington. O.

[U. S.] commissioner of education.
REPORT.* Washington. O.

U. S. department of agriculture.
ANNUAL reports.* Washington. O.

FARMERS' bulletin.* Washington. O.

LIBRARY bulletin.* Washington. O.

U. S. department of agriculture—*Continued.*

REPORT of the secretary.* Washington. O.

YEAR book.* Washington. O.

— — See National convention for the suppression of insect pests and plant diseases by legislation.

Bureau of animal industry.

BULLETIN.* Washington. O.

CIRCULAR.* Washington. O.

Division of agrostology.

BULLETIN.* Washington. O.

CIRCULAR.* [Washington]. O.

Division of biological survey.

CIRCULAR.* [Washington]. O.

— — See North American fauna.

Division of botany.

BULLETIN.* Washington. O.

CIRCULAR.* [Washington]. O.

CONTRIBUTIONS from the U. S. national herbarium.*

Washington. O.

INVENTORY.* [Washington]. O.

Division of chemistry.

CIRCULAR.* Washington. O.

— — See Association of official agricultural chemists.

Division of entomology.

BIBLIOGRAPHY of the more important contributions to American economic entomology.* Washington. O.

BULLETIN.* Washington. O.

CIRCULAR.* [Washington]. O.

TECHNICAL series.* Washington. O.

— — See Association of economic entomologists.

Division of forestry.

BULLETIN.* Washington. O. & Q.

CIRCULAR.* [Washington]. O. & Q.

Division of pomology.

BULLETIN.* Washington. O.

CIRCULAR.* [Washington]. O.

U. S. department of agriculture — *Continued.*

Division of publications.

BULLETIN.* Washington. O.

CIRCULAR.* Washington. O.

MONTHLY list of publications.* Washington. O.

Division of soils.

BULLETIN.* Washington. O.

Division of statistics.

CIRCULAR.* Washington. O.

Division of vegetable physiology and pathology.

BULLETIN.* Washington. O.

Office of experiment stations.

BULLETIN.* Washington. O.

REPORT of the director.* Washington. O.

— — See Experiment station record.

Office of fiber investigations.

REPORT.* Washington. O.

Office of road inquiry.

BULLETIN.* Washington. O.

CIRCULAR.* Washington. O.

Office of the secretary.

CIRCULAR.* [Washington]. O.

Section of foreign markets.

BULLETIN.* Washington. O.

CIRCULAR.* [Washington]. O.

Weather bureau.

Iowa weather and crop service.

ANNUAL report.* Des Moines. O.

MONTHLY review.* Des Moines. Q.

WEATHER-crop bulletin.* [Des Moines]. Sheets.

MONTHLY meteorological summary. Station St. Louis, Mo.* [St. Louis]. Sheets.

MONTHLY weather review.* Washington. Q.

WEATHER map. For St. Louis and vicinity.* St. Louis. Sheets.

[U. S. department of state].

CONSULAR reports.* Washington. O.

U. S. experiment station, South Dakota. — See South Dakota.

U. S. fish commission. — See United States commission of fish and fisheries.

U. S. geological survey.
ANNUAL report.* Washington. Q.

U. S. national herbarium. — See United States department of agriculture. Division of botany.

U. S. national museum. — See Smithsonian institution.

Universidad literaria de Valencia. Jardín botánico.
SEMILLAS recolectados.* Valencia. Q.

Universidade de Coimbra. Hortus regius botanicus academicus conimbricensis.
INDEX seminum.* Conimbricae. O.

Università di Pavia. — See Regia.,

Universität Würzburg. Botanischer Garten.
AUSWAHL von Sämereien.* Würzburg. O.

Universität Zürich.
Botanischer Garten.
VERZEICHNIS . . . Sämereien und Früchte.* [Zürich]. O.

Botanischer Garten und . . . Museum.
[BERICHT].* Zürich. O.

VERZEICHNISS . . . Pflanzen.* Zürich. O.

Botanisches Museum.
MITTEILUNGEN.* Genève. O.

Universitas caesarie Novae-Rossiae. Hortus botanicus.
INDEX seminum.* Odessa. O.

UNIVERSITAS ferrariensis. Hortus botanicus.
DELECTUS seminum.* Ferrariae. O.

Universitas hauniensis. — See Kjøbenhavn's Universitet.

UNIVERSITAS imperialis petropolitana. Hortus botanicus.
INDEX . . . seminum.* St. Petersburg. O.

SCRIPTA botanica. S.- Peterburg. Q.

Universitas imperialis tokyoensis. — See Imperial university Tōkyō.

Universitas jurjevensis (olim dorpatensis). — See Imperatorkii . . . universitet.

Universitas lundensis. — See Lunds universitet.

Universitas parmensis. — See Regia università . . . di Parma.

Universitas rheno-traiectina. Hortus botanicus en botanisch laboratorium.

DELECTUS seminum.* Traiecti ad Rhenum. O.

[MONOGRAPHS].* Utrecht.

Universitas valentinae. — See Universidad literaria de Valencia.

Universitatea din Bucuresci. Gradina botanica.

CATALOG de semințe.* Bucuresci. O.

CATALOGUL plantelor.* Bucuresci. O.

Université à Leide. — See Rijks universiteit.

Université d'Amsterdam. Jardin botanique.

CATALOGUE des graines.* Amsterdam. O.

Université de Bucarest. — See Universitatea din Bucuresci.

Université de Gand. — See Hoogeschool te Gent.

Université de Genève. Laboratoire de botanique générale.

BULLETIN.* Neuchatel. O.

Université de Grenoble. Jardins botaniques de Chamrousse et du Lauteret.

CATALOGUE des graines*. Grenoble. Q.

Université de Groningue. Jardin botanique.

CATALOGUE des graines.* Groningue. Q.

Université de Liège. Institut botanique.

ARCHIVES.* Bruxelles. O.

Université de Montpellier. Jardin des plantes.

CATALOGUE des graines.* Montpellier. O.

Université royale de Lund. — See Lunds universitet.

University of Arizona. Arizona agricultural experiment Station.

BULLETIN.* Tucson. O.

University of California.

Agricultural experiment stations.

BULLETIN.* Berkeley. O.

EXCHANGE seed list.* Berkeley. O.

University of California — *Continued.*

REPORT.* Berkeley. O.

SEED bulletin.* Berkeley. O.

Botanical laboratories.

CONTRIBUTIONS.* [Berkeley]. O. & Q.

University of Idaho. Agricultural experiment station.

BULLETIN [including report].* Moscow. O.

University of Illinois. [Urbana].

Agricultural experiment station.

ANNUAL report.* Urbana. O.

BULLETIN.* Urbana. O.

Biological experiment station.

BIENNIAL report.* Chicago. O.

University of Maine. Maine agricultural experiment station. [Orono].

ANNUAL report.* Augusta. O.

BULLETIN.* Orono. O.

University of Minnesota.

Agricultural experiment station. [St. Anthony Park].

BULLETIN.* St. Anthony Park. O.

State experiment station. — See Minnesota.

University of Nebraska.

Botanical department.

CONTRIBUTIONS.* Lincoln. O.

Botanical seminar.

[ADDRESSES].* Lincoln. O.

Department of entomology (ornithology, etc.).

SPECIAL bulletin.* [Lincoln]. O.

U. S. agricultural experiment station of Nebraska.

BULLETIN.* Lincoln. O.

University of Pennsylvania.

Botanical laboratory.

CONTRIBUTIONS.* Philadelphia. Q.

Free museum of science and art. Department of archaeology and paleontology.

BULLETIN.* Philadelphia. O.

University of Tennessee. Agricultural experiment station.
ANNUAL report.* Knoxville. O.
BULLETIN.* Knoxville. O.
PRESS bulletin.* Knoxville. O.

University of the State of Missouri. College of agriculture and mechanic arts. Agricultural experiment station.
BULLETIN.* Columbia. O.

University of the state of New York.— See New York state museum.

University of Toronto.
STUDIES. Biological series.* [Toronto]. Q.

University of Vermont and state agricultural college.
Vermont agricultural experiment station. Burlington.
ANNUAL report.* Montpelier. O.
BULLETIN.* Montpelier. O.

University of Wisconsin.
BULLETIN.* Madison. Q.
Agricultural experiment station.
BULLETIN.* Madison. O.
REPORT.* Madison. O.

Unter-Elsass.— See Gesellschaft zur Förderung der Wissenschaften . . . im.,

Upsala. — See Kongliga universitetet i., — Naturvetenskapliga studentsällskapet i.,

Utah. — See Agricultural college of.,

Utrecht. — See Universitas rheno-straectina.

Valencia. — See Universidad literaria de.,

Varsoviensis. — See Hortus botanicus.,

Vassar brothers institute.
TRANSACTIONS.* Poughkeepsie. O.

Vaucluse. — See Académie de.,

Vaudoise. — See Société, des sciences naturelles.

Verein der Freunde der Naturgeschichte in Mecklenburg.
ARCHIV.* Güstrow. O.

Verein der Naturfreunde in Reichenberg.
MITTHEILUNGEN.* Reichenberg. O.

Verein der Naturfreunde zu Greiz.
ABHANDLUNGEN und Berichte.* Greiz. O.

Verein für Erdkunde zu Metz.
JAHRESBERICHT.* Metz. O.

Verein für Mathematik und Naturwissenschaften in Ulm.
JAHRESHEFT.* Ulm. O.

Verein für Naturkunde in Oesterreich ob der Enns zu Linz.
JAHRESBERICHT.* Linz. O.

Verein für Naturkunde zu Kassel.
ABHANDLUNGEN u. Bericht.* Kassel. O.

Verein für Naturwissenschaft zu Braunschweig.
JAHRESBERICHT.* Braunschweig. O.

Verein für siebenbürgische Landeskunde.
ARCHIV.* Hermannstadt. O.

Verein für vaterländische Naturkunde in Württemberg.
JAHRESHEFTE.* Stuttgart. O.

Verein zur Beförderung des Gartenbaues in den preussischen Staaten.— See Gartenflora.

Verein zur Verbreitung naturwissenschaftlicher Kenntnisse in Wien.
SCHRIFTEN. Wien. D.

Vermont.— See University of.,

VICK's illustrated monthly magazine.* Rochester. Q.

Victoria.— See Royal society of.,

THE VICTORIAN naturalist.* Melbourne. O.

Ville de Cannes.
CATALOGUES . . . des collections bibliographiques scientifiques et artistiques.* Cannes. O.

Virgiliana.— See Reale accademia, di Mantova.

Virginia agricultural experiment station.
BULLETIN.* Blacksburg. O.

Vorarlberg.— See Ferdinandum für Tirol und.,

Wagner free institute of science of Philadelphia.
TRANSACTIONS.* Philadelphia. Q.

Washington.— See Biological society of.,

Washington university. Shaw school of botany.
CONTRIBUTIONS.* [St. Louis]. O.

WEEKLY florists' review.* Chicago and New York. Q.

Wellington philosophical society. — See New Zealand institute.

Wernigerode. — See Naturwissenschaftlicher Verein des Harzes in.,

WEST American scientist.* [San Diego]. O.

West-Java. — See Proefstation . . . in.,

West Virginia agricultural experiment station. [Morgantown].

BULLETIN.* Fairmont. O.

WESTERN fruit grower.* St. Joseph. Q.

Western New York horticultural society.

PROCEEDINGS. Rochester. O.

Westfälischer Provinzial-Verein für Wissenschaft und Kunst.

JAHRESBERICHT.* Münster. O.

Westfalen. — See Naturhistorischer Verein der preussischen Rheinlande.

Westland institute. — See New Zealand institute.

Wetterauische Gesellschaft für die gesamte Naturkunde zu Hanau.

BERICHT.* Hanau. O.

Wien. — See Gartenbau-Gesellschaft in., — Kaiserlich-königliche zoologisch-botanische Gesellschaft in., — Kaiserlich-königliches naturhistorisches Hofmuseum. — Kaiserliche Akademie der Wissenschaften. — Verein zur Verbreitung naturwissenschaftlicher Kenntnisse in., — Wissenschaftlicher Club in.,

WIENER illustrirte Garten-Zeitung.* Wien. O.

Wiener Kryptogamen-Tauschanstalt.

JAHRES-Katalog.* Wien. Sq. Q.

Wilson ornithological chapter of the Agassiz association.

WILSON bulletin.* Oberlin. O.

Wisconsin. — See Natural history society of., — State of., — University of.,

Wisconsin academy of sciences, arts, and letters.

TRANSACTIONS.* Madison. O.

Wisconsin geological and natural history survey.

BULLETIN.* Madison. O.

Wisconsin state horticultural society.

WISCONSIN horticulturist.* Baraboo. O.

Wissenschaftlicher Club in Wien.

MONATSBLÄTTER.* Wien. Q.

JAHRESBERICHT.* Wien. O.

Wood's Holl. — See Marine biological laboratory of,,
Württemberg. — See Verein für vaterländische Naturkunde
in.,

Würzburg. — See Botanische Vereinigung in., — Universi-
tät.,

Wyoming experiment station.

BULLETIN.* Laramie. O.

Yorkshire naturalists' union.

TRANSACTIONS.* Leeds. O.

Yorkshire philosophical society.

ANNUAL report.* York. O.

CATALOGUE of British plants in the herbarium.*
[York]. O.

ZEITSCHRIFT für angewandte Mikroskopie.* Weimar. O.

ZEITSCHRIFT für Hygiene und Infektionskrankheiten.
Leipzig. O.

ZEITSCHRIFT für Pflanzenkrankheiten. Stuttgart. Q.

ZEITSCHRIFT für wissenschaftliche Mikroskopie und für
mikroskopische Technik. Braunschweig. O.

Zeylanicus. Hortus,. — See Royal botanic gardens, Ceylon.

Zöschen. — See National-Arboretum . . . zu.,

Zürich. — See Naturforschende Gesellschaft in., — Uni-
versität.,

CONTRIBUTORS, VOLUMES 1-10.

Allen, T. F. 9:112

Bay, J. C. 5:61. 7:125

Bush, B. F. 5:139. 6:121

Bush, I. 2:67

Butler, J. D. 4:37

Cardot, J. 8:51, 73

Carleton, M. A. 9:116

Chaplin, W. S. 3:70

Chapman, A. W. 1:139

Colman, N. J. 1:147. 3:58

Coulter, J. M. 3:53

Cunningham, A. D. 2-10:7

Cushing, F. H. 1:139

Dall, W. H. 1:137

Dimmock, T. 1:7

Dudley, T. U. 5:23

Dudley, W. R. 1:139

Ellot, W. G. 1:59

Ellis, J. B. 9:118, 120

Farlow, W. G. 1:141. 9:115

Fernow, B. E. 2:65

Forbes, S. A. 3:62

Francis, D. R. 1:132

Glatfelter, N. M. 5:46. 9:43

Goodale, G. L. 5:39

Goodman, L. A. 2:40

Hall, J. 1:156

Harris, W. T. 1:136

Hay, C. E. 3:65

Hitchcock, A. S. 4:47. 9:111

Hitchcock, Henry. 1:114

Hutchings, C. E. 7:125. 10:85

Hyatt, A. 1:140

Irish, H. C. 9:53

Jordan, J. M. 2:53

Kern, M. G. 2:62

Lackland, R. J. 2-10:7

Lawson, G. 1:138. 3:45

Leighton, G. E. 1:120

Lintner, J. A. 1:140

Magnus, P. 9:117

Manda, W. A. 3:68

Mann, C. 4:23

Manning, R. 2:64

Meehan, T. 2:66

Miller, S. 2:66

Mulford, A. I. 7:47

Nipher, F. E. 2:59

Noble, J. W. 3:44

Norton, J. B. S. 9:149, 151

Norton, M. H. 2:65

Plumb, C. S. 10:71

Riley, C. V. 3:50, 93

Rogers, H. W. 7:113

Rose, J. N. 9:121

Rothrock, J. T. 1:140

Saccardo, P. A. 9:159

Safford, J. M. 1:140

von Schrenk, H. 10:61

Schuylar, M. 1:188. 3:21

Schweitzer, P. 1:138

Scribner, F. L. 10:35

Smith, J. G. 6:27, 113

Smith, J. M. 2:47

Smith, W. W. 1:151

Thomas, J. J. 2:66

Thompson, C. H. 7:101. 9:21, 127

Trelease, W. 1:63, 84, 91, 125. 2:13, 36, 69. 3:11, 74, 159, 167. 4:11, 181. 5:11, 88, 107, 154. 6:11, 65. 7:12, 25, 123. 8:12, 77, 221, 229, 233. 9:12, 137, 141, 147, 159. 10:12, 91

Tuttle, D. S. 1:103. 2:64. 3:37

Underwood, L. M. 9:111, 112

Vest, G. G. 1:136

Waterhouse, S. 3:40

Webber, H. J. 6:91

Whitten, J. C. 5:123, 137

Willey, H. 9:160

Williams, T. A. 3:169. 9:112

INDEXES, VOLUMES 1 TO 10.

General Index.

Academy of Science **1**:29, 33, 47, 61. **2-10:2**
Accounts **2**:11. **3**:9. **4**:9. **5**:9. **6**:8. **7**:9. **8**:9. **9**:9. **10**:8
Act, Enabling, **1**:26, 31, 117
Addition to collections **1**:34, 93, 130. **8**:42
(See Exchanges, Herbarium, Library)
Agaves **7**:14
Agriculture **1**:37, 76, 115
Agua de miel **7**:60
Albaugh, N. A. **9**:18
Alkannin **9**:149
Allen, G. B. **1**:29
Aloes **7**:14
American flora **1**:93
Amole **7**:59
Animals vs. vegetation **1**:37, 115. **2**:30
Appliances **1**:36-7. **3**:19
Arboriculture **1**:36-7, 115-6. **7**:120
Areas of Garden **1**:101, 116
Aroids **7**:14. **10**:15
Arts **1**:36, 79, 116
Ashley, O. D. **6**:19
Assistants **1**:35, 94. **3**:15. **8**:33. **10**:21
Atwater, W. O. **7**:21
Auler, H. **1**:2
Ayers, H. **8**:34
Azores **6**:17. **8**:51, 77, *frontispiece*

Bahamas **4**:47, 158, 171-2. **9**:111
Baird, S. F. **1**:29
Ball herbarium **4**:13
Banquet to gardeners **1**:49. **2**:35. **3**:57. **4**:44. **5**:18. **6**:17, 18. **7**:21. **8**:34. **9**:18. **10**:29
Banquet to trustees **1**:49, 112. **3**:36. **4**:36. **5**:17, 38. **6**:17. **7**:21. **8**:34. **9**:18. **10**:29
Barber, S. **1**:46
Barnett, G. I. **1**:48, 50
Bartholdt, R. **3**:2. **4**:2
Beech disease **10**:61
Bernhardl herbarium **1**:14, 93. **2**:25. **3**:15. **4**:18. **5**:15. **6**:15. **7**:17. **8**:19. **9**:15. **10**:35

Bessey, C. E. **9**:18
Bishop of Missouri **1**:2, 29, 49. **2-10:2**
Blair, G. **4**:2. **5**:2
Blankinship, C. M. **8**:32
Boebmer herbarium **9**:14
Bogula, O. **9**:17
Bradbury, F. **1**:46
Branch, J. W. **1**:2, 29. **2-10:2**
Brannon, M. A. **4**:16. **6**:16
Braun, A. **1**:13
Britton, N. L. **9**:18
Broadhead, J. O. **8**:34
Brockman, F. W. **5**:2. **6**:2, 20. **7**:2
Buckley herbarium **1**:88
Bulbillo of Agave **7**:56, 93
Bulkley, W. M. **8**:35
Burials in Garden **1**:37
Bus, H. **7**:2. **8**:2
Bush, B. F. **8**:47
Bushnell, D. I. **7**:22

Cacti **3**:55. **7**:14. **10**:15
Caledonia Society **1**:48
Capers, E. **8**:34
Canfield, J. H. **9**:18
Card, F. W. **9**:18
Cash statement **2**:11. **3**:9. **4**:9. **5**:9. **6**:8. **7**:9. **8**:9. **9**:9. **10**:8
Cat Island **4**:47
Catalogue of library **7**:123. **9**:16.
Chamberlin, T. C. **5**:45
Chancellor of Washington University **1**:29, 33, 59. **2-10:2**
Chaplin W. S. **3**:2. **4**:2, 37. **5**:2, 45. **6**:2. **7**:2, 21. **8-10:2**
Charities **4**:13. **5**:13. **6**:14. **7**:15. **8**:16. **9**:12. **10**:15
Chatsworth, I. **1**:12. **2**:38
Chauvenet, W. M. **8**:35
City of St. Louis **1**:29, 3^{co}
City residence **1**:43. **3**:7, 15. **8**:19. **10**:23-9
Clark, Ellen C. **10**:34
Classes at Garden **5**:20. **6**:24. **7**:23. **8**:48. **9**:19. **10**:34
Cochran, A. G. **8**:34

Collections, additions to, **1:34**, 93, 130. **8:42**
 (See Exchanges, Herbarium, Library)

Collections of employees **3:15**

Collier, M. D. **1:2**, 29.

Colman, N. J. **1:147**. **3:58**. **8:35**

Corkwood **6:73**

Coste, P. F. **8-10:2**

Course of study **4:18**. **6:22**, 24. **8:23**.
10:26-8

Court decisions **1:117**. **3:8**. **5:21**.
8:8, 35

Crooked Island **4:47**

Cunningham, A. D. **1-10:2**

Cycads **7:14**

Decaisne **1:13**

Density of wood **6:75**

Deusner, C. W. **8:32**

Dewart, F. W. **4:15**, 16. **5:17**, 123

Director

- Duties **1:34**, 49, 93. **8:12**
- Reports **1:91**. **2:13**. **3:11**. **4:11**.
5:11. **6:11**. **7:12**. **8:12**. **9:12**.
10:12

Diatoms **8:78**

Diseases of plants **1:37**, 77, 93, 115, 131.
3:43. **9:13**, 159. **10:61**.

Dissemination **4:223**. **6:91**. **8:89**

Distribution of plants **4:13**. **5:13**.
6:14. **7:14**. **8:16**. **9:12**. **10:15**

Doane, W. C. **7:21**

Doss, T. **5:123**

Drake, G. S. **1-7:2**

Duffey, J. C. **2:30**. **3:16**. **4:15**

Dunford, J. W. **2:25**

Ecology **3:99**. **4:223**. **6:91**. **7:27**,
56. **8:88**, 223. **10:61**

Economic plants **1:102**. **7:14**

Eddy, H. T. **5:45**

Edom, R. **1:44**, 46, 50

Elective studies **6:24**

Eleutheria **4:47**

Eliot, E. C. **10:2**

Eliot, W. G. **1:29**, 33

Employees **1:34-5**, 50. **3:15**

Enabling act **1:26**, 31, 117

Engelmann, George

- Herbarium **1:62**, 93. **2:10**, 24. **3:15**,
55. **4:13**. **5:15**. **6:15**. **7:17**.
8:20. **9:15**. **10:18**
- Influence **1:13**, 61. **2:38**. **5:40**.
10:35
- Letters **10:20**
- Professorship **1:56**, 60
- Notes and sketches **5:16**
- Writings **1:62**, 86. **8:121**

Engelmann, G. J. **1:2**, 61. **2-7:2**

Engler, E. A. **9-10:2**

Entomology **2:30**. **3:16**. **4:15**. **8:45**,
233

Episcopal Bishop of Missouri **1:2**, 29,
33, 49. **2-10:2**

Episcopal Orphans' Home **1:47-8**

Erwin, A. T. **8:32**

Exchanges **1:34**. **2:24-5**. **3:16**. **4:12**.
5:15. **6:14**, 15. **7:16-18**. **8:17**, 20-
21, 24. **9:12**, 14, 16. **10:15**, 16, 22, 25,
91

Expense summary **8:14**

Experiments

- (See Investigation)

Exploration **2:31**. **3:14**. **4:16**. **6:17**.
8:47

Extensions **1:32**, 36, 116. **8:37**. **9:13**.
10:14

Facilities offered **7:19**. **8:44**. **10:25**

Fees **2:15**

Ferns **7:14**. **10:15**

Field, E. P. **10:26**

Flora avenue **10:7**

Flower premiums

- (See Premiums)

Flower sermons **1:49**, 103. **3:21**. **4:23**.
5:17, 23. **6:17**. **7:21**. **8:34**. **9:18**.
10:28-9

Forestry **1:31-2**

- (See Course of study)

Fortune Island **4:47**

Francis, D. R. **1:132**. **9:18**

Frost, R. G. **8:35**

Fruit **1:31-2**. **7:16**. **8:38**

Fruticetum **6:14**. **7:15**

Fungi **8:206**, 234. **9:115**, 159. **10:61**

Gaillor, T. F. **6:17**

Galt, S. P. **7:21**

Garden pupils **1:37**, 94, 115, 128. **2:10**,
25, 45. **3:17**, 47. **4:16**. **5:19**. **6:21**.
7:22. **8:15**, 25-6. **9:17**. **10:26**

Gardeners **1:35-6**

- (See Banquet to,)

Gay herbarium **1:88**

German Protestant Orphans' Home
1:49-50

Girls' Industrial Home **1:49**

Good Samaritan Hospital **1:47**

Goodman, L. A. **2:40**. **7:22**. **10:30**

Graham, A. **8:35**

Grand Cayman **4:47**. **9:111**

Grapery **7:16**

Gray, Asa

- Honorary trustee **1:29**
- Influence **1:14**, 60. **5:40**

Gray, M. L. **7:2. 9:2**
 Green, J. **6:2, 19. 7-10:2**
 Greer, D. H. **9:18**
 Gurney, J. **1:14, 50. 9:18**

Haenke grasses **10:35**
 Hail **5:14. 8:18**
 Hall, A. **5:45**
 Handbook **5:9, 10, 17. 6:8, 11. 7:9, 12. 8:9, 25. 9:9. 10:8, 24**
 Harris, L. G. **9:18**
 Heating **2:23. 3:13, 15. 7:15**
 Herbarium **1:13, 34, 36, 57, 87, 92-3, 99, 130. 2:10, 23-4. 3:8, 14, 15. 4:8, 13. 5: frontispiece, 8, 15. 6:15. 7:8-9, 17. 8:8, 15, 19. 9:14, 15. 10:8, 17, 35.**
 Herbarium premiums **10:31**
 Histology, **1:93**
 Hitchcock, A. S. **1:86. 2:31. 3:13, 14, 17. 4:15. 8:47.**
 Hitchcock, Henry. **1:2, 29, 114. 2-7:2. 8:2, 34. 9-10:2**
 Hodge, M. **1:46**
 Holidays **1:51, 92. 6:12**
 Home of the Friendless **1:47**
 Honorary trustees **2:29**
 Hooker, W. J. **1:13. 2:38**
 Hoole, E. **1:45**
 Hoole, H. **1:45-6**
 Hoole, H. E. **1:45-6**
 Hoole, J. **1:45-6**
 Hoole, M. **1:45**
 Hoole, P. **1:45**
 Horticultural education **8:32**
 Horticulture **1:81, 36-7, 76, 91, 115-6, 130. 2:20, 30, 38. 3:12. 6:14. 7:15-6, 8:32, 38, 46**
 Humboldt statue **1:23**
 Hutchings, C. E. **6:16**

Improvement of surroundings **1:32**
 Inagua **4:47**
 Instruction **1:36-7, 57, 94, 115. 3:19**
 (See Classes, Course of Study)
 Instruments **1:36, 57, 90, 99**
 Investigation **1:36-7, 57, 60, 81, 93-4, 100, 115, 129, 142. 2:19, 58. 3:16, 42. 8:15, 23, 39, 42, 46-7, 49. 10:21**
 Iowa flora **2:31**
 Irish, H. C. **6:16. 7:19, 22. 8:33, 35**
 Ixtli **7:63, 76**

Jamaica **4:47. 9:111**
 Jeremy herbarium **9:14, 151**
 Jesse, R. H. **6:18**
 Joad herbarium **1:88**
 Johnson, G. E. **6:16. 7:19**

Johnson, J. B. **1:2, 29. 2-10:2**
 Joor herbarium **9:14, 151**
 Judson, F. N. **1:2**

Kaimé, D. F. **1:2, 29, 48. 2-10:2**
 Kaimé, J. E. **1:48**
 Kiehnschmidt, A. A. **7:22**
 Koenig, J. **6:20**
 Krause herbarium **1:88**
 Kunz, J. W. **9:18**

Labeling **1:93. 2:24. 3:14, 15. 6:14, 8:17**
 Laboratories **1:36, 57, 75, 81, 99**
 Laborers **1:50**
 Labyrinth **5:11**
 Lackland, R. J. **1:2, 29. 2-10:2**
 Land **1:32-3. 7:8. 8:7, 13, 35. 9:7, 8. 10:8**
 Landscape plans **8:46. 9:13. 10:14**
 Leasing land **1:32-3. 7:8. 8:7, 35. 9:7, 8. 10:8**
 Lectures **1:34-5**
 (See Classes, Course of study, Electives)
 Le Duc, M. P. **1:61**
 Lee, J. W. **7:21**
 Legislation **1:26, 31**
 Lehmann, F. W. **8:34**
 Library **1:13, 31, 34, 36, 57, 81, 92-3, 99, 130. 2:10, 23, 25, 38. 3:8. 4:8, 13. 5:8, 16. 6:15. 7:8, 9, 18. 8:8, 15, 21. 9:15, 16. 10:8, 18, 21, 55, 91**
 Lightner, J. H. **1:61**
 Lignite **8:78**
 Lily ponds **5:7, 12, 15. 6:13. 7:13.**
 Little Sisters of the Poor **1:48**
 Lowe, E. **1:45**
 Ludwig herbarium **9:14**

MacAdam, D. H. **1:48**
 Madeira **8:73**
 Madill, G. A. **1:2, 29. 2-4:2. 5:2, 39. 6-10:2**
 Maguay **7:60**
 Maintenance expenses **8:14, 15**
 (See Cash statement)
 Maples **5:83**
 Marine Biological Laboratory **4:16. 5:17. 6:16. 7:19. 8:22**
 Matthews, L. **6:20. 7-10:2**
 Mausoleum **1:26, 50. 7:7, 17**
 Mayor of St. Louis **1:2, 29. 2-10:2**
 Medal **5:18-19. 6:9, 21. 7:22. 8:35. 9:19. 10:32**
 Medicine **1:36, 69, 85, 100, 116. 7:121**
 Meier, A. **1:29**
 Memorial Home **1:48**

Mendenhall, T. C. 5:45
 Mercantile Library 1:49
 Merrill, J. G. 1:59
 Mescal 7:58, 60-62, 89, 90
 Meteorology 8:79
 Methodist Orphans' Home 1:50
 Mill Hill School 1:8. 4:38
 Miller, C. F. 1-3:2
 Mische, E. 8:32
 Missouri Botanical Garden
 Maps 1, 2. 5:22. 8:38
 Views 1:7, 25, 48, 59, 63, 91, 96, 100,
 113, 118, 141. 2, 20, 30, 35. 4
 frontispiece, pl. 2. 5. *frontispiece*,
 7, 11, 12, 15, 38, 46. 6. *front-
 ispiece*, 7, 11, 15, 23, 65. 7. *front-
 ispiece*, 7, 13, 17, 23. 8. 7, 12, 15,
 18, 26, 46. 9. *frontispiece*, 7, 14,
 18. 10. 7, 12, 28, 35.
 Missouri flora 5:139. 6:121
 Missouri Historical Society 1:47
 Mohr, R. J. 10:26
 Monell, J. 1:45
 Morlasse, C. 1:43, 47
 Mosses 8:51, 73
 Mound flora of Missouri 6:121
 Mulford, A. L. 6:24. 7:23. 8:48.
 9:19
 Murtfeldt, C. W. 9:18
 Museum 1:14, 31, 34, 50, 59, 93. 2:25,
 38. 3:16. 8:19, 21, 43. 10:17
 Mycorhiza 10:65

Nectar glands 4:181
 Nehrling, W. 7:22
 Nipher, F. E. 1-3:2
 New Providence 4:47
 Noble, J. W. 5:45
 Nomenclature 4:48
 Noonan, E. A. 1-5:2
 Norton, J. B. S. 8:33
 Number of species 1:102. 7:12, 14.
 8:16. 10:14

Objects of Garden 1:31, 36
 Officers' Reports 2-10:7
 Old Ladies' Home 1:48
 Opening of Garden 1:32, 51, 92, 115.
 6:11. 10:13
 Orchard 3:12. 6:14. 7:15
 Orchids 7:13. 10:15

Palms 7:14. 10:15
 Pammel, L. H. 1:86. 3:19
 Pamphlet covers 4:13
 Paper 7:91
 Pathology of plants
 (See Diseases)

Peppers, Red
 (For full index see 9:105-7)
 Periam, J. 7:22
 Perpetual site of Garden 1:32
 Pettus, W. H. H. 1:2, 29. 2-10:2
 Pharmacy 1:69
 Phenology 5:123
 Physiology 1:37, 76, 93, 115, 131.
 8:45
 Phytemerids 6:99
 Pillsbury, J. P. 6:21. 7:22
 Pita 7:90
 Pitzman, J. 6:20
 Plant diseases 1:37, 77, 93, 115, 131.
 3:43. 9:18, 159. 10:61
 Plant-houses 1:63, 84, 113. 9:14.
 10:13
 Plant-records 7:14
 Plants cultivated 1:102. 7:12, 14.
 8:16. 10:14
 Plants distributed 4:13. 5:13. 6:14.
 7:14. 8:16. 9:12. 10:15
 Pollination 3:90. 7:27, 56. 8:88
 Pomegranates 5:160
 Porter, W. T. 1:86
 Prelunean library 4:14. 5:16, 43.
 6:16. 7:123-209. 8:21. 9:16.
 10:19-20
 Premiums 1:49. 3:18. 4:19. 5:17-8.
 6:17, 20. 7:21-2. 8:35. 9:18.
 10:31, 34
 President of Academy of Science 1:2,
 29. 2-10:2
 President of Public Schools 1:2, 29, 33
 2-10:2
 Presl grasses 6:119. 10:35
 Pritchett, H. S. 3-5:2. 6:2, 17
 Prizes
 (See Premiums)
 Professors 1:35
 Protestant Orphan Asylum 1:48
 Public School Board 1:2, 29, 33.
 2-10:2
 Publications from Garden 6:48. 8:23,
 49. 10:21-2, 85.
 Publications received 10:91
 Pulque 7:60, 90
 Pupils
 (See Garden pupils)
 Purposes of Garden 1:31.

Ravold, A. N. 1:86
 Real estate 1:32-3. 7:8. 8:7, 8, 13,
 35. 9:7, 8. 10:8
 Records of plants 7:14
 Redfield herbarium 9:14-15
 Reed, Eva M. 6:16
 Regulations 1:32, 51, 92

Reports
 (See Director, Officers)

Research
 (See Investigation)

Residence removal **1:43. 3:8. 8:19.**
10:28-9

Retzer, W. **8:32**

Revenue, Garden **1:35, 38**
 (See Cash statement.)

Revenue, School of Botany **1:37.**
5:20-21

Riggle, H. **6:21**

Robertson, C. F. **1:29, 33**

Rogers, H. W. **7:21**

Root, O. **6:19**

Root formation **10:68**

Rothrock, J. T. **4:48**

Rouse, I. **9:18**

Rush, W. H. **7:23. 8:47**

Sacchi **7:63**

Saqui **7:63, 92**

Sale of land **1:32-3. 7:8. 8:7, 13, 35.**
9:7, 8. 10:8

Savadil, M. **1:50**

Scholarships. (See Garden pupils.)

School of botany **1:15, 36, 56, 59, 84, 87.**
99, 116. 2:12, 31. 3:10, 18. 4:19.
5:9, 19. 6:9, 23. 7:10, 23. 8:10,
47. 9:10, 19. 10:10, 33

— Contributions **1:87. 3:19. 4:21.**
8:229. 10:34

Science, Promotion of, **1:32, 37**

von Schrenk, H. **9:19**

Sclerotoid disease **10:61**

Scrlbner, F. L. **8:34**

Seed exchanges **5:12. 6:14. 7:16.**
9:12

Sermon, Annual **1:49, 103. 3:21.**
4:23. 5:17, 23. 6:17. 7:21. 8:34.
9:18. 10:28-9

Shaw, Henry
 Biography **1:7**
 Medal **5:18-19. 6:9, 21. 7:22.**
8:35. 9:19. 10:32
 Portrait **1. *frontispiece.***
 Will **1:29**

Shaw, James. **1:46**

Shaw, Joseph. **1:46**

Shaw, W. **1:46**

Shields, G. H. **8:34**

Short, W. **6:19**

Simmons, O. L. **6:23. 7:23. 8:47.**
9:19

Simonds, O. C. **6:20. 8:34.**

Sisal fiber **7:64, 92**

Smith, J. G. **4:20. 5:17, 19. 6:16.**
7:19, 22

Specialists **1:131. 8:45**

Species cultivated **1:102. 7:12, 14.**
8:16. 10:14

St. Georges Society **1:48**

St. Lukes Hospital **1:47**

Strobel, C. **1:50**

Students **1:33. 8:33**
 (See Garden pupils)

Sturtevant, E. L.
 Biography **10:20, 71**
 Herbarium **4:15**
 Index **10:19**
 Library **4:14. 5:16, 43. 6:16.**
7:128-209. 8:21. 9:16. 10:19-20
 Portrait **10. *frontispiece***

Suggestion of Garden **1:12**

Sunday **1:32, 51, 92, 116. 2:15. 4:11.**
5:11. 6:11. 7:12. 8:17. 9:13.
10:16.

Surplus plants **4:13. 5:13. 6:14.**
7:14. 8:16. 9:12. 10:15

Surroundings of Garden **1:32**

Survey of grounds **1:101**

Symbiosis **10:61-9**

Tampico fiber **7:63, 76**

Tannoids **5:61**

Teachers **1:37**

Tequila **7:60**

Teratology **9:146**

Thompson, C. H. **5:20. 6:23. 7:19,**
23. 8:33. 10:22

Thurber grasses **3:14**

Tornado **8:7, 18. 9:13. 10:13**

Tower Grove Park **1:23**

Traveling grants **2:31. 4:16**

Treat, S. **1:2, 29**

Trees lost **2:23. 5:14. 8:18. 9:13**

Trelease, William
 Appointment, Garden **1:118, 125**
 — School of Botany **1:60**
 Herbarium **3:15**
 Library **3:15**

Trustees **1:2, 29. 2-10:2**
 Duties **1:33**
 Meetings **1:34**
 Number **1:117**
 Original **1:29**
 Reports **2-10:7**
 (See Banquet to,)

Tuttle, D. S. **1:2, 103. 2:3. 3:2, 37.**
4-8:2. 9:2, 18. 10:2

Vacations for pupils **4:17**

Vegetable house **7:16**

Venation of willows **5:46, 49**

Visitors **2:15. 8:17. 9:13. 10:16**

Vitty, Mrs. **1:46**

Wabesipinig **6** : 31
Walbridge, C. P. **5-8** : 2
Wappatoo **6** : 31, 33
Washington University **1** : 29, 33, 36, 56,
 116
 (See School of Botany)
Water supply **2** : 9, 21. **3** : 13. **7** : 7, 15
Watling's Island **4** : 47
Webber, H. J. **2** : 32. **3** : 19. **4** : 19
West Indies **2** : 31. **3** : 13, 14, 17. **9** : 111
Whitman, C. O. **5** : 45
Whitten, J. C. **6** : 16, 20. **7** : 21
Wild garden **3** : 13. **6** : 13
Will of Henry Shaw **1** : 29

Williams, T. A. **4** : 15
Winter characters **5** : 100. **7** : 25
Winther, C. **8** : 32
Wislizenus, Mrs. F. W. **5** : 20
Wood density **6** : 75
Wright, R. R. **9** : 18

Xaxci **7** : 64, 92
Xaxqui **7** : 92
Yeatman, J. E. **1** : 2, 29. **2-10** : 2
Young Men's Christian Association **1** : 50
Yatle **7** : 76

Zavadil, M. **1** : 50
Ziegenhein, H. **8-10** : 2

Index to Latin Names.

(*Synonyms in Parentheses*).

Abena Cayennensis **4:117**
 Jamalicensis **4:117, 168. 9:117**

Abies [Picea] excelsa **5:83**
 pectinata **5:80**

Abrus precatorius **4:76**

Abutilon crispum **4:63, 165. 9:116**
 permolle **4:63, 165**

Acacia Arabica (**4:83**)
 Farnesiana **4:83, 166**
 formosa **4:83**
 haematomma (**4:83**)
 Lebbeck **4:83, 166**
 lophantha **5:63**
 lutea **4:83**
 macrantha (**4:83**)
 nilotica **4:83**
 tortuosa **4:83**

Acalypha alopecuroides **4:129, 169**
 gracilens **5:149**
 hispida **10:32**
 Lindheimeri **9:156**
 Sanderi (**10:32**)

Acanthus mollis, **8:139.**

Acer barbatum (**5:89-91, 93-4**)
 — *Floridanum* (**5:98**)
 — *grandidentatum* (**5: 99**)
 — *nigrum* (**5:94, 96**)
 Carolinianum (**5:90**)
 circinatum **5:100, 101, 103, 106. pl. 14**
 dasycarpum **5:(103, 106. pl. 15), 132,**
 134
 Floridanum **5:91, 98, 102, 104, 106. pl.**
 8-10, 16.
 — *acuminatum* **5: 91, 99, 104, 106,**
 pl. 11
 glabrum **5:101-2, 106. pl. 14**
 grandidentatum **5:91, 99, 102, 104,**
 106. pl. 12, 13, 16
 macrophyllum **5:100, 101, 103, 106.**
 pl. 15
 Negundo (**5:105**)
 nigrum (**5:90, 96**)
 palmifolium (**5:89, 91**)
 — *concolor* (**5:97**)
 — *nigrum* (**5:94**)
 — *pseudoplatanoides* (**5:93**)
 Pennsylvanicum **5:101-2, 106. pl. 14**
 platanoides **5:132, 134**
 Rugelli (**5:94-5, 99, 106, 141. pl. 6**)
 (**168**)

Acer
 rubrum **5: 91, 101, 104, 106, 132, 134,**
 141. pl. 15
 — *Drummondii* **5: 101, 104, 106, 141,**
 pl. 15. 6: 65, 67
 saccharinum **3. frontispiece. 5: 89,**
 90 (93-4) 101, 103, 106, 132, 134. pl. 15
 — *Floridanum* (**5:98**)
 — *glaucum* (**5:94, 96**)
 — *nigrum* (**5:96**)
 — *pseudoplatanoides* (**5:93**)
 — *Rugelli* (**5:94**)
 saccharum **5:89-93, 102, 104, 106. pl.**
 4, 16
 — *barbatum* **5:91-2, 94, 99, 102, 104,**
 106, 141. pl. 5, 6, 16
 — *concolor* (**5:92**)
 — *Floridanum* (**5:98**)
 — *grandidentatum* (**5:99**)
 — *nigrum* **5:91-2 (94) 96, 102, 104,**
 106, pl. 7, 16
 — *pseudo-platanoides* (**5:92**)
 spicatum **5:91, 101-2, 106, 132. pl. 14**
Acerates viridiflora **Ivesii** **6:131**
 — *linearis* **6:131**

Acetosa (**3:77**)

Acteosella (**3:77**)

Achillea Millefolium **8:122**

Achilomenes coccinea (**4:114**)
 pulchella **4:114**

Achras salicifolia (**4:104**)
 Sapota **4:104**

Achroanthes (**4:132**)

Achyranthes altissima (**4:121**)
 argentea (**8:144**)
 aspera **8:144**
 — *obtusifolia* **4:121, 169**
 obtusifolia (**4:121**)
 repens (**4:121**)

Acontia Arizonae **4:203**

Acrocomia sclerocarpa **4:138**

Acrostichum calomelanos (**4:157**)
 fucatum (**4:151**)
 polypodioides (**4:156**)
 squamosum **8:175**

Acrosticum aureum **4:157**
 lepidotum **4:157**

Actaea alba **5:126. 6:124**
 spicata rubra **5:126**

Actaea Illinoensis **6**:127
Adella Bernardia (**4**:129)
Adenanthera Pavonina **4**:82
Adenostyles (**8**:123)
Adiantum aculeatum (**4**:152)
 — *Africanum* (**8**:170)
Capillus-Veneris **8**:170
clavatum (**4**:152)
fragile **4**:152
intermedium **4**:152
Kaulfussii **4**:152
Maderense (**8**:171)
microphyllum **4**:152 (153)
pulverulentum **4**:152
tenerum **4**:152
tetraphyllum **4**:152
villosum **4**:152
Aechmea **4**:134
Aecidium Cestri **9**:117
 — *Cissi* **9**:117
Aegiphila elata **4**:118
Aeranthes fliformis **4**:133
Aeschynomene Americana **4**:75
 — *grandiflora* (**4**:75)
Aesculus flava **5**:132
 — *glabra* **5**:132, 134
Hippocastanum **5**:80, 132, 134
macrostachya **5**:132, 134
parviflora **7**:7
rubicunda **5**:132, 134
Agapostemon Texanus **4**:203
Agati grandiflora **4**:75
 — *sericea* **4**:75
Agave albicans **7**:97. **9**:121-2
 — *Americana* **4**:219. **7**:59, 80. **8**:152.
 — *latifolia* (**7**:84)
Antillarum (**4**:136)
applana **4**:191. **7**:80, 98-9. *pl.* **35**,
 — **42-3**
 — *Huachucensis* **7**:85, 88, 99, 100.
pl. **40**, **41**, **63**
 — *Parryi* **7**:56, 61, 65, 83, 98-9. *pl.*
 — **86-9**
asperrima **7**:89, 100. *pl.* **53**
atrovirens **7**:60
attenuata **9**:121, 124, 126. *pl.* **31**
 — *subdentata* (**3**:167)
brunnea **7**:66, 100. *pl.* **63**
crenata (**7**:84)
decipiens **7**:93, 100. *pl.* **57-9**
deserti **7**:79, 98. *pl.* **33-4**
Eugelmanni **3**:167. *pl.* **55-6**. **7**:54
geminiflora *Ulfers* (**7**:72)
 — *Sonorae* (**7**:72)
Ghiesbrechtii **7**:54
glaucescens (**9**:126)
Haynaldii Utahensis (**7**:77)
heteracantha **7**:54 (75)

Agave
horrida micracantha **7**:53, 56, 100. *pl.*
 — **62-3**
Huachucensis (**7**:82, 85)
Lecheguilla (**7**:76)
Lechuguilla **7**:59, 63, 66, 75, 98. *pl.* **31**
maculata **7**:70, 98. *pl.* **28**
 — *brevituba* **7**:71-2
maculosa (**7**:71)
Mescal (**7**:84)
Mexicana **5**:11. **7**:60 (95)
miradorensis **7**:96
Newberryi (**7**:78-9)
Noackii (**9**:124)
Palmeri **7**:61-2, 85, 87, 89, 99, 100. *pl.*
 — **48-52**
Parryi (**7**:81-2, 84)
parviflora **5**:164. *pl.* **32**. **7**:66, 73, 98.
pt. **30**
Poselgerii **4**:191. (**7**:76)
potatorum **9**:121
protuberans (**7**:65)
pruinosa (**7**:96)
recurvata (**7**:96)
rigida elongata **7**: 63, 92
 — *recurvata* **7**:96
 — *sisalana* **7**:84-5, 91, 94, 100. *pl.*
 — **54-6**
Sartorii **7**:54. **9**:121, 123
Schottii **5**:165. **7**:59, 66, 72, 98. *pl.* **29**
 — *scrutata* **7**:73, 98. *pl.* **29**
Shawii **7**:33, 86, 99. *pl.* **44-47**
sobolifera **4**:136. 169
spectabilis (**9**:126)
striata recurva (**7**:96)
Utahensis **7**:56, 61, 66, 77, 98. *pl.* **32**
variegata **7**:70
Virginica **7**:66, 68, 78, 90, 98. *pl.* **26-7**
 — *tigrina* **7**:69, 100. *pl.* **63**
Washingtonensis **9**:121, 126. *pl.* **29**,
 — **80**
Wislizeni **7**:82
Ageratum conyzoides **4**:97, 167
Mexicanum **5**:126
muticum (**4**:97)
Agrimonie Eupatoria (**5**:143) **8**:111
mollis **5**:143
Agropyron repens **8**:169
Agropyrum dasystachyum **5**:126
Agrostis alba **5**:151. **8**:161 (162)
 — *densiflora* **8**:161
caespitosa (**10**:37, 58. *pl.* **32**)
Castellana **8**:162, 208-9, 214. *pl.* **51** 6
 — *contracta* **8**:162
 — *Hispanica* **8**:163
 — *pilosa* **8**:162
cruciata (**4**:148)
Ecklonis longearistata (**8**:162)

Agrostis
Indica (4:147)
laxiflora (10:54)
nana 10:54, *pl.* 34
Nutkaensis 10:54, *pl.* 34.
pallida (8:162-3)
Preslii (10:37)
radiata (4:148)
rigescens (10:37, 58, *pl.* 32)
scabra (10:54)
Simensis 8:161
stolonifera (8:162)
Toluccensis 10:37, 58, *pl.* 33
 — *flaccifolia* 10:37
verticillata 8:161, 207, 209
 — *× Castellana* 8:161, 214, *pl.* 50
Virginica (4:147)
vulgaris (8:162-3)
Alchryson villosum (8:112)
Ailanthus glandulosus 5:132. 6:82
Aira caryophyllea 8:161
Cupaniiana 8:164
danthionoides 10:41, *pl.* 37
praecox 8:164
Alchemilla arvensis 8:111
Alectoria 4:145
Aleurites Moluccana 4:128
trilobata (4:128)
Allisma Plantago 5:126. 8:155
 — *lanceolata* 8:156
subulata (6:44)
Alkanna tinctoria 9:150-151
Allantodia axillaris (8:173)
 — *Azorica* (8:173)
umbrosa (8:173)
Allardtia Potocii (5:163)
Allium Ampeloprasum 8:152
cernuum 5:126
platycaule 5:126
parvum 8:207
reticulatum 5:126
roseum 8:152
subhirsutum 8:152
Allophyllus 4:72
Allotropopsis distachya (10:37, 57, *pl.* 23)
Alnus viridis 5:132
Alpinia occidentalis (4:134)
Alsine marina (8:99)
media 4:60 (8:99)
Alsophila pruinata 4:151
Alternanthera Achyrantha (4:121) 8:144
muscoides 4:122, 169
polygonoides (8:144)
repens 4:121, 169
Althaea racemosa (4:64)
Alvaradoa amorphoides 4:73, 166.
Alysicarpus vaginalis 4:76

Alyssum maritimum 8:94
Amaranthus Blitum 8:144
chlorostachys (8:144)
crassipes 4:121
deflexus 8:144
gracilis 4:121, 169
hybridus 8:144
 — *paniculatus* 8:144
lividus 8:144
paniculatus 4:121, 169
polygonoides 4:121, 169
prostratus (4:121. 8:144)
spinosus 4:121, 163
strictus (8:144)
tristis 4:121

Amaryllis Belladonna 8:152
Ambystegium cuspidatum (8:177)
Ambrosia artemisiæfolia 4:99, 167
erithmifolium 4:167
hispida 4:99
trifida 5:126

Amelanchier Canadensis 6:127
oligocarpa 5:132
Amellus aspera 4:99, 167
Amerimon Brownii 4:79
Amianthium Muscaetoxicum 5:126
Ammannia latifolia 4:87
Ammi Huntii 8:115-6, 213, *pl.* 23
majus 8:115-6
Seubertianum 8:115, 213, *pl.* 24
trifoliatum 8:116, 213, *pl.* 25
Visnaga 8:115

Amorpha canescens 6:125
Ampelopsis quinquefolia 5:134
Amphora ovalis 8:194
Amphoridium curvipes 8:73
Amyris maritima 4:69, 165
Anabaena torulosa 8:198
Anacardium occidentale 4:73
Anagallis arvensis 8:130
caerulea 8:130
Phoenicia (8:130)
tenella 8:131

Ananas sativus 4:134
Ananassa sativa (4:134)
Anastraphia paucifloscula 4:102, 167,
 172, *pl.* 12
Andira Americana (4:79)
Andrographis paniculata 4:116
Andropogon 10:37, 57, *pl.* 23.
 — *Allionii* (10:44)
alternans (10:38)
apricus 10:42, *pl.* 4
argenteus 5:151
barbatus (4:148)
bicornis 4:146
brevifolius 10:38, *pl.* 2
contortus secundus 10:44

Andropogon
erinitus (10:52)
fastigiatus 10:42
firmus (10:44)
fusca (10:38)
glomeratus 4:147, 170
gracilis (10:38)
hirtiflorus oligostachyus 10:38
insularis (4:144)
macrourus (4:147)
malacostachyus 10:38, 55. *pl. 3*
microanthus 10:38
oligostachyus (10:38)
parvispica (10:38)
polydactylon (4:148)
provincialis 6:134
scoparius 6:134
secundus (10:44)
serratus nitidus 10:38
tenellus (10:38, 55. *pl. 2*)
tener 10:38

Androsaemum Webbianum (8:100)
Anemia adiantifolia 4:157, 170
Anemone acuta 5:126
Canadensis 6:123
cylindrica 6:123
dichotoma 5:126
Hepatica 5:126
Virginiana 5:126, 6:123

Anemoneella thalictroides 5:126
Anethum Foeniculum (8:117)
Aneura multifida (8:187)
Angelica atropurpurea 5:126
montana (8:117)
sylvestris 8:117

Anguria pedata 4:90, 167
Anhalonium elongatum (9:131)
fissipedum (9:129)
fissuratum (9:128)
furfuraceum (9:130)
Kotschoubeyanum (9:129)
Kotschubeyi (9:129)
Lewinii (9:133)
prismaticum (9:130)
pulvilligerum (9:131)
retusum (9:130)
silicatum (9:129)
Williamsii (9:132)

Anisomeles Indica 4:119
Ankistrodesmus falcatus (8:195)
Anomobryum julaceum 8:63, 180
Anona Cherimolla 4:57
muricata 4:57
palustris 4:57
reticulata 4:57

Antennaria plantaginifolia 5:126, 6:130
Anthemis Americana (4:101)
arvensis 8:122

Anthemis
aurea (8:122)
Cotula (8:122)
nobilis aurea 8:122, 213. *pl. 30*
Anthephora elegans 4:146. 10:38
villosa (10:38)
Antericum seaside (4:136)
Anthoceras punctatum 8:185
Anthoxanthum odoratum 8:160
Antirrhinum antirrhiniflora 4:113
maurandoides (4:113)
Orontium 8:136
Antrophyum lanceolatum 4:157
Aplium graveolens 8:115, 210
nodiflorum 8:115
Petroselinum 8:116
Apluda Zengites (4:156)
Apocynum album 9:147
androsaemifolium 9:147. *pl. 45*
cannabinum 9:147. *pl. 44*
medium 9:147

Aquilegia caerulea 5:126
Canadensis 5:126
formosa 5:126
vulgaris 8:92

Aralia arborea (4:91)
capitata (4:91)
nudicaulis 5:126, 132
quinquefolia 5:126
racemosa 5:126
Sciodaphyllum (4:91)

Arceuthobium cypressoides 4:125
opuntioides 4:125

Archidium alternifolium 8:184
phascoides (8:184)

Arenaria diffusa (4:60)
lanuginosa 4:60
macrorhiza (8:90)
marina (8:99)
Michauxii 5:126
muscosa 8:98
rubra (8:98)
stricta 5:126

Argemone Mexicana 4:58, 165
platyceras 5:110

Argyranthemum pinnatifidum (8:123)
Argythamnia candicans 4:128, 169

Arlocarpus fissuratus 9:127-8, 135. *pl. 32*.
furfuraceus 9:127, 130, 135. *pl. 34*.
Kotschoubeyanum 9:127, 129, 135. *pl. 33*
pulvilligerus (9:131)
rectus 9:127, 130, 135. *pl. 35*.
sulcatus (9:129)

Arissaema triphyllum 5:126
Arisarum Azoricum (8:155)
vulgaris 8:155

Aristida Americana (4:148)
appressa (10:38)

Aristida
 basiramea 5:151
 dichotoma 5:151
 gracilis 5:151
Joruilensis 10:53
 longiramea 10:38, 57. *pl. 26*
nigrescens 10:39, 57. *pl. 27*
oligantha 5:152
pilosa (10:53)
purpurascens 5:152
ramosissima 5:152
scabra 4:147, 170. 10:53
stricta 4:147, 170
Aristolochia grandiflora 4:123
 — Sturtevantii 10:32
Serpentaria 5:132, 149
Siphon 5:132
Arnebia 9:150
Arrhenatherum avenaceum 8:164
Artanthe Jamaicensis (4:124)
 — *scabra* (4:124)
Artemisia gnaphalodes 6:130
Arthrodesmus bifidus 8:195
Arthrobolium ebracteatum (8:108)
Arthrostylidium capillifolium 4:150,
 170
Artocarpus incisa 4:130
 — *integrifolia* (4:130)
Arum Arisarum (8:155)
 — *auritum* (4:139)
hederaceum (4:138)
Italicum 8:155
lacerum (4:138)
Seguine (4:139)
tripartitum (4:139)
vulgare (8:155)
Arundinella crinita 10:54
 — *Deppeana* 10:53-4. *pl. 6, 7*
Martinicensis 4:146
Peruviana (10:54)
Arundo brevis (8:164)
 — *Donax* 8:165, 210
Asarum arifolium 5:126
 — *Canadense* 5:126
Asclepias Curassavica 4:106, 168
 — *fruticosa* (8:132)
incarnata 5:126
nlvea 4:106
perenns 5:147
procera (4:106)
quadrifolia 5:126
Sullivantii 6:131
Syrica 6:131
tuberosa 5:126
verticillata 6:131
Ascophyllum nodosum 8:192
Ascyrum Crux-Andreae 5:140
 — *hypericoides* 4:61
Aspalanthus Ebenus (4:75)
Aspera muralis (8:119)
Asperula odorata 5:83
Aspidium aculeatum (8:173)
 — *angulare* 8:173
acutum (4:155)
aemulum 8:174
angulare (8:173)
conterminum (4:154)
dilatatum (8:174)
Filix-mas 8:174
fragile (8:170)
macrophyllum (4:155)
molle 8:174
mucronatum (4:154)
muricatum 4:154
rhzophyllum 4:154
semicordatum 4:154
spinulosum dilatatum 8:174
Sprengelii (4:154)
trifoliatum 4:154
Asplenium Adiantum-nigrum 8:173
anceps (8:172)
Filix-fœmina axillare 8:173
 — *dissectum* 8:173
fragrans 4:154
Hemionitis 8:172
lanceolatum microdon 8:172
marinum subpinnatum 8:172
monanthemum 8:172
palatum (8:172)
Trichomanes anceps 8:172
umbrosum 8:173
Aster amethystinus 6:129
argophyllum 6:82
azureus 6:129
cordifolius 5:144
Drummondii 5:144. 6:129
dumosus 5:144
ericoides 6:129
 — *villosum* 5:144
laevis 4:98. 6:129
lateriflorus 5:144
multiflorus 6:130
oblongifolius 6:129
paniculatus 5:144. 6:130
patens gracilis 5:144
sagittifolius 5:145
sericeus 6:129
undulatus 5:145
vimineus 5:145
Asterella Africana 8:188
Astragalus elatocarpus 6:126
 — *brachypus* (6:126)
lotiflorus 6:123, 126
Astrodontium Canariense 8:53, 66-7, 179
Treleasei 8:53, 66, 179. *pl. 9*
Astrolobium ebracteatum (8:108)

Ateleia Cubensis (4:80)
multijuga 4:80, 166
Atherosperma moschatum 5:87
Athyrium Azoricum (8:173)
Filix-foemina (8:173)
umbrosum (8:173)
Atrichum undulatum 8:64, 180
Atriplex Babingtonii (8:145)
cristata 4:122, 169
hastata salina 8:145
patula (8:145)
portulacoides (8:145)
Atropis angustata (10:51)
Avena barbata 8:164
brevis (8:164)
— uniflora (8:164)
elatior (8:164)
— bulbosa (8:164)
— precatoria (8:164)
gemmiflora (8:164)
hirsuta (8:164)
pilosa (10:39, 58, *pl. 35*)
Avicennia nitida 4:118, 168
Ayenia pusilla 4:66, 165
Azolla Caroliniana 7:106

Baccharis dioica 4:98, 167
scoparia 4:98
Vahlii (4:98)
Ballota disticha (4:119)
nigra 8:142
suaveolens (4:118)
Bambusa vulgaris 4:150
Banisteria emarginata (4:67)
laurifolia (4:67)
Barbarae Intermedia (8:94)
praecox 8:94
Barbula convoluta 8:59, 182
laevipila 8:59, 182
marginata 8:58, 182
squarrosa 8:59, 182
Bartramia Azorica (8:64, 181)
fontana (8:179, 181)
rigida (8:18)
Bartsia Trixago 8:139
viscosa 8:138
Bastardia viscosa 4:62, 165
Batatas littoralis (8:134)
Batis maritima 4:123, 169
Bauhinia divaricata 4:81. 9:119
Kruggii 4:81
porrecta (4:81)
Bazzania trilobata 8:186
Begonia acuminata 4:90
nitida 4:90
Bellis Azorica 8:120
perennis 8:120
Beloperone nemorosa 4:116

Berberis Thunbergii 7:16
vulgaris 5:134
Berchemia volubilis 5:141
Berchtoldia bromoides (10:39, 57, *pl.*
25)
Bernardia carpinifolia 4:129
dichotoma (4:129)
Mexicana 4:129, 169
Besleria lutea 4:114
Beta maritima (8:145)
vulgaris 8:145
Betula lutea 5:132
Bidens bipinnata 4:100, 167
chrysanthemoides 5:126
Coreopsis (4:101)
leucantha 4:101, 167. (8:122)
pilosa 4:101, 167. 8:122.
reptans 4:101
scandens (4:100)
Bignonia Capensis (4:115)
coerulea (4:115)
Leucoxylon (4:115)
longissima (4:114)
pentaphylla (4:115)
stans (4:115)
Bixa Orellana 4:59
Blechnum boreale (8:171)
occidentale 4:153
onocleoides (4:153)
Spicant (8:171)
Blechum blechoides 4:115
Brownii 4:116, 168
laxiflorum (4:115)
Blephilla ciliata 5:126
Bletia alta 4:132
Shepherdii 4:132.
verecunda (4:132)
Blighia sapida 4:72
Bocconia frutescens 4:58
Boehmeria caudata 4:131
cylindrica 4:131. 5:126
hirsuta 4:131
ramiflora 4:131
Boerhaavia Caribaea 4:120
hirsuta (4:120)
paniculata 4:120, 169
scandens 4:120, 169
Boisduvalia cleistogama 5:116, 121-2.
pl. 26
densiflora 5:116, 118, 121-2. *pl. 25*
— imbricata (5:120)
Douglasii (5:118)
glabella 5:116-7, 121-2. *pl. 23*
imbricata (5:119)
salicina (5:119)
— albiflora (5:119)
stricta 5:116-7, 120-2. *pl. 24*
Torreyi 5:115 (118)

Bombax pentandrum (4:65)
 Bonara reticulata 4:88, 166
 Bontia daphnoides 4:116
 Borrera Camtschadalis (3:169)
 thymocephala (4:95)
 Borreria arborescens 4:99, 167
 Botrychium ternatum 5:153
 Botryococcus Brauni 8:195
 gigantea 8:196
 Bouchea Ehrenbergii (4:117)
 prismatic 4:117
 Bougainvillea spectabilis 4:120
 Bourreria Hayanensis 4:108, 168
 Boussingaultia baselloides 8:82, 146
 Bouteloua Americana 4:148, 170
 curtipendula 6:134. 10:42
 hirsuta 6:121, 123, 134
 litigiosa (4:148)
 oligostachya 6:121, 123, 134
 racemosa 5:126. 10:42
 Bovista plumbea 8:206
 Brachyelytrum aristatum Engelmanni
 5:126
 Brachypodium distachy whole 8:168
 sylvaticum 8:168
 Brachythemis salebrosum 8:67, 179
 Brasenia peltata 5:127
 Brassavola cordata 4:133
 Brassica juncea 4:58
 nigra 8:94
 Breutella Azorica 8:53, 64, 181
 Brevoortia coccinea 5:127
 Briza maxima 8:166
 microstachya 10:40
 minor 8:166
 spicigera 10:40. pl. 49.
 Brizopyrum boreale (10:39, 59. pl. 48)
 pilosum (10:39, 59. pl. 48)
 Brodiaea capitata 5:127
 congesta 5:127
 grandiflora 5:127
 Howellii 5:127
 ixioides 5:127
 multiflora 5:127
 Bromelia Ananas (4:134)
 Pinguin 4:134
 Bromidium caespitosum (10:37. pl. 32)
 rigescens (10:37. pl. 32)
 Bromus Madritensis 8:167
 maximus (8:168)
 mollis 8:168
 rigidus 8:168
 rubens 8:168
 secalinus 5:127
 secundus (10:36, 39, 59. pl. 52)
 setifolius 10:39, 59. pl. 52
 unioloides 8:168, 214. pl. 62. 10:40.
 pl. 54.

Bromus
 virgatus (10:39, 59. pl. 53)
 Broughtonia sanguinea 4:133
 Browallia demissa 4:112
 Brunella vulgaris 5:127
 Brunfelsia Jamaicensis 4:112
 nitida (4:112)
 Brunnichia cirrhosa 5:148
 Brya Ebenus 4:75
 Bryonia Guadalupensis (4:90)
 Bryophyllum calycinum (4:85) 8:111
 pinnatum 4:84, 166
 Bryopsis penicillata 8:197
 Bryum alpinum angustifolium (8:62)
 — meridionale 8:61, 181
 argenteum 8:61, 181
 Atlanticum (8:62)
 caespiticium Atlanticum 8:53, 62, 74,
 181
 Canariense 8:62, 180, 182
 capillare 8:62, 180
 Donianum 8:63
 gemmiparum (8:61)
 Mediterraneum (8:61)
 Notarisii 8:62
 obovatum 8:63
 pachyloma 8:53, 62, 180. pl. 7
 platyloma 8:63, 74 (180)
 rigidum (8:181)
 serrulatum 8:74. pl. 11
 Buceras angustifolia 4:85, 166
 Catappa 4:85
 Buchnera elongata 4:114
 Bucida angustifolia (4:85)
 Buceras (4:85)
 Buellia aeruginascens (9:115)
 myriocarpa 8:205
 parasema 9:114
 Bulbochaete 8:198
 Bumelia retusa 4:104
 Bunchosia media 4:67
 Buphthalmium arborescens (4:90)
 Bursera angustata 4:69, 165
 gummifera (4:69)
 Simaruba 4:69, 165
 Buxus sempervirens 8:149, 207
 Cabomba Caroliniana 5:140
 Cacalia sonchifolia (4:101)
 tuberosa 5:127. 6:130
 Cactus cochenillifer (4:91)
 Ficus-Indica (4:91)
 grandiflorus (4:90)
 Melocactus (4:90)
 prismaticus (9:130)
 Tuna (4:91)
 Caesalpinia Bonducella 4:80, 166
 Coriaria 5:63, 68

Caesalpina
Crista 4 : 80, 166
polcherrima 4 : 80
sepiaria 4 : 80
Cajan Indicus 4 : 79
Cajanus Indicus (4 : 79)
Cakile Americana S : 95
maritima (S : 95) 9 : 120
Caladium esculentum (S : 155)
Calamagrostis caespitosa 10 : 37. *pl. 32*
densiflora 10 : 41. *pl. 35*
fuscata 10 : 41. *pl. 36*
intermedia (10 : 41)
ovata 10 : 42. *pl. 35*
rigescens 10 : 37. *pl. 32*
Toluccensis 10 : 42
Calamintha Baetica (S : 141)
Clinopodium S : 141
Nepeta (S : 141)
— rotundifolia (S : 141)
officinalis S : 141
Calandrinia compressa 5 : 127
procumbens 5 : 127
Calceolaria scabiosaeifolia 4 : 112
Calea aspera (4 : 99)
Calendula arvensis S : 124
officinalis S : 124
Calla Aethiopica (S : 155)
palustris 5 : 127
Calliandra formosa 4 : 83
gracilis 4 : 83, 166
haematomma 4 : 83, 166
Portoricensis 4 : 83
Saman (4 : 84)
Callicarpa fulva 4 : 118, 168
Callirhoe involucrata 5 : 127
Callithamnion tetragonum S : 190
Turneri S : 190
Callitricha heterophylla 5 : 143
stagnalis S : 112
verna (S : 112)
Calluna vulgaris 5 : 80. S : 120
Calobryum mnioides 9 : 112
Calochortus cacaoleus 5 : 127
Ilacinus 5 : 127
puellulus 5 : 127
Calopogelia trichomanis (S : 186)
Calotheca microstachya (10 : 39)
Calotropis procera 4 : 106, 168. 9 : 120
Caltha palustris 5 : 127
Calypso borealis 3 : 127
Calystegia sepium S : 134
— roseomaculata S : 134
Camassia esculenta 5 : 127
Campanula Erinus S : 129
Vidalii S : 128
Campulocaulis planifolius 10 : 40, 58. *pl. 42*
Campylopus atrovirens S : 181
Campylopus
Azoricus S : 53, 55, 183
Boryanus S : 55
flexuosus *Fayalensis* S : 53-4, 184.
pl. 1
Introflexus S : 55
polytrichoides S : 55, 181, 183
setaceus S : 53-4, 183. *pl. 2*
Canavalia gladiata 4 : 78, 166
obtusifolia 4 : 78, 166
Canella alba (4 : 59)
Winterana 4 : 59
Canna Indica 4 : 134. S : 151
Cannabis sativa 3 : 127
Capraria biflora 4 : 113, 168
— pilosa 4 : 113, 168
durantifolia (4 : 113)
Capriola Dactylon 4 : 147, 170
Capsella Bursa-pastoris S : 95
Capsicon latum (9 : 81)
nigrum (9 : 74)
rubeum (9 : 74)
Capsicum 4 : 15. 6 : 17. 9 : 53.
 (For full indexes see 9 : 107, 109)
frutescens 4 : 112, 168
Cardamine amara S : 94
bulbosa 5 : 140
Caldeiraria (S : 93)
caldeirarum S : 93, 212. *pl. 14, 15*
— amplifolia S : 94, 213. *pl. 16*
Douglasii 5 : 140
hirsuta S : 94
maritima S : 94
sylvatica S : 94
Cardiospermum grandiflorum 4 : 72
Hallucabum 4 : 72, 166. 9 : 116
Cardus altissimus 6 : 131
lanceolatus 6 : 131. (S : 124)
pycnocephalus S : 124
tenuiflorus (S : 124)
undulatus 6 : 131
Carex Azorica S : 158, 214. *pl. 48*
distrans S : 158
divulsa (S : 159)
echinata (S : 158)
flava (S : 158)
— Oederi S : 158
Floresiana (S : 159)
grandis 5 : 150
grisea 5 : 127
Guthnickiana (S : 159)
Hochstetteri (S : 159)
Hochstetteriana S : 159
Hochstetterorum (S : 159)
laevicaulis (S : 159)
macrostylon peregrina S : 159, 214.
pl. 49
muricata S : 159

Carex muricata
 — *divulsa* **S** : 159
myosuroides (**S** : 159)
pendula **S** : 159
peregrina (**S** : 159)
plantaginea **5** : 127
punctata **S** : 159
rigidiflora (**S** : 159)
sagittifera (**S** : 159)
Shortiana **5** : 127
stellulata (**S** : 158)
 — *Grypos* (**S** : 158)
tribuloides cristata **5** : 127
Vulcani **S** : 159
vulpina **S** : 160
Watsoni (**S** : 160)
Carica Papaya **4** : 89
Carpinus Betulus **5** : 134
Carum dichotomum **S** : 116
 — *Petroselinum* **S** : 116
Carya alba (**7** : 41)
 — *amara* (**7** : 35)
aquatica (**7** : 34)
Mexicana (**7** : 33)
myristicaeformis (**7** : 34)
olivaciformis (**7** : 32)
poreina (**7** : 36)
sulcata (**7** : 40)
tomentosa (**7** : 38)
Cascaria ramiflora **4** : 88
 — *serrulata* **4** : 88
sylvestris **4** : 88
Casparea divaricata (**4** : 81)
Cassia alata **4** : 80
 — *Bahamensis* **4** : 80, 166
bilocularis **4** : 80
billora **4** : 80, 166
Chamaecrista **5** : 141
emarginata **4** : 81
hirsuta **4** : 81
nictitans **4** : 81, 166. **5** : 142
occidentalis **4** : 81, 166. **5** : 142
pilosa **4** : 81
polyadena **4** : 81, 166
sericea (**4** : 81)
Tora **4** : 81, 166. **5** : 142
uniflora **4** : 81, 166
villosa **4** : 81, 166
viminea **4** : 81
Cassytha filiformis **4** : 125, 169
Castalia ampla **4** : 58
Castanea vesca **5** : 66, 74, 76, 134
Castilleja sessiliflora **6** : 123, 132
Casanaria equisetifolia **4** : 131
Catalpa bignonioides **5** : 132, 134
 — *longissima* **4** : 114, 168
Catesbeia parviflora **4** : 92, 167
Cathestuccum **10** : 36
Catopsis vitellina **4** : 135
Cattleya luteola **7** : 123
Cancalis arvensis **S** : 117
Caulacanthus ustulatus **S** : 191
Caulophyllum thalictroides **5** : 127
Ceanothus ovatus **6** : 124
 — *pubescens* **6** : 125
Cebatha Carolina **9** : 152
Cecropia peltata (**4** : 130)
Cedrela odorata **4** : 70
Cedronella triphylla **S** : 141
Celosia nitida (**4** : 120)
paniculata **4** : 120
Celtis **6** : 82
 — *Lamarckiana* (**4** : 129)
Lima (**4** : 129)
Cenchrus alopecuroides (**10** : 40)
echinatus **4** : 145, 170
 — *viridis* **4** : 145, 170
granularis (**4** : 146)
lappaceus (**10** : 40)
myosuroides **10** : 40
tribuloides **4** : 145, 170
viridis (**4** : 145)
Cenomyce gracilis (**S** : 200)
rangiferina (**S** : 201)
Centaurea Melitensis **S** : 124
Centotheca lappacea **10** : 40
Centranthus Sibthorpii **S** : 119
Centroceras clavulatum **S** : 190
Centrosema pubescens **4** : 76
 — *Plumieri* **4** : 77
Virginalium **4** : 77, 166
 — *angustifolium* **4** : 77, 166
Centunculus minimus **S** : 131
Cephalozia bicuspidata **S** : 186
Ceramium **S** : 197
ciliatum **S** : 190
codicolum **S** : 189
diaphanum **S** : 190
rubrum **S** : 189, 190
 — *Liebestruthii* **S** : 189
scoparium **S** : 190
Cerastium Azoricum **S** : 98
glomeratum **S** : 98
triviale **S** : 98
viscosum **4** : 60. (**S** : 98)
vulgatum (**S** : 98)
Cerasus acida **5** : 80
 — *Lusitanica* (**S** : 109)
Ceratochloa Haenkeana (**10** : 40, 59, *pl.*
 — *54*)
Ceratodon purpureus **S** : 56, 183
Ceratophyllum demersum **5** : 150, **S** : 150
Cercis Canadensis **5** : 132
Cercopégia palustris (**4** : 106)
Cercospora Apii **S** : 210
Calotropidis **9** : 120

Cercospora
dubia **S** : 210
Melochine **9** : 118
Piperis **9** : 119
Stachytarphetae **9** : 120
Turnerae **9** : 119

Cercus grandiflorus **4** : 90
Peruvianus **5** : 12
Swartzii **4** : 90, 167

Cestrum nocturnum **4** : 112
pallidum **4** : 112, 168

Chaenoyucca (**3** : 163. **4** : 201)

Chaerophyllum aromaticum **S** : 116
Azoricum **S** : 116, 213. *pl.* 26
hirsutum **S** : 116

Chaetium bromoides **10** : 39. *pl.* 25

Chaetochloa candata **10** : 52
composita **10** : 53
penicillata **10** : 53

Chaetomorpha **S** : 197

Chamaelirium Carolinianum **5** : 127

Chamaenerion (**2** : 80)

Chamissoa altissima **4** : 121

Chaptalia nutans **4** : 102, 167
— leiocarpa **4** : 102

Chara fragilis **S** : 188
gymnopus **Michauxii** **9** : 112

Chascolytrum spicigerum (**10** : 40, 59.
pl. 49)
subaristatum (**10** : 40)

Chauliognathus Pennsylvanicus **3** : 119,
156. pl. 38

Cheilanthes microphylla **4** : 153

Chelidonium majus **S** : 92

Chenopodium album **S** : 145
ambrosioides **4** : 122. **S** : 145, 210
bitoides (**S** : 145)
murale **4** : 122, 169. **S** : 145
opulifolium **5** : 127
rubrum **S** : 145

Chiloscyphus polyanthos **S** : 186
punctata **S** : 186

Chiococca alba **4** : 94, 167
parviflora **4** : 94, 167
racemosa (**4** : 94)

Chionodoxa Luciliae **5** : 127

Chironia maritima (**S** : 132)

Chlorella vulpina (**S** : 201)

Chloris alba (**10** : 40)
barbata **4** : 148, 170
cruciata **4** : 148, 170
curtipendula (**10** : 42)
elegans **10** : 40
gracilis (**4** : 149. **10** : 40)
petraea **4** : 148, 170
polydactyla **4** : 148, 170
radiata **4** : 148, 170. **10** : 41
tener **10** : 41. *pl.* 40

Chloris
truncata **10** : 40, 58. *pl.* 47

Chondria pinnatifida (**S** : 190)
tenuissima **S** : 190
uvarta (**S** : 190)

Chroococcus **S** : 195
minor **S** : 199

Chrysanthellum Americanum **4** : 101
procumbens (**4** : 101)

Chrysanthemum coronarium **S** : 123
“ Major Bonnafon” **5** : 19
Myconi (**S** : 122)
Myconis **S** : 122, 213. *pl.* 31
Parthenium **S** : 123
pinnatifidum **S** : 123
segetum **S** : 123

Chrysocoma scoparia (**4** : 98)

Chrysobalanus Icaco **4** : 84, 166

Chrysophyllum Cainito **4** : 104
oliviforme **4** : 104

Chrysopogon violaceus (**10** : 38)

Chrysopsis Mariana **5** : 145
villosa **5** : 145

Chrysymenia uvaria **S** : 190

Chysis bractescens **7** : 23

Cicendia filiformis (**S** : 132)

Cichorium Intybus **S** : 125

Cicuta maculata **5** : 143

Cimicifuga racemosa **5** : 127

Cinchona Caribaeum (**4** : 92)

Cineraria Incana (**4** : 101)

Cinna glomerata (**4** : 147)

Cirsium lanceolatum (**S** : 124)

Cissampelos Pareira **4** : 57

Cissus acida (**4** : 71)
rhombifolia **4** : 71, 166
sicyoides **4** : 71, 166. **9** : 117
stans **5** : 141
trifoliata **4** : 71

Citharexylon villosum **4** : 117, 168

Citrus Aurantium spinosissima **4** : 69
spinosa (**4** : 69)

Cladium Germanicum **S** : 158
Mariscus **4** : 142, 170. (**S** : 158)
occidentale (**4** : 142)

Cladonia alpestris **S** : 200
coccifera **S** : 200
cornucoploides **S** : 200
dactyliota **9** : 114
— symphycarpia **9** : 114
degenerans **S** : 200
didyma muscigena **9** : 114
— vulcanica **9** : 114
fimbriata **9** : 114
foliacea convoluta **S** : 200
furcata pungens (**S** : 201)
gracilis **S** : 200
leporina **S** : 200

Cladonia
muscigena (9 : 114)
pungens 8 : 201
pyxidata 8 : 200
 — *chlorophaca* 8 : 200
rangiferina 8 : 201. 9 : 114
 — *alpestris* 8 : 200
 — *gracilis* 8 : 200
rangiformis pungens 8 : 201
squarrosa 8 : 201
vulcanica (9 : 114)
Cladophora 8 : 193
 — *prolifera* 8 : 197
Cladostaphys spongiosus 8 : 193
Cladostachys tinctoria 5 : 132
Clathrus caecullatus 8 : 206
Claytonia Carolina 5 : 127
 — *parviflora* 5 : 127
Virginiana 5 : 127
Clematis dioica 4 : 57
 — *Flammulastrum* 4 : 157, 165
Fremontia 5 : 132
Virginiana 5 : 132.
Cleome heptaphylla (4 : 58)
 — *Icosandra* (4 : 59)
pentaphylla (4 : 59)
polygama (4 : 58)
pungens 4 : 58
 — *heptaphylla* 4 : 58
 — *Swartziana* (4 : 58)
serrulata 6 : 124
viscosa (4 : 59)
Clerodendron aculeatum (4 : 118)
Clethra occidentalis 4 : 103
 — *linifolia* (4 : 103)
trifolia (4 : 103)
Clibadium Alexandri 4 : 98
Clidemia hirta 4 : 87
Clinopodium vulgare (8 : 141)
Clintonia borealis 5 : 127
Clistoyueca (3 : 163. 4 : 193)
Clitoria Plumieri (4 : 76)
 — *Ternata* 4 : 77, 166
Virginiana (4 : 77)
Clomena Peruviana (10 : 41)
Clausia flava 4 : 61
Clutia Cascarilla (4 : 128)
 — *Eleuteria* (4 : 128)
Cnidoscolus altissimus discolor 5 : 145
 — *lanceolatus* 8 : 124
Coccobola laurifolia 4 : 123, 169
 — *uvifera* 4 : 123, 169. 9 : 118
Cocos nucifera 4 : 138
Codium adhaerens 8 : 197
 — *tomentosum* 8 : 189, 197
Coffea 5 : 83
 — *Arabica* 4 : 94. 5 : 78
Colotolalpus peltata 4 : 130
Coix Lachryma-Jobi 4 : 146
Cola acuminata 5 : 70
Coleochaete 8 : 198
Coleosporium Senecionis 8 : 207
Coleostephus Myconis 8 : 122
Collomia cinereum 4 : 75, 166
 — *roseum* 4 : 75
Collema 8 : 200
Colletotrichum nigrum 9 : 61
Colocasia antiquorum 6 : 11. 8 : 155
Colpomenia 8 : 197
 — *sinuosa* 8 : 193
Colubrina Cubensis 4 : 71
 — *ferruginea* 4 : 71
Columnnea tincta 4 : 114
Commelinia hirtella 5 : 150
 — *nudiflora* 4 : 137, 169. 5 : 150
Virginica 4 : 137
Condalia ferrea 6 : 74
Conferva bombycina 8 : 192
 — *catenata* (8 : 197)
Linum (8 : 197)
prolifera 8 : 197
Conoselinum Canadense 5 : 127
Conium maculatum 8 : 115
Conocarpus erectus 4 : 85, 166
 — *sericeus* 4 : 85, 166
racemosus (4 : 85)
Conocephalum conicum 8 : 188
Conocephalus naucleiflorus 5 : 84
Conradia calycosa (4 : 114)
 — *Sloanei* (4 : 114)
Convolvulus arvensis 8 : 134
 — *Imperati* (8 : 134)
Jamaicensis 4 : (109) 110, 168
nummularius (4 : 118)
pentanthus (4 : 110)
pentaphyllus (4 : 109)
Pes-caprae (4 : 109)
purpureus (4 : 109)
quinquefolius (4 : 109)
septum (8 : 134)
sidaefolius (4 : 110)
Soldanella (8 : 134)
Tuba (4 : 110)
umbellatus (4 : 110)
violaceus (4 : 110)
Conyza ambigua (8 : 121)
 — *arborescens* (4 : 96)
cineraria (4 : 96)
odorata (4 : 98)
Corallina officinalis 8 : 189
Corchorus hirsutus 4 : 66, 165
 — *siliquosus* 4 : 66, 165
Cordia Callocoeca 4 : 107
 — *cylindrostachya* 4 : 107
globosa 4 : 107, 168
lineata 4 : 107

Cordia
Sebestena 4 : 108, 168
ulmifolia (4 : 107)
Corema album 8 : 150
Coreopsis aristosa 5 : 145
leucantha (4 : 101)
reptans (4 : 101)
Corlandrum sativum 8 : 117
Cornus florida 5 : 134
sericea 5 : 132
stricta 5 : 144
Coronilla sericea (4 : 75)
Corydalis aurea 5 : 140
Corylus Americana 6 : 123
Corypha umbraculifera (4 : 138)
Cosmarium bioculatum 8 : 195
crenulatum (8 : 195)
Meneghini 8 : 195
Thwaitesii (8 : 195)
tinctum 8 : 195
venustum 8 : 195
Cosmos caudatus 4 : 100
Costus glabratus 4 : 133
Cotyledon coruscans 5 : 160, *pl. 29*
horizontalis 8 : 112
orbiculata 5 : 158, *pl. 29*
pinnata (4 : 84)
Umbilicus 8 : 112
Crassula quadrifida 5 : 157, *pl. 28*.
Cremanium rubens (4 : 86)
Crepis diffusa (8 : 126)
intermedia 5 : 127
macrorhiza (8 : 125)
polymorpha (8 : 126)
rigens (8 : 126)
virens 8 : 126, 207
Crescentia Cujete 4 : 115
Crinum erubescens 4 : 136
Crithmum maritimum 8 : 117
Crossopetalum aquifolium 4 : 70, 165
Rhacoma 4 : 70, 165
Crossostigma (2 : 86)
Crotalaria incana 4 : 74
junccea 4 : 74
pumila 4 : 74, 166
retusa 4 : 74. 9 : 118
Retzii 4 : 74
sericea (4 : 74)
stricta 4 : 74
verrucosa 4 : 74, 166
Croton capitatus 5 : 149
Cascarilla 4 : 128, 169
— linearis 4 : 128, 169
Eleuteria 4 : 128
glandulosus 5 : 149
Hjalmarsonii 4 : 128, 169
humilis 4 : 128, 169
— angustifolius 4 : 128, 169
Croton
linearis (4 : 128)
lobatus 4 : 128
lucidus pubigerus 4 : 128
Crotonopsis linearis 5 : 149
Ctenidium Berthelotianum (8 : 177)
Ctenium glandulosum (10 : 40, *pl. 42*)
Cucumis Melo Dudaim 5 : 160
Cupania Americana 4 : 72
Cuphea micropetala (4 : 87)
Parsonsia (4 : 87)
platycentra (4 : 87)
radicans (4 : 87)
Cuscuta Americana 4 : 111, 168
cuspidata 5 : 147
Gronovii 5 : 147
— calyprata 5 : 147
obtusiflora glandulosa 4 : 111
Cyathea arborea 4 : 151
furfuracea 4 : 151
Cyathula prostrata 4 : 121
Cycas revoluta 4 : 151
Cylindrospermum licheniforme 8 : 199
majus 8 : 199
Cymatopleura turgida 8 : 194
Cynanchum clausum (4 : 106)
Cynodon arcuatus 10 : 41, 58, *pl. 40*
Dactylon (4 : 147) 8 : 165. 10 : 41
linearis (10 : 41)
tener (10 : 41, 58, *pl. 40*)
Cynoglossum officinale 5 : 127
 pictum 8 : 133
Cynosurus Aegyptius (4 : 148)
cristatus 8 : 166
echinatus 8 : 166
Indicus (4 : 148)
virgatus (4 : 149)
Cyperus aristatus 4 : 139, 170. 5 : 150
articulatus 4 : 139
aureus (8 : 157)
badlus 8 : 157
Baldwinii 5 : 150
brunneus 4 : 139, 170
compressus 5 : 151
diandrus 5 : 151
clegans 4 : 139
esculentus 8 : 157
filiculmis 5 : 151
filiformis 4 : 139, 170
flavomariscus 4 : 139
humilis 4 : 139
latus (4 : 139)
ligularis 4 : 140, 170
longus (8 : 157)
mucronatus 4 : 140
Mutisii 4 : 140
ochraceus 4 : 140
odoratus 4 : 140

Cyperus
Olfersianus 4 : 140
rotundus 4 : 140, 170. 8 : 157
Tenorei (8 : 157)
vegetus 8 : 157
viscosus 4 : 140, 170

Cypripedium *acaule* 5 : 127
arleatinum 5 : 127
candidum 5 : 127
pubescens 5 : 128
spectabile 5 : 128

Cyrilla pulchella (4 : 114)

Cystea fragilis (8 : 170)

Cystopteris Azorica (8 : 170)
fragilis Azorica (8 : 170)
— *Canariensis* 8 : 170

Cystopteris candida 9 : 120
convolvulaceum 9 : 120

Cystoseira Abies-Marina 8 : 192
abrotanifolia 8 : 192

Cytisus Cajan (4 : 79)
candicans 8 : 104
scoparius 8 : 104

D
Daboezia polifolia 8 : 130

Dactyloctenium Aegyptiacum (4 : 148)

Dalbergia Amerlinnum (4 : 79)

Danthonia decumbens (8 : 165)

Daphne Gnidioides (8 : 148)
Laureola 8 : 148
Mezereum 6 : 82

Darlingtonia Californica 5 : 128

Dasyllirion 7 : 60

Datura fastuosa 4 : 112, 168
inermis 5 : 128
Metel 4 : 112, 168
Stramonium 8 : 135
suaveolens 4 : 112

Daucus Carota 4 : 91. 8 : 117
neglectus (8 : 117)
polygamus (8 : 117)

Davallia aculeata 4 : 152
Canariensis 8 : 170
clavata 4 : 152, 170
fumarioidea 4 : 152

Decodon verticillatus 5 : 128

Delesseria lacerata (8 : 190)
Plocamium (8 : 190)

Delphinium Ajacis 8 : 92
Carolinianum 6 : 124
consolida (8 : 92)
tricorne 5 : 128

Demazeria loliacea 8 : 167

Dentaria laciniata 5 : 128

Deschampsia argentea 8 : 164, 214. *pl.*
58
calycina (10 : 41, 58. *pl.* 37)
foliosa 8 : 164, 214. *pl.* 57

Desmanthus depressus 4 : 82, 166
virgatus 4 : 82, 166

Desmatodon nervosus 8 : 58, 182

Desmodium adscendens 4 : 75
axillare 4 : 76
Incanum 4 : 76, 166
procumbens 4 : 76
scorpiurum 4 : 76
spirale (4 : 76)
triflorum 4 : 76
uncinatum 4 : 76

Deyeuxia Azorica (8 : 162)
caespitosa (8 : 162)

Densiflora (10 : 41, 58. *pl.* 35)
fuscata (10 : 41, 58. *pl.* 36)
intermedia (10 : 41)
ovata (10 : 41, 58. *pl.* 35)
Toluccensis (10 : 42)

Dianthera comata 4 : 116
ovata 5 : 148
secunda 4 : 116

Dichonema sericeum 9 : 115

Dichotomia Bauerianus 8 : 198

Dichromena cephalotes (4 : 141)
ciliata 4 : 141
colorata 4 : 141, 170
leucocephala (4 : 141)
pusilla 4 : 141

Dicksonia Culcita 8 : 170

Dicyatra cucullaria 5 : 128
exlmia 5 : 128
formosa 5 : 128

Dicranum albidum (8 : 55)
asprenioides (8 : 56)
Canariense 8 : 54, 73
flagellare 8 : 184
juniperoides (8 : 55-6)
Scottianum 8 : 54, 73, 184
strictum (8 : 184)

Dictyosphaerium Ehrenbergianum
8 : 196

Didymeles 6 : 85

Diectomis angustata (10 : 42, 55. *pl.* 4)
fastigata (10 : 42)
laxa (10 : 42)

Dieffenbachia Seguine 4 : 139

Digitalis purpurea 8 : 137

Digitaria fimbriata (10 : 46)
horizontalis (4 : 143)
marginata (4 : 144)
sanguinalis (8 : 160)
setigera (4 : 143)
setosa (10 : 48)

Dinebra bromoides (10 : 42)
curtipendula (10 : 42)

Dioclea galactioides (4 : 77-8)
rudolphiooides (4 : 78)

Diodia Virginiana 5 : 144

Dioscorea alata 4:136
multiflora 4:137
Diospyros halesioides 4:104, 167.
tetrasperma 4:104
Diphollis salicifolia 4:104
Diphyscium foliosum 8:180
Diplachne brevifolia (10:42, 58. *pl. 43*)
rigescens (10:43, 58. *pl. 43*)
Diplocaulus Wrightii 9:115
Dirca palustris 5:132
Disandra Africana (8:137)
Disphinctum Thwaitesii 8:135
Distichlis maritima 4:150
spicata 4:150, 171. 10:39. *pl. 48*
Dodecatheon ellipticum 5:128
Hendersonii 5:128
Meadia 5:128
Dodonaea angustifolia 4:73
viscosa 4:73
— *obovata* 4:73, 166
Dolichos Lablab 4:78
minimus (4:79)
obtusifolius (4:78)
pruriens (4:77)
uncinatus (4:77)
Dorycnium parviflorum (8:107)
Dracaena Godseffiana (10:32)
surculosa 10:32
Drosara rotundifolia 5:55
Drymaria cordata 4:60
Dumortiera hirsuta 9:112
Duranta Inermis (4:118)
Plumieri (4:117) 6:97
repens 4:117, 168
spinosa (4:118)

Ecastophyllum Brownii 4:79
Ecballium Elaterium 8:114
Echinocactus Lewinii (9:133)
Williamsii (9:132)
Echinodorus radicans (5:150)
Echites Andrewseii 4:105, 168
barbata 4:105
Brownii 4:105. 9:118
nerlandra (4:105)
paludosa 4:105
Sagraei 4:105, 168
suberecta 4:105, 168
umbellata 4:105, 168
Echinum violaceum 8:134
vulgare 8:134. 9:150
Eclipta alba (4:99)
Ehrertia Haynensis (4:108)
Elaeagnus 7:16
Elacis Guineensis 4:133
Elaeodendron attenuatum 4:70
Elatine hexandra 8:99
Eleocharis capitata 4:140, 170

Eleocharis
cellulosa 4:140, 170
compressa 5:151
constricta 4:140
intersticta 4:140
multicaulis 8:158
mutata 4:140
palustris 5:151. 8:158
tenuis 5:151
Elephantopus Carolinianus 5:145
scaber 4:96
spicatus 4:96
Elcusina Aegyptia 4:148, 170
Aegyptiaca (4:148)
Barcinonensis 8:165, 214. *pl. 59*
Indica 4:148, 170. 8:165
— *brachystachya* (8:165)
muconata (4:149)
Eleutheranthera ruderalis 4:99, 167
Ellonurus ciliaris (10:43)
tripsacoides ciliaris 10:43
Elytraria bromoides 6:114, 119. *pl. 51*
Eunilla sonchifolia 4:101, 167
Empusa Muscae 8:208
Endocarpou 8:206
Entada scandens (4:82)
Enteromorpha compressa 8:197
— *prolifera* 8:197
intestinalis 8:197
— *Suhri* 8:198
ramulosa 8:198
Entosthodon Templetoni 8:61, 181
Epacris 5:80
Epicampes 10:36
Epidendrum altissimum 4:132, 169
aniceps, 4:132
cochleatum 4:132. 9:137
conopscum 9:137
difforme 4:132
diffusum 4:132
fragrans 4:132
fuscatum (4:132)
nocturnum 9:137
racemiflorum (4:132)
rigidum 4:132
sanguineum (4:133)
strobiliferum 4:132
Tampense 9:137. *pl. 38*
umbellatum 9:137
venosum 9: (137) 138. *pl. 39*
vestitum (4:133)
virens 4:133, 169
Epigaea repens 5:128
Epilobium adenocalyx 2:77-8, 93-4, 98,
105-6, 114. *pl. 21-2.*
— *occidentale* 2:78, 91, 95, 114.
pl. 23
— *perplexans* 2:96-7, 114. *pl. 25*

Epilobium

- adnatum **2** : 71, 92
- affine fastigiatum (**2** : 100, 105)
- alpinum **2** : 71, 76, 108, 116. *pl. 44.*
5 : 128
- alsinaefolium **5** : 128
- Americanum (**2** : 94)
- anagallidifolium **2** : 71, 76 (89) 108,
110, 111, 116. *pl. 47*
- angustifolium (**2** : 80)
- Behrtingianum **2** : 76, 107
- Bongardii **2** : 78, 98, 107, 116. *pl. 43*
- boreale **2** : 78-9, 96-7
- brevistylum **2** : 72, 100, 102, 114. *pl. 30*
- Californicum **2** : 78, 92, 96, 98, 114. *pl.*
26
- Chilense (**2** : 95)
- ciliatum (**2** : 94, 114. *pl. 22*)
- clavatum **2** : 77, 79, 111, 116. *pl. 48*
- coloratum **2** : 78 (89) 92 (100) 114. *pl.*
19
- Davuricum **2** : 71, 77, 90, 113. *pl. 14*
- delicatum **2** : 79, 98, 114. *pl. 28*
- tenue **2** : 77, 98, 101, 114. *pl. 28*
- densum (**2** : 88)
- Dodonaei **2** : 81
- Drummondii **2** : 79, 98, 102, 115. *pl. 34*
- exaltatum **2** : 75, 82, 87 (95) 114. *pl. 24*
- Fendleri **2** : 78, 90, 92, 96, 113. *pl. 18*
- Franciscanum **2** : 78, 90, 113. *pl. 15*
- glaberrimum **2** : 77, 79, 104-5, 115. *pl.*
38
- fastigiatum (**2** : 105)
- latifolium **2** : 79, 100, 104, 115. *pl.*
39
- glandulosum **2** : 71, 76, 79, 99 (102) 114.
pl. 29
- glaucum (**2** : 105)
- Halicanum **2** : 76, 79, 98, 101-2, 115.
pl. 33
- hirustum **2** : 71, 73, 82, 112. *pl. 3*
- holosericeum **2** : 78, 90-1, 113. *pl. 17*
- Hornemannii **2** : 71, 76, 79, 104-5, 108,
111, 115. *pl. 41-2*
- jucundum (**2** : 86)
- lactiflorum (**2** : 108)
- latifolium **2** : 71, 75, 81, 112. *pl. 2*
- grandiflorum **2** : 81
- leptocarpum **2** : 77, 103, 115. *pl. 36*
- Macounii **2** : 79, 98, 103, 115. *pl.*
37
- lineare **2** : 76, 87, 113. *pl. 12*
- luteum **2** : 75, 82, 112. *pl. 4*
- Mexicanum **2** : 97
- Miguelense (**8** : 113)
- minutum **2** : 75, 77, 86, 113. *pl. 10*
- foliosum **2** : 86
- molle (**2** : 87)

Epilobium

- Novo-Mexicanum **2** : 78, 93, 95, 114.
pl. 20
- obcordatum **2** : 75, 83, 112. *pl. 6*
- obscurum **8** : 113
- oliganthum (**2** : 88)
- Oregonanum **2** : 75, 82, 87, 105, 115. *pl. 40*
- Oregonense **2** : 76, 107, 109, 116. *pl. 45*
- gracillimum (**2** : 77, 109, 116. *pl. 46*)
- palustre **2** : 71, 75, 88, 113. *pl. 13*
- Labradoricum **2** : 89, 113. *pl. 13*
- lineare (**2** : 88)
- oliganthum **2** : 88
- paniculatum **2** : 71, 75, 77, 85, 95, 112.
pl. 8. 5 : 107
- jucundum **2** : 71, 75, 85, 113. *pl. 9*
- tubulosum (**2** : 86)
- Parishii **2** : 78, 97, 114. *pl. 27*
- parviflorum **2** : 71, 82. **8** : 113
- Pringleanum **2** : 116. *pl. 46*
- pruinosum (**2** : 104)
- pseudo-lineare (**2** : 89)
- pseudo-scaposum **2** : 109, 111
- pubescens (**2** : 82)
- rigidum **2** : 75, 83, 112. *pl. 5*
- canescens **2** : 83
- saximontanum **2** : 77, 79, 98-9, 103,
115. *pl. 35*
- spicatum **2** : 71-2, 74-5, 80, 112. *pl. 1*
- albiflorum (**2** : 80)
- canescens **2** : 80
- strictum **2** : 76, 87, 113. *pl. 11*
- suffruticosum **2** : 75, 82, 84, 112. *pl. 7*
- tenellum (**2** : 94)
- tetragonum (**2** : 92)
- ursinum **2** : 79, 100, 115. *pl. 31*
- subfalcatum **2** : 77, 98, 100, 115.
pl. 32
- Watsonii **2** : 77, 91-2, 113. *pl. 16*
- Epipterygium Tozeri **8** : 181
- Equisetum fluviatile (**8** : 175)
- incanum (**8** : 176)
- limosum (**8** : 176)
- maximum (**8** : 175)
- ramosissimum **8** : 176
- Telmateia **8** : 175
- scrotinum **8** : 176
- Eragrostis alba **10** : 43, 58. *pl. 44*
- Bahamensis **4** : 149, 170, 172. *pl. 14*
- Bahiensis **4** : 149
- Beyrichii **6** : 117, 119. *pl. 56*
- Brownii **10** : 43
- capillaris **6** : 116
- ciliaris **4** : 149, 170. **10** : 43
- elongata **10** : 43
- grandiflora **6** : 117, 119. *pl. 55*
- hypnotoides **10** : 43
- interrupta (**6** : 118)

Eragrostis
lurida 10 : 43, 59. *pl. 45*
major 4 : 150, 170. 8 : 165
Maypurensis 10 : 43. *pl. 47*
megastachya (8 : 165)
minor 8 : 165
oxylepis (6 : 118. 10 : 43)
Panamensis (10 : 43, 59. *pl. 47*)
panicoides 10 : 45. *pl. 47*
plumosa 10 : 44. *pl. 44*
poaeoides (8 : 165)
reptans (10 : 43)
secundiflora 6 : 118. 10 : 43, 59 *pl. 46*
sporoboloides 6 : 116, 119. *pl. 54*
tenella (10 : 43, 59. *pl. 44*)
tennis 6 : 117
Verae-Cruels (6 : 117)
Erianthus *contortus* 5 : 152
Erica *Azorica* 8 : 129
fucata (8 : 129)
scoparia 8 : 129
vulgaris (8 : 129)
Erigeron *Canadensis* 4 : 98, 167. 8 : 120
Jamaicensis 4 : 98
linifolius 8 : 121
macronatus 8 : 82, 120
rivalaris 4 : 98
Eriobotrya 8 : 81, 200
Eriochloa *polystachya* 10 : 51
Eriodendron *anfractuosum* (4 : 65)
Erioderma *Wrightii* 9 : 113
Eritalis *fruticosa* 4 : 94, 167
Eritrichium *glomeratum* 9 : 150
Ernodea *littoralis* 4 : 95, 167. 9 : 117.
Erodium *cicutarium* 8 : 102
malachoides 8 : 102
malacoides (8 : 102)
moschatum 8 : 102
Stephanianum 5 : 128
Ervum *gracile* (8 : 108)
hirsutum (8 : 108)
Lens (8 : 109)
monanthos (8 : 109)
tetraspermum *gracile* (8 : 108)
Eryngium *prostratum* 5 : 144
Erysphe *communis* 8 : 208
lamprocarpa *Nicotianae* 8 : 208
necator 8 : 208
Erythraea *Centaurium* 8 : 132
diffusa (8 : 132)
latifolia (8 : 132)
lutea (8 : 133)
maritima 8 : 133
Massoni 8 : 132
pulchella (8 : 132)
scilloides (8 : 132)
Erythrina *Corallodendron* 4 : 77
Piscipula (4 : 79)

Erythronium *grandiflorum* 5 : 128
Erythroxylum *brevipes* 4 : 67, 165
Ethulia *sparganophorus* (4 : 96)
Enagave (7 : 79)
Euastrum *ansatum* 8 : 195
Eugenia *Barnensis* 4 : 86
buxifolia 4 : 86, 166
Jambos 4 : 86
monticola 4 : 86, 166
Euonymus *atropurpureus* 5 : 132, 135
Eupatorlophalacron *album* 4 : 93
Eupatorium *adenophorum* (8 : 120)
ageratifolium 4 : 97, 167
ageratoides 5 : 128
conyzoides 4 : 97
Dalea 4 : 97
glandulosum 8 : 120
nervosum 4 : 97
odoratum 4 : 97
paniculatum 4 : 97
parviflorum 4 : 97
repandum 4 : 97, 167
sessilifolium 5 : 128
triste 4 : 97
villosum 4 : 97, 167
Euphorbia *antiquorum* 4 : 125
Azorica 8 : 149, 214. *pl. 47*
Blodgettii 4 : 126, 160, 172. *pl. 13*
buxifolia 4 : 126, 169
corollata 5 : 128
— Joorii 9 : 155, 157. *pl. 49*
cyathophora (4 : 126)
Darlingtonii 5 : 128
dentata 9 : 156
diversifolia (8 : 149)
Esula (8 : 149)
exigua 8 : 149
exstipulata 9 : 155
Gerardiana (8 : 149)
glyptosperma 6 : 133
graminifolia (4 : 126)
heterophylla 4 : 126, 160. 9 : 116
— cyathophora 4 : 126, 160
— graminifolia 4 : 126, 169
hypericifolia 4 : 126, 169
inaequilatera (4 : 126)
Lathyris 8 : 148
maculata 5 : 149
marginata 6 : 133
mellifera (8 : 148)
obliterata (4 : 127)
Pepis 8 : 119
Peplis 4 : 126. 8 : 149, 207
pilulifera 4 : 127, 160. 5 : 75
— obliterata 4 : 127
— procumbens (4 : 127)
platyphyllus (8 : 149)
Portlandica (8 : 149)

Euphorbia
Presili **S** : 149
procumbens (**4** : 127)
pulcherrima **4** : 127
punicca **4** : 127, 169
serpens **6** : 133
Styglana **S** : 148, 214. *pl. 46*
Styxiana (**S** : 148)

Euphrasia **5** : 67
Azorica (**S** : 138)
grandiflora **S** : 138
officinalis (**S** : 138)

Eupteris aquiliua **S** : 171, 214. *pl. 63*

Eurhynchium circinatum **S** : 68, 179
longirostre meridionale (**S** : 68)
meridionale **S** : 68, 179
praelongum **S** : 68, 178
 — *atrovirens* **S** : 68, 179
Stokesii **S** : 68, 178

Euxolus deflexus (**S** : 144)

Euyucca (**3** : 161)

Evernia divaricata **S** : 201
vulpina **S** : 201

Evolulus alsinoides **4** : 110, 168
arbusculus **4** : 110, 168
nummularius **4** : 110, 168

Exacum filiforme (**S** : 132)

Exosporium palmivorum **9** : 159

Exostema Caribaicum **4** : 92, 167

Fagara emarginata (**4** : 68)
lentiscifolia (**4** : 68)
Pterorata (**4** : 68)

Fagopyrum Tataricum **5** : 128

Fagus ferruginea **10** : 61. *pl. 55-6*

Faramea Americana **4** : 94
 — *odoratissima* (**4** : 94)

Fedia dentata (**S** : 119)

Fegatella conica (**S** : 188)
hemisphaerica (**S** : 188)

Festuca arenaria (**10** : 39)
bromoides **S** : 167
elatior **S** : 167
Fournieriana (**10** : 39)
glauca longearistata **S** : 167

Hacnkel **10** : 42. *pl. 43*
jubata **S** : 167, 214. *pl. 60*

Myuros **4** : 150. **S** : 167. **10** : 54

petraea **S** : 167, 214. *pl. 61*
rigescens **10** : 43. *pl. 43*
rigida **S** : 166
rubra **10** : 36
 — *arenaria* (**10** : 39)
 — *secunda* **10** : 39. *pl. 52*
sciurooides **S** : 167

Ficus **7** : 14
areca **6** : 74
crassincervia **4** : 130

Ficus
dimidiata **4** : 130, 169
laevigata **4** : 130, 169
pertusa **4** : 130, 169
trigonata **4** : 130
Filago Gallica **S** : 121
Germanica **S** : 121
Flimbristylis autumnalis **5** : 151
capillaris **5** : 151
congesta **5** : 151
diphylla **5** : 151
obtusifolia (**4** : 141)
polymorpha (**4** : 141)
spadicea (**4** : 141)
Fissidens asplenoides **S** : 52, 56
flabellatus (**S** : 56)
serrulatus **S** : 56
Flemingia strobliifera **4** : 79
Flenrya acstivans **4** : 130, 169
Foeniculum vulgare **S** : 117
Fontinalis antipyretica **S** : 66, 179
 — *Azorica* **S** : 53, 66, 179
Forestiera acuminata **5** : 146
Fossombronia angulosa **S** : 187
pusilla **S** : 187
Fragaria Indica **5** : 143. **S** : 110
vesca **4** : 84. **5** : 128. **S** : 110
Frankenia ericifolia (**S** : 97)
hirsuta **S** : 97
laevis (**S** : 97)
 — *viridis* (**S** : 97)
polverulenta **S** : 97
Fraxinus Americana **5** : 135, 147
 — *profunda* **5** : 147
excelsior **5** : 69, 79, 135
parvifolia **S** : 131
platycarpa Floridana (**5** : 147)
pubescens **5** : 117
viridis pubescens **5** : 147
 — *subpubescens* (**5** : 147)
Fritillaria parviflora **5** : 128
pudica **5** : 128
Froelichia Floridana **5** : 148
Frullania dilatata **S** : 185
Tamarisci **S** : 185
Teneriffae **S** : 185
Fuchsia coccinea (**S** : 114)
macrostemma **S** : 82, 114
Fucus cartilagineus **S** : 191
ceranoides **S** : 192
coronopifolius (**S** : 190)
laceratus (**S** : 190)
natans (**S** : 192)
nodosus (**S** : 192)
Sherardii (**S** : 192)
vesiculosus **S** : 192
 — *limitaneus* **S** : 192
 — *spiralis* **S** : 192

Fucus
 — *virsoldes* (8 : 192)
Fugosia Drummondii 6 : 113, 119, *pl. 49*
Fumaria Bastardii 8 : 93, 212. *pl. 13*.
 — *Boraei* 8 : 93
 — *capreolata* (8 : 92)
 — *densiflora* 8 : 93, 212. *pl. 13*
 — *media* (8 : 93)
 — *micrantha* (8 : 93)
 — *muraria* 8 : 92
 — *officinalis* 8 : (92) 212. *pl. 13*
Funaria hygrometrica 8 : 161, 181

Galactia angustifolia 4 : 77, 166
 — *galactioides* 4 : 77, 166
 — *impressa* (4 : 77)
 — *Rudolphoides* 4 : 78, 166
 — *tenuiflora* 4 : 78, 166

Galactites tomentosa 8 : 124

Galega cinerea (4 : 73)
 — *rosea* (4 : 73)

Gallium Anglicum (8 : 119)
 — *aparine* 5 : 83. 8 : 119
 — *debile* (8 : 118)
 — *Mollugo* 8 : 113
 — *murale* 8 : 119
 — *palustre* 8 : 118
 — *Parisiiense leiocarpum* 8 : 119
 — *vernum* 5 : 83

Gardenia clusiaeefolia (4 : 93)
 — *grandiflora* 5 : 77, 80

Gastridium australe 8 : 163
 — *lendigerum* (8 : 163)

Gaudinia fragilis 8 : 164
 — *geminiflora* 8 : 165

Gaura coccinea 6 : 122-3, 128
 — *parviflora* 6 : 127

Gayophytum 2 : 71
 — *caesium* 5 : 108-9, 113, 122. *pl. 21*
 — *densifolium* (5 : 115)
 — *diffusum* 5 : 108, 110, 121-2. *pl. 19*
 — *eriospermum* 5 : 108-9, 121. *pl. 18*
 — *gracile* 5 : 115
 — *humile* 5 : 115
 — *lasiostpermum* 5 : 108-9, 112, 121. *pl. 17*
 — *micranthum* 5 : 115-6
 — *minutum* 5 : 115
 — *Nuttallii* (5 : 113)
 — *pumilum* 5 : 108, 114-5, 122. *pl. 22*
 — *racemosum* (5 : 113-4)
 — *ramosissimum* 5 : 108-9, 111, 122. *pl. 20*
 — *— deflexum* 5 : 113
 — *— strictipes* 5 : 113
 — *robustum* 5 : 115
 — *strictum* (5 : 115, 117)

Gelidium cartilaginum 8 : 191
 — *corneum* 8 : 191

Gelidium corneum
 — — *pinnatum* 8 : 191
 — — *pulchellum* 8 : 191
 — — *fllicinum* 8 : 191
 — — *spinulosum* 8 : 191
 — — *oxyacanthum* 8 : 191

Genipa elusinaefolia 4 : 93, 167

Gentiana Andrewsii 5 : 128
 — *linearis* 5 : 128
 — *scilloides* (8 : 132)

Geoffroea incrims (4 : 79)

Geranium Carolinianum 4 : 63
 — *dissectum* 8 : 101
 — *molle* 8 : 102
 — *Robertianum* 8 : 102
 — *rotundifolium* 8 : 102, 206

Gerardia aspera 6 : 123-4, 132

Plukenetii 5 : 148
 — *Skinneriana* 5 : 148

Gesnera tomentosa (4 : 114)

Gesneria acanalis (4 : 114)

Gigalobium scandens 4 : 82

Gigartina acicularis 8 : 190
 — *Teedii* 8 : 190

Ginkgo biloba 5 : 135

Gladiolus Gandavensis 4 : 136
 — *segetum* 8 : 152

Glechoma hederacea (8 : 141)

Gleditschia triacanthos 5 : 135

Gleditsia aquatica 5 : 142

Gleichenia Bancroftii (4 : 151)
 — *furcata* 4 : 151
 — *longissima* 4 : 151
 — *Mathewsii* (4 : 151)
 — *pectinata* 4 : 151

Globularia 5 : 70

Gloeosporium Allescheri (9 : 159)
 — *pleruperatum* 9 : 61
 — *sphaerelloides* 9 : 159

Glyceria angustata (10 : 51)

Glycine Abrus (4 : 76)
 — *fliformis* (4 : 78)
 — *tenuiflora* (4 : 78)

Glycyrrhiza lepidota 6 : 123, 126

Glyphomitrion Azoricum 8 : 53, 60, 182.
 — *pl. 6*
 — *nigricans* 8 : 53, 60, 181
 — — *pulvinare* 8 : 60, 73, 181
 — *polyphyllum* 8 : 60, 73, 182
 — *pulvinare* (8 : 60, 73, 181)

Gnaphalium albescens 4 : 98
 — *Gallicum* (8 : 121)
 — *Germanicum* (8 : 121)
 — *luteo-album* 8 : 121
 — *obtusifolium* 5 : 145
 — *Pennsylvanicum* (8 : 121)
 — *purpureum* 8 : 121

Gomphocarpus fruticosus 8 : 132

Gomphonema olivaceum **8** : 194
tenellum **8** : 194
Gomphrena vermicularis (**4** : 122)
Goodyera repens **5** : 128
Gossypium Barbædense **4** : 65, 165
Gouinia polygama (**10** : 36, 39)
virgata **10** : 36, 39
Grammitis leptophylla (**8** : 175)
Graphis **8** : 205
tortuosa **9** : 115
Gratiola Monnieria (**4** : 113)
Grimmia lanuginosa (**8** : 182)
pulvinata **8** : 182
trichophylla **8** : 59
Grinnellia Americana **4** : 16, 5 : 17, 6 : 16
Guaiacum officinale **4** : 68
sanctum **4** : 68, 165
Guazuma tomentosa **4** : 66
Guettarda calyptata **4** : 93, 167
elliptica **4** : 93, 167
scabra **4** : 93, 167
Gullandina Bondueella (**4** : 80)
Moringa (**4** : 74)
Guzmannia tricolor **4** : 135
Gymnanthes lucida **4** : 129, 169
Gymnocladus Canadensis **5** : 132, 135
Gymnogramma calomelanos **4** : 157
leptophylla **8** : 175
Lowei (**8** : 174)
tartarea ornithopteris **4** : 157
Totta **8** : 174
Gymnomitrion erythrorhizm (**8** : 187)
Gymnostomum calcareum **8** : 53, 184
totile (**8** : 184)
Gynandropsis pentaphylla **4** : 59, 165.
Gynerecum argenteum **10** : 12
sagittatum **4** : 149
Gynoxys incana **4** : 101

Habenaria dilatata **5** : 128
hyperborea **5** : 128
longebracteata **8** : 151
maculosa **4** : 133
micrantha **8** : 151
psycodes **5** : 128
Haematoxylum Campechianum **4** : 80
Halictus albibipennis **4** : 203
Halopteris filicina **8** : 193
Halymenia reniformis **8** : 189
Hamelia lutea **4** : 92
patens **4** : 92, 167
Hedomea pulegioides **5** : 148
Hedera Canariensis **8** : 117, 213. *pl.* 27
Helix (**8** : 118)
— Hibernica (**8** : 117)
Hedwigia ciliata **8** : 73
Hedychium Gardnerianum **8** : 82, 151
Hedyotis Americana (**4** : 92)

Hedysarum adscendens (**4** : 75)
axillare (**4** : 76)
hamatum (**4** : 75)
incanum (**4** : 76)
procumbens (**4** : 76)
scorpiurum (**4** : 76)
spirale (**4** : 76)
strobilifernum (**4** : 79)
triflorum (**4** : 76)
uncinatum (**4** : 76)
vaginalis (**4** : 76)
vespertilionis (**4** : 76)
Helecteres Jamaicensis **4** : 65, 165
semitriloba **4** : 65, 165
Helenium tenuifolium **5** : 145
Hellanthemum grandiflorum **5** : 128
Hellanthus annuus **4** : 99
atrorubens **5** : 145
grosse serratus **6** : 130
Maximiliani **6** : 130
parviflora **5** : 146
strumosus **5** : 145
Helopsis scabra **6** : 130
Heliotropium Curassavicum **4** : 109, 168
Europaeum **8** : 133
gnaphalodes (**4** : 108)
Indicum **4** : 109, 5 : 147
inundatum **4** : 109, 168
microphyllum **4** : 109, 168
parviflorum **4** : 109, 168
Helminthia echinoides (**8** : 126)
Heloscadium nodiflorum (**8** : 115)
repens (**8** : 115)
Hemionitis lanceolata (**4** : 157)
Heppia **9** : 113
Herbera juniperina **8** : 186
Hermesia Mexicana (**4** : 129)
Herpestis Monnieria (**4** : 113)
nigrescens **5** : 148
Hesperoyucca (**3** : 164)
Whipplei **4** : 181, 208, 221, 225-6. *pl.*
16, 23
— graminifolia **4** : 215, 225. *pl.* **13**,
17, 23
Heteranthera reniformis **4** : 137
Heteropogon flrinus (**10** : 44)
Heteropteris laurifolia **4** : 67
Heterotrichum hispidum (**4** : 87)
patens **4** : 86
Hexarrhena cenchroides (**10** : 44, 55.
pl. 5)
Hibiscus esculentus **4** : 64
incanus **9** : 152-3
lasiocarpus **5** : 141. **9** : 152
Malvaviscus (**4** : 64)
militaris **5** : 128
Moscheutos **5** : 128
populnea (**4** : 64)

Hibiscus
Rosa-Sinensis 4:64
Sabdariffa 4:64
Spinifex (4:64)
tillaceus 4:64
vitifolius 4:64

Hickorea Texana (7:34)

Hicoria alba 7:28, 38, 46. *pl. 11, 14, 15,*
18, 23
— X glabra 7:39
— X ovata 7:39
— X Pecan 7:39, 46. *pl. 21, 23*
aquatica 7:28, 34, 45-6. *pl. 3, 4, 13, 16*
— X Pecan 7:34
glabra 7:29, 36, 45-6. *pl. 7, 14, 17*
— microcarpa 7:29, 37, 46. *pl. 10,*
14, 17
— odorata 7:36, 46. *pl. 8, 14, 17*
— villosa 7:37, 46. *pl. 9, 14, 18*
— X alba 7:39
laciniosa 7:29, 40, 46. *pl. 15, 19*
— X Pecan 7:40-1, 46. *pl. 22-3*
Mexicana 7:39, 46. *pl. 19*
minima 7:29, 33, 35, 45-6. *pl. 5, 6, 13,*
16
— X Pecan 7:33, 36, 46. *pl. 16, 20*
myristicaeformis 7:34, 46. *pl. 13, 17*
ovata 7:30, 41, 46. *pl. 12, 15, 19*
Pecan 7:30, 32, 41, 45-6. *pl. 1, 2, 13,*
16, 20-23
— X alba 7:39, 46. *pl. 21, 23*
— X aquatica 7:34
— X laciniosa 7:40-1, 46. *pl. 22-3*
— X minima 7:33, 36, 46. *pl. 16,*
20

Hieracium aurantiacum 5:128

Hierochloe arctica (10:44)

Hilaria cenchroides 10:44
— ciliaris 10:44. *pl. 6.*

Hippomane Mancinella 4:129, 169

Hippophae 6:82

Holcus Halapensis (4:147)
lanatus 8:163, 207
mollis (8:163)
rigidus 8:163

Homalocenthrus monandra 4:146
oryzoides 4:146

Hordeum comosum 10:44, 59. *pl. 64*
murinum 8:169
pratense (10:44)
secalinum 10:44

Hormotilla mucigena 8:196

Houstonia angustifolia 6:123, 128.
caerulea 5:128
patens 5:144

Humaria coccinea 8:209

Hura crepitans 4:129

Hydrangea arborescens 5:132

Hydrocotyle umbellata 4:91
vulgaris 8:114

Hydrolea affinis 5:147

Hydrophyllum Canadense 5:128
Virginianum 5:128

Hylocomium Berthelotianum 8:53, 71,
177
splendens 8:71, 177
squarrosum 8:71, 177

Hymenachne Myurum (4:144)

Hymenaea Courbaril 4:82

Hymenocallis 4:136
occidentalis 5:129

Hymenophyllum elegantulum 4:152
fucoides 4:152
polyanthos 4:152
Tunbridgense 8:170
unilaterale 8:170
Wilsoni (8:170)

Hyphila contorta 8:57

Treleasell 8:53, 57, 183. *pl. 3*

Hyoscyamus albus 8:135
Canariensis (8:135)

Hypericum Ascyron 5:120. 6:124
Baeticum 8:100
decipiens (8:100)
Drummondii 5:141
Elodes 8:100, 213. *pl. 20*
foliosum 8:93, 207, 213. *pl. 19*
gentianoides 5:141
grandifolium (8:100)
humifusum 8:100
perforatum 5:129. 8:100
petiolatum 5:140
tetrapterum (8:100)
undulatum (8:100)
Virginicum 5:141

Hypocharis glabra 8:126
strigosa (8:126)

Hypoxis decumbens 4:136
erecta 5:129

Hypnum alopecurum (8:178)
atrovirens (8:68)
Berthelotianum (8:71)
Canariense 8:53, 70, 178
— gracile 8:70
cupressiforme 8:58, 70, 178
— resupinatum 8:70, 178
cuspidatum 8:71, 177

Hochstetteri (8:177)
illecebra (8:179)
longirostre *Duriel* (8:179)
praelongum (8:178)
proliferum (8:177)
purum 8:70, 75, 178
resupinatum (8:70)
striatum *Duriacanum* (8:68)
Swartzii (8:68, 179)

Hyptis capitata 4 : 118
 pectinata 4 : 118, 168
 suaveolens 4 : 119, 168. 9 : 116
 verticillata 4 : 119

Iberis Pruriens 5 : 129
 umbellata 8 : 95

Ichnanthus candleans 10 : 45. *pl. 24*

Ichthyomethia Piscipula 4 : 79, 166

Ilex montana 4 : 70
 Paraguayensis 5 : 79
 Perado 8 : 103, 213. *pl. 21*
 verticillata 5 : 133

Illecebrum polygonoides (4 : 121)
 verticillatum 8 : 144

Impatiens glandulifera 5 : 63

Imperata arundinacea Koenigii 10 : 52.
 pl. 1
 contracta 4 : 146
 Koenigii (10 : 52)

Indigofera Anil 4 : 74, 166
 subulata 4 : 74
 tinctoria 4 : 74

Inga Saman (4 : 84)
 vera 4 : 84

Inula Trixis (4 : 102)

Ipomoea Bona-nox 4 : 109
 carnosa 8 : 134, 214. *pl. 42*
 dissecta (4 : 110)
 fastigiata 4 : 109
 Jamalcensis 4 : 109, 168
 microdactyla 4 : 109, 168
 paniculata 5 : 46
 pentaphylla 4 : 109
 Pes-caprae 4 : 109, 168. 9 : 120
 purpurea 4 : 109
 quinquefolia 4 : 109
 repanda 4 : 110, 168
 sidaefolia 4 : 110
 sinuata 4 : 110, 168
 triloba 4 : 110, 168
 Tuba 4 : 110, 168
 umbellata 4 : 110

Iresine celostoides 4 : 122, 169

Iris ferruginea 4 : 141, 170
 obtusifolia 4 : 141
 polymorpha 4 : 141
 spadicea 4 : 141, 170

Iris cristata 5 : 129
 foetidissima 8 : 151
 Germanica 8 : 152
 hexagona 5 : 129
 versicolor 5 : 129

Isanthus brachiliatus 5 : 148

Ischaemum digitatum *polystachyum*
 10 : 44
polystachyum (10 : 44)

Isoetes Azorica 8 : 176, 214. *pl. 66*

Isoetes
 lacustris (8 : 176)
Isolepis fluitans (8 : 158)
 Saviana (8 : 157)

Isotoma longiflora 4 : 103

Itca Virginica 5 : 143

Iva cheiranthifolia 4 : 98, 167

Ixophorus unisetus 10 : 54

Ixora Americana (4 : 94)

Jacaranda coerulea 4 : 115, 168

Jacksonia (4 : 59)

Jacquemontia pentantha 4 : 110

Jacquinia armillaris 4 : 104, 167

Jania corniculata 8 : 189
 rubens 8 : 189

Janipha Aipi (4 : 128)

Jasminum Azoricum 8 : 131

Jatropha Curcas 4 : 127
 gossypifolia 4 : 127, 169
 Manihot (4 : 128)
 Moluccana (4 : 128)
 multifida 4 : 128

Jeffersonia diphylla 5 : 129

Jouvea pilosa 10 : 39. *pl. 48*

Juglans 6 : 76
 Californica 7 : 43, 45-6. *pl. 24*
 — × nigra 7 : 45
 — × regia 7 : 45
 cinerea 5 : 135. 7 : 27, 31, 42, 45-6. *pl. 24*
 — × regia 7 : 45
 cordiformis 7 : 43, 46. *pl. 25*
 intermedia (7 : 44)
 Mandschurica 7 : 43, 46. *pl. 25*
 nigra 5 : 135. 7 : 31, 44-6. *pl. 24*
 — × Californica 7 : 45
 — × regia 7 : 44-5
 regia 7 : 27, 44-5
 — × Callifornica 7 : 45
 — × cinerea 7 : 45
 — × nigra 7 : 44-5
 rubra (7 : 39)
 rupestris 7 : 43, 46. *pl. 24*

Sieboldiana 7 : 42, 46. *pl. 25*

Juncus acutus 8 : 154
 bufonius 8 : 154
 — fasciculatus (8 : 154)
 capitatus 8 : 154
 effusus 8 : 153
 — conglomeratus 8 : 154
 fluitans (8 : 155)
 glaucus 8 : 154
 hybridus (8 : 154)
 lampocarpus 8 : 155
 lampocarpus (8 : 155)
 lucidus (8 : 154)
 maritimus 8 : 154

Juncus
multibracteatus (S : 154)
supinus S : 154
tenius S : 154
uliginosus S : 154

Jungermannia complanata (S : 186)
inflate S : 187
juniperina (S : 186)
platyphylla (S : 186)
punctata (S : 186)
pusilla (S : 187)
Tamarisci (S : 185)

Juniperus Barbadiensis 4 : 150
brevifolia S : 169
Oxycedrus (S : 169)
— *brevifolia* (S : 169)

Sabina S : 169

Jussiaea (and *Jussiaea*)
angustifolia 4 : 88
decurrens 5 : 143
hirta 4 : 88
octonervia 9 : 153
repens 4 : 88. 5 : 129, 143. 7 : 106
suffruticosa 4 : 88
variabilis 4 : 88

Justicia nemorosa (4 : 116)
paniculata (4 : 116)
secunda (4 : 116)

Kallstroemia parviflora 9 : 153, 157. *pl.*
46

Kantla trichomanis S : 186

Kentia 9 : 159

Kerneria pilosa (S : 122)

Koeleria phleoides S : 165

Koellia pilosa 5 : 148

Krameria triandra 5 : 77

Krynnitzkia barbigera 9 : 150
Californica 9 : 150
maritima 9 : 150
micrantha 9 : 150
pterocarya 9 : 150

Kudmannia Sicula (S : 115)

Kuhnia eupatoroides 6 : 128

Kuhnistera candida 6 : 125
purpurea 6 : 125

Kundmannia Sicula (S : 115)

Kyllingia monocephala 4 : 140
pumila 5 : 151

Lacinaria punctata 6 : 123, 128
pycnostachya 6 : 123

Lactuca Canadensis 6 : 131
Intybacea 4 : 102, 167
Jamaicensis 4 : 102
Ludoviciana 6 : 131
pulchella 6 : 123, 131
sagittaefolia 6 : 131

Lactuca
scariola 6 : 131. S : 127
Watsoniana S : 127, 213. *pl.* 39

Laetia Thamnia (4 : 59)

Laguncularia racemosa 4 : 85, 166

Lagurus ovatus S : 163

Lamium amplexicaule S : 142
purpureum S : 142

Lampsana communis 4 : 102

Lantana Camara 4 : 116, 168
crocea 4 : 116, 168
involucrata 4 : 116, 168

Illicium 4 : 116

stricta 4 : 116

trifolia 4 : 117

Lapathum (3 : 79)

Lappula Lappula 6 : 131

Larix Europaea 5 : 135

Lastraea multiflora (S : 174)

Lathyrus Aphaca S : 109
articulatus (S : 109)
Clymenum S : 109
sativus S : 109
tingitanus S : 109

Laugeria coriacea 4 : 93
densiflora 4 : 93, 167
odorata (4 : 93)
resinosa 4 : 93

Laurencia S : 193
obtusa pyramidata S : 190
pinnatifida S : 190

Laurus Canariensis (S : 148)
— *Azorica* (S : 148)

Persea (4 : 124)
Winterana (4 : 59)

Lavandula Stoechas S : 139

Lavatera Cretica S : 100, 207
sylvestris (S : 100)

Lawsonia inermis 4 : 87

Leathesia difformis S : 193

Lecanora flavovirens subaeruginosa
(9 : 114)
granifera subaeruginosa (9 : 114)
parella S : 205
subfuscata S : 205

Lechea tenuifolia 5 : 140

Lecidea albocaeruleascens S : 203
cyanochroa S : 205
disciformis aeruginascens (9 : 115)
parascea (9 : 114)

Ledum palustre 5 : 87

Leersia hexandra 10 : 44
lenticularis 5 : 152
Luzonensis (10 : 44)
monandra (4 : 146)
oryzoides 5 : 152

Lelanthus longifolius 4 : 107
— *scabridus* 4 : 107

Leichtlinia protuberans **7** : 65
Leitmeria Floridana **5** : 150. **6** : 65-90. *pl.*
 30-44. **7** : 105
Lejeunea serpillofolia **8** : 186
Lemma abbreviata (**9** : 35)
 — *cyclostasta* **9** : 35, 42. *pl.* 3
gibba **9** : 24, 29, 42. *pl.* 2
minima **9** : 36, 42. *pl.* 3
minor **7** : 106, 111. **8** : 155. **9** : 24, 30,
 42. *pl.* 2
 — *cyclostasta* (**9** : 35)
oblonga (**9** : 38)
paucicostata (**9** : 33)
perpusilla **9** : 33, 42. *pl.* 3
 — *trinervis* **9** : 33, 42. *pl.* 3
platyclados (**9** : 36)
polyrhiza (**9** : 27)
punctata (**9** : 28)
thermalis (**9** : 27)
Torreyl (**9** : 35)
trisulca **9** : 31, 42. *pl.* 2.
umbonata (**9** : 27)
Validiviana **7** : 106. (**9** : 35)
 — *minima* **7** : 111
Lens esculenta **8** : 109
Leonotis nepetaefolia **4** : 119, 169
Leontodon hirtus **8** : 127, 207, 213. *pl.* 37-8
 — *nudicanlis* **8** : 127
 — *Taraxacum* (**8** : 127)
Leontopodium alpinum **7**. *frontispiece*
Leonurus Sibiricus **4** : 119, 169
Lepidium Virginicum **4** : 58, 165. **8** : 95
Lepidopodium fontanum **8** : 53, 67, 179
Leptochloa cynosuroides **10** : 45
 — *filiformis* (**10** : 44-5)
 — *mucronata* **4** : 140. **5** : 152. **10** : 45
 — *virgata* **4** : 149, 170
 — *gracilis* **4** : 149
Leptogium Burgessii **8** : 199
 — *chloromelinum* **8** : 199
 — *phylocarpum daedaleum* **8** : 199
 — *similatum* **8** : 199
 — *tremelloides* **9** : 114
Leria leiocarpa (**4** : 102)
 — *nutans* (**4** : 102)
Leskeia prolixa (**8** : 69)
 — *spinosa* (**8** : 69, 178)
Lespedeza repens **5** : 142
 — *strata* **5** : 142
 — *Stuvei* **5** : 142
 — *Virginica* **5** : 142
Leucaena glauca **4** : 83, 166
Leucobryum glaucum **8** : 55-6
 — *albidum* **8** : 55
 — *juniperoleum* **8** : 55
 — *molle* **8** : 55
Lencodon sciuroides **8** : 67
Leycesteria formosa **8** : 118
Lichen auratus (**9** : 113)
 — *azureus* (**9** : 114)
 — *barbatns* (**9** : 112)
Damaecornis (**9** : 113)
 — *fimbriatus* (**9** : 114)
 — *fuliginosus* (**9** : 113)
 — *jubatus* (**4** : 145)
 — *perlatus* (**9** : 113)
 — *ramulosus* (**9** : 114)
 — *rangiferinus* (**9** : 114)
 — *rubiginosus* (**9** : 113)
 — *sylvaticus* (**9** : 113)
 — *tremelloides* (**9** : 114)
Lichina pygmaea **8** : 199
Lilaeopsis Carolinense **9** : 154, 157. *pl.*
 48
Lilium Canadense **5** : 129
 — *flavum* **5** : 129
Carolinianum **5** : 129
Humboldtii **5** : 129
pardalinum **5** : 129
parvum **5** : 129
superbum **5** : 129
Washingtonianum **5** : 129
Limodorum altum (**4** : 132)
Limonia trifoliata (**4** : 68)
Linaria cirrhosa (**8** : 136)
 — *Cymbalaria* **8** : 136
 — *dealbata* (**8** : 136)
Elatine **8** : 136
Graeca (**8** : 136)
Sieberi (**8** : 136)
spuria **8** : 136
Lindera Benzoin **5** : 133
Linum sulcatum **6** : 124
Virginianum **5** : 141.
Lippia nodiflora **4** : 117, 168
Liquidambar **6** : 79
Liriodendron **6** : 76, 79
Lisianthus longifolius (**4** : 107)
Lithophila muscoides (**4** : 122)
Lithospermum angustifolium **6** : 123, 132.
 9 : 150
 — *canescens* **5** : 129. **6** : 132. **9** : 150
birtum **9** : 150
multiflorum **9** : 150
spathulatum **9** : 150
strictum **9** : 150
Litsea (**7** : 72)
Littorella lacustris **8** : 143
Lobelia assurgens **4** : 103
 — *cardinalis* **9** : 155
Cliffortiana **4** : 103
cusifolia **4** : 103
Erlaia **8** : 128
longiflora (**4** : 103)
Martagon **4** : 103
Plumieri (**4** : 103)

Lobelia
puberula 5 : 146
splendens 9 : 155
syphilitica 5 : 129
urens 8 : 128
Lolium Gaudini 8 : 168
Italicum (8 : 168)
multiflorum (8 : 168)
pereenne 8 : 168
remotum 8 : 168
temulentum 8 : 169
Lomaria onocleoides 4 : 153
procera 4 : 153
Spicant 8 : 171
Lonicera 6 : 76
alba (4 : 94)
Tatarica 5 : 135
Lophanthus nepetoides 5 : 129
Lophiocarpus calycinus (6 : 60)
Lophodermum maculare 8 : 209
Lophophora Lewinii 9 : 127, 133, 135. *pl. 37*
Williamsii 9 : 127, 132, 135. *pl. 36*
— Lewinii (9 : 133)
Lophospermum erubescens (4 : 113)
Lophotocarpus calycinus 6 : 60
Guyanensis 6 : 61
Lorentia Cubensis (4 : 101)
Lotus angustissimus 8 : 107
corniculatus 8 : 107
— major (8 : 107)
Creticus 8 : 107
hispidus 8 : 107, 207
major (8 : 107)
parviflorus 8 : 107
ulliginosus 8 : 107, 210
Lourea vespertillonis 4 : 76
Ludwigia cylindrica 5 : 143
Lunularia cruciata 8 : 188
vulgaris (8 : 188)
Lupinus 8 : 209
perennis 5 : 129
Luzula Azorica (8 : 153)
campestris 8 : 153
elegans (8 : 153)
purpurea (8 : 153)
purpureo-splendens 8 : 153
Lycodes retusum 4 : 167
Lycoperdon biemale 8 : 206
Lycopersicum esculentum 8 : 135
Lycopodium cernuum 8 : 176, 9 : 111
clavatum 9 : 111
complanatum 8 : 176, 9 : 111
denticulatum (8 : 177)
Selago 8 : 176
— spinulosum (8 : 176)
— suberectum 8 : 176, 214. *pl. 65*
suberectum (8 : 176)

Lycopus Europaeus 8 : 140
rubellus 5 : 148
Lycurus phalaroides 10 : 45
Lygistum axillare 4 : 92
Lygodesmia juncea 6 : 123, 131
Lysigonium varians 8 : 193
Lysiloma formosa 4 : 83, 166
latisiliqua 4 : 83, 166
Sabicu (4 : 83)
Lysimachia Azorica 8 : 130
Hochstetteri (8 : 130)
nemorum (8 : 130)
Lysimachion (2 : 81)
Lythrum Graefferi 8 : 113
Hyssopifolia 8 : 113
Parsonia (4 : 87)
Machaonia acuminata 4 : 94
rotundata 4 : 93
Magnolia 6 : 83
acuminata 5 : 133
conspicua 5 : 133
cordata 5 : 133
grandiflora 8 : 81
Lenne 5 : 133
macrophylla 5 : 133
purpurea 5 : 133
speciosa 5 : 133
stellata 5 : 133
tripetala 5 : 133
Malachra alceifolia (4 : 63)
capitata 4 : 63
— alceifolia 4 : 63
urens 4 : 63
Malaxis umbelliflora (4 : 132)
Malocchia gladiata (4 : 78)
Malpighia angustifolia 4 : 67
glabra 4 : 67
media (4 : 67)
punicifolia 4 : 67, 165
setosa 4 : 67, 165
Malva Nicacensis 8 : 101
parviflora 8 : 101
rotundifolia 8 : 101
spicata (4 : 61)
Malvastrum Americanum 4 : 61, 165
spicatum 4 : 61
tricuspidatum (4 : 61)
Malvaviscus arboreus 4 : 64
— pilosus 4 : 64
pilosus (4 : 64)
Mamillaria fissurata (9 : 128)
furfuracea (9 : 130)
prismatica (9 : 130)
Manettia Ligistum (4 : 92)
Manfreda (7 : 68)
Mangifera Indica 4 : 73, 9 : 18
Manihot Alpi 4 : 128
Manihot (4 : 128)

Manisuris granularis 4 : 146, 10 : 45
Marchantia chenopoda 9 : 112
 paleacea 8 : 187
 polymorpha 8 : 187
Mariscus Mutisii (4 : 140)
Marrubium vulgare 8 : 142
Matthiola annua (8 : 93)
 incana 8 : 93
 scabra (4 : 93)
Maurandia antirrhiniflora (4 : 113)
 erubescens 4 : 113
Maytenus buxifolius 4 : 70, 165
Mecranium amygdalinum 4 : 87
 purpurascens 4 : 87
Medicago denticulata 8 : 104
 lappacea 8 : 104
 lupulina 8 : 104
 pentacycla (8 : 104)
Megapterium Fremontii 9 : 154, 157. *pl.*
 47
Missouriense 9 : 154, 157. *pl.* 47
Oklahomense 9 : 153, 157. *pl.* 47
Megastachya panicoides (10 : 45, 59. *pl.*
 47)
Meibomia obtusa 5 : 142
 ochroleuca 5 : 142
 pauciflora 5 : 142.
 rigida 5 : 142
Melampodium ruderale (4 : 99)
Melampsora aecidiodies 8 : 207
 Heliosciopiae 8 : 207
 Hypericum 8 : 207
Melanconium sphaerospermum 8 : 210
Melanoselinum decipiens (8 : 117)
Melanthera deltoidea (4 : 100)
Melastoma amygdalina (4 : 87)
 aquatica (4 : 86)
 bicolor (4 : 87)
 hirta (4 : 87)
 hispida (4 : 87)
Impetiolaris (4 : 86)
 laevigata (4 : 86)
 patens (4 : 86)
 purpurascens (4 : 87)
 quadrangularis (4 : 86)
 rigida (4 : 86)
 rubens (4 : 86)
Melia Azederach 6 : 97
 sempervirens 4 : 69
Melicoccus bijuga 4 : 72
Meillotus alba 5 : 129
 Indica 8 : 105
 parviflora (8 : 105)
Mehola simillima 9 : 118
Melissa Calamintha villosissima (8 : 141)
 officinalis 8 : 140
 rotundifolia (8 : 141)
Melobesia pustulata 8 : 189
Melocactus communis 4 : 90
Melochia crenata (4 : 65)
 lupulina 4 : 65
 nodiflora 4 : 65, 165
 pyramidata 4 : 65
 tomentosa 4 : 65, 165.
 — crenata 4 : 65, 165
Melothria Fluminensis 4 : 90
Guadalupensis 4 : 90
 pervaga (4 : 90)
Meniscium reticulatum 4 : 157
Menispermum Canadense 5 : 133
Mentha aquatica 8 : 139
 piperita 8 : 139
 — calvifolia 8 : 140
Pulegium 8 : 140
 rotundifolia 8 : 139
 sativa 8 : 140
 spicata 5 : 148
 viridis 8 : 139
Mentzelia aspera 4 : 88
Menzlesia Daboezi (8 : 130)
 Daboeze (8 : 130)
 polifolia (8 : 130)
Mercurialis ambigua (8 : 149)
 annua 8 : 149
Meriola serulata 6 : 122-3, 127
Merismopaeida 8 : 199
Mertensia pectinata (4 : 151)
 Virginica 5 : 129
Mesembrianthemum 8 : 82
 edule 8 : 114
 pinnatidium 5 : 129
Mesogloia Leveillei 8 : 193
Metaspheeria nobilis 8 : 203
Metastelma Schlechtendahlii 4 : 106, 168
Miconia impetiolaris 4 : 86
 laevigata 4 : 86
 quadrangularis 4 : 86
 rigida 4 : 86
 rubens 4 : 86
Microcala filiformis 8 : 132
Microderis filii (8 : 126)
 rigens (8 : 126)
 umbellata (8 : 126)
Microstylis umbelliflora 4 : 132
 umbellulata (4 : 132)
Mielichhoferia crassinervia (8 : 62)
Mikania Orinocensis 4 : 97
 scandens 5 : 146
Milium compressum 10 : 49
Mimosa asperata (4 : 82)
 Bahamensis 4 : 82, 166
Farnesiana (4 : 83)
 glauca (4 : 83)
Inga (4 : 84)
juliiflora (4 : 82)
latisiliqua (4 : 83)

Mimosa
Lebbeck (4:83)
lutea (4:83)
nilotica (4:83)
pigra 4:82
Portoricensis (4:83)
pudica 4:82
scandens (4:82)
tortuosa (4:83)
Unguis-Cati (4:84)
virgata (4:82)
Mimulus moschatus S:137
ringens 5:129
Mimus polyglottos 6:94
Mimusops Sieberi 4:104, 167
Mirabilis divaricata S:143
Jalapa 4:120, 8:143
Mitchella repens 5:144
Mitella diphylla 5:129
Mitracarpus villosus 4:96
Mitreola petiolata 4:107
Mnium S:74
undulatum S:63, 180
Moehringia muscosa (S:98)
Momordica Charantia 4:89
— Zeylanica 4:89
Elaterium S:114
Zeylanica (4:89)
Monarda didyma 5:129
fistulosa mollis 5:148
Moniera Brownii 4:113, 168
Monopogon avenaceus (10:45, 58. *pl.* 89)
Monteverda buxifolia (4:70)
Morinda Royoc 4:94
Moringa pterygosperma 4:74
Mucuna pruriens 4:77
Muehlenbeckia sagittifolia S:147
Muhlenbergia Clomena (10:41)
distichophylla 10:37, 51. *pl.* 28.
Emersleyi 10:52
grandis (10:37, 52)
Mexicana 5:129
nebulosa (10:52)
tenuissima 10:52. *pl.* 29
Vaseyania 10:52
Myconia Chrysanthemum (S:122)
Myginda aquifolia (4:70)
Rhacoma (4:70)
Mykosyrinx Cissi 9:117
Myosotis arvensis (S:133)
Azorica S:133
collina S:133
maritima S:133, 214. *pl.* 41
stricta S:133
versicolor S:133
Myrica 6:69, 86
Faya 8:150

Myrica
Gale 5:133
Myriophyllum alterniflorum S:112, 189
Myroxylon buxifolium 4:60, 165
— pauciflorum 4:60
Myrsine Africana retusa S:131
laeta 4:104
retusa (S:131)
Myrtiphyllum brachiatum 4:94
corymbosum 4:95
marginatum 4:95
pubescens 4:95
undatum 4:95, 167
Myrtus buxifolia (4:86)
communis S:113
monticola (4:86)
Pimenta (4:85)
Myrium Hebridarum S:53, 67, 179

Nama *Jamaicensis* 4:107
Narcissus Tagetta papyraceus S:152.
Nardia crenulata S:187
hyalina S:187
Nardosmia fragrans (S:123)
Nardus stricta S:169
Nasturtium flexuosum S:93
officinale S:93
Naucoria semiobicularia S:206
Navicula acuta S:194
hemiptera S:194
leptocephala S:194
tabellaria S:194
viridis S:194
Nectandra Antillana 4:125
sanguinea 4:125, 169
Negundo aceroides 5:105, 135
Nelumbo speciosa 1:91
Nemallion lubricum S:191
Neotoma Mexicana 6:107
Nepenthes 7:14
Nepets *Glechoma* 5:129. S:141
Indica (4:119)
pectinata (4:118)
Nephrodium aemulum (S:174)
cicutarium 4:155
conterminum 4:154
denticulatum 4:154
effusum 4:155
Foenisecil (S:174)
invisum 4:154
macrophyllum 4:155
molle 4:155. (S:174)
patens 4:154, 170
sanctum 4:154
scolopendrioides 4:155
serra 4:155
Sprengelli 4:154
unitum 4:155

Nephrolepis acuta 4:155
cordifolia 4:155
exaltata 4:155
tuberosa 4:155
Nephronium laevigatum 8:204
Nesera aquatica 4:86
Nicotiana Tabacum 4:112. 8:208
Nilgella arvensis 8:92
Damascena 8:92
Nitella hyalina 8:188
Nitophyllum laceratum 8:190
Nodularia Harveyana 8:199
Normandina pulchella 8:205
Nostoc ellipsosporum 8:198
verrucosum 8:198
Notoclæa excelsa 8:131
Nowodworskya agrostoides (10:45, 58.
pl. 37)
Nuphar advena 5:68
luteum 5:68
Nymphaea alba 5:68
ampla (4:58)
odorata 5:68, 129
— minor 5:129
Nyssa uniflora 6:65

O*akesia sessilifolia* 5:129
Ochroma Lagopus 4:65. 6:75
Ocotea foetens 8:148
Ocymum micranthum 4:114
Odontidium mutabile 8:194
Oedogonium capilliforme australe
8:198
Oenothera biennis 5:129
cresia (5:113-4)
densiflora (5:119)
— tenella (5:118)
glabella (5:117)
hirta (4:88)
lepidia parviflora (5:120)
longiflora 8:114
micrantha (5:113, 115)
racemosa (5:113)
rosea 8:114
salicina (5:120)
tetraptera 8:114
Torreyi (5:117)
Oglera ruderalis (4:99)
Oidium Tabaci 8:208
Tuckeri 8:80
Oldenlandia callitrichoides 4:92
Olea excelsa (8:131)
Olyra latifolia 4:145
pauciflora 4:146
Onosma arvensis 8:104
Onosma 9:150
Onosmodium molle 6:123, 122
Opegrapha saxicola Persoonii 8:205

Ophioglossum Azoricum (8:175)
Lusitanicum (8:175)
polyphyllum (8:175)
vulgatum 8:175
— polyphyllum 8:175, 214. *pl. 64*
Ophiorrhiza Mitreola (4:107)
Opilismenus colonus 4:144. (10:45)
hirtellus 4:145
tenuis (10:45, 57. *pl. 24)*
Opuntia cochenillifera 4:91
Ficus-Indica 4:91
splendissima 4:91, 167
Tuna 4:91, 167. 9:118
Orchis spectabilis 5:129
Oreodaphne foetens (8:148)
Origanum Creticum (8:140)
Marjorana 8:140
virens 8:140
vulgare (8:140)
Ormenis nobilis (8:122)
Ornithidium vestitum 4:133
Ornithopas compressus 8:108
erectatus 8:108
perpusillus 8:108
roseus (8:108)
sativus 8:108
Orobanche speciosa 8:138
Oryza minuta 10:45
sativa 4:146. 10:45
Oryzopsis multiflora 8:161
Oscillatoria animalis 8:199
formosa 8:199
Osmorrhiza Claytonii 5:129
Osmunda adiantifolia (4:157)
procera (4:153)
regalis 8:175
Ostrya Virginica 6:123
Ovieda aculeata 4:118
Ovularia sphaeroidea 8:210
Oxalis corniculata 4:68, 165. 8:102. 9:118
Martiana 4:68. 8:102
purpurea 8:102
stricta 5:129
Suksdorffii 5:129
violacea 5:129
Oxybaphus albidus 5:148

P*achira alba* 5:156
aquatica 5:157
[campestris] 5:154. *pl. 27*
insignis 5:156
minor 5:156
stenopetala 5:156
Padina Pavonia 8:189, 193
Paeonia viscosa (4:153)
Palicourea alpina 4:95
crocce 4:95
Pavetta 4:95

Pallavicina Lyellii **9** : 112
Palma argentea (**4** : 138)
Panax quinquefolia **5** : 144
Panicum accrescens (**10** : 46)
 — acuminatum **4** : 143
 — agrostoides **5** : 152
 — ambiguum **10** : 54. *pl.* **14**
 — aplexicaule **10** : 47
 — anceps **5** : 152
 — angustifolium **10** : 48
 — auritum **10** : 46, 56. *pl.* **15**
 — autumnale **5** : 152
 — brevifolium **4** : 143. **9** : 116. **10** : 48
 — brizaeforme (**10** : 46, 56. *pl.* **16**)
 — brizoides (**4** : 144)
 — candicans (**10** : 45)
 — capillare campestre **5** : 152
 — carinatum **10** : 46, 56. *pl.* **17**
 — caudatum (**4** : 145. **10** : 52)
 — colonum (**4** : 144) **10** : 45
 — convolutum (**10** : 46)
Crus-galli **8** : 160
 — aristatum (**8** : 160)
Dactylon (**4** : 147)
dichotomum glabrescens **4** : 143, 170
distantiflorum **4** : 143, 170
distichum **4** : 143
divaricatum **4** : 143, 170
fasciculatum **4** : 143
filiforme **5** : 152 (**10** : 49)
flimbriatum **10** : 46, 56. *pl.* **18**
fuscum **4** : 143
glaucum (**4** : 145)
glutinosum **4** : 143
hians **5** : 152
hirtellum (**4** : 145)
hirticauum **10** : 47, 56. *pl.* **19**
horizontale **4** : 143, 170
insulare **4** : 144, 170
lanatum **4** : 144
latifolium **5** : 129
Linkianum **4** : 144, 170
marginatum **10** : 47
Martinicensis **4** : 144
maximum **4** : 144, 170
microcarpon **5** : 152
milliforme **10** : 47, 57. *pl.* **20**
molle **4** : 144, 170
multinode (**10** : 47)
Myurum **4** : 144 (**10** : 47)
nodosum **10** : 47
occidentale **10** : 48
pallens **4** : 144
Palmeri **10** : 54
palmifolium **4** : 144
paspaloides **4** : 144, 170. **10** : 46.
pl. **16**
penicillatum (**10** : 53)

Panicum
 — phleiforme **10** : 47, 57. *pl.* **21**
polyrrhizum (**10** : 47, 57. *pl.* **21**)
pubescens (**10** : 47)
radicans **10** : 46
repens **10** : 46
sanguinale **5** : 153. **8** : 160. **10** : 47.
pl. **18**
semialatum **10** : 37. *pl.* **23**
setosum (**4** : 145)
stipatum (**10** : 48, 57. *pl.* **22**)
trichanthum **4** : 144 (**10** : 48)
trigonum **10** : 46
xanthophysum **5** : 153

Pannaria molybdaea **8** : 205
plumbea **8** : 205
rubiginosa **9** : 113

Papaver alpinum **5** : 129
dubium **8** : 92
Rhoeas **8** : 92
setigerum (**8** : 92)
sonniferum **8** : 92

Parietaria debilis **8** : 150
Lusitanica (**8** : 150)
microphylla (**4** : 130)
officinalis **8** : 150

Parkinsonia aculeata **4** : 80

Parmelia caperata **8** : 202
chlorochroa (**3** : 169)
congruens (**3** : 169)
denticulata (**9** : 112)
herbacea (**8** : 203)
laevigata **8** : 202-3
leucomela (**8** : 204)
leucomelas (**8** : 204)
molliscula **3** : 169. *pl.* **57.** **9** : 160
olivacea **8** : 202
olivetorum **8** : 202
parletina (**8** : 203)
perforata **8** : 203
 — *ciliata* **8** : 203
perlata **8** : 203. **9** : 113
 — *ciliata* **8** : 203
reticulata **8** : 203
revoluta **8** : 203
subconspersa **9** : 160
usneoides (**9** : 112)
vagans (**3** : 169)

Parodiella grammodes **9** : 118

Parosela Dalea **6** : 125
enneandra **6** : 125

Parsonia micropetala **4** : 87
radicans **4** : 87, 166

Parthenium Hysterophorus **4** : 98, 167

Paspalum attenuatum (**10** : 48, 50, 56.
pl. **8**)
bracteatum (**10** : 48, 56. *pl.* **9**)
caespitosum **4** : 142, 170. **10** : 49

Paspalum
 cartilagineum (10 : 49)
 compressum (10 : 49)
 conjugatum 4 : 142, 10 : 49
 distichum 4 : 142, 170, 10 : 47, pl. 21.
 filiforme 4 : 142, (10 : 49)
 fimbriatum 4 : 142, 170
 firmum 10 : 48, pl. 9
 fluitans 5 : 153
 fuscescens (10 : 49, 56, pl. 10)
 fuscum (10 : 49, 56, pl. 11)
 glabrum 4 : 143, 170
Haenkeanum 10 : 49, 56, pl. 12
Humboldtianum 10 : 49
Kora (10 : 36, 50)
 laeve 5 : 153
 — *angustifolium* 5 : 153
lentiginosum 10 : 50, 56, pl. 13
longifolium 10 : 48
Mandiocanum ellipticum (10 : 50)
molle (10 : 50)
mollicomum 10 : 50
nanum 4 : 143, 170
paniculatum 4 : 143
plicatum 4 : 143
Preslii (10 : 50)
pubescens (10 : 50, 56, pl. 10)
scoparium 10 : 50
scrobiculatum 10 : 36, 48-50
virgatum stramineum 4 : 143
Walterianum 5 : 153

Passiflora angustifolia 4 : 89
 ciliata 4 : 89
 — *riparia* 4 : 89, 166
coerulea 5 : 63, 8 : 82, 114
cupraea 4 : 89, 166
edulis 4 : 89
foetida 4 : 89, 166
maliformis 4 : 89
minima 4 : 89, 166
pallida 4 : 89, 166
rubra 4 : 89
sexiflora 4 : 89
villosa 4 : 89, 166

Paulinia Curassavica 4 : 72
Sorbillis 5 : 77

Paulownia 6 : 76

Pavonia Bahamensis 4 : 63, 165, 172, pl. 11
racemosa (4 : 64)
spicata 4 : 64
spinifex 4 : 64
Typhalea 4 : 64

Pectis Cubensis 4 : 101
linifolia 4 : 101, 167
Plumieri 4 : 101
punctata 4 : 101
tenella 4 : 101

Pediastrum Boryanum granulatum
 8 : 196
granulatum (8 : 196)
heptactis (8 : 197)
Tetras 8 : 197

Pedrosia macrantha (8 : 107)
Pellia epiphylla 8 : 187
Peltidea horizontalis (8 : 204)
Peltigera horizontalis 8 : 204
polydactyla 8 : 204
Penicillium glaucum 8 : 210
Penium digitus 8 : 195
Pentaraphia calycosa 4 : 114
Sloanei 4 : 114

Pentstemon grandiflorus 6 : 123, 132
laevigatus 5 : 129
ovatus 5 : 129

Peperomia amplexicaulis 4 : 124
glabella 4 : 124
magnoliaefolia 4 : 124
obtusifolia (4 : 124)

Peplis Portula longidentata 8 : 113

Perelema crinitum 10 : 36, 50, 57, pl. 29

Perisporium Wrightii 9 : 118

Perotis rara 10 : 55

Persea Azorica 8 : 148, 209
gratissima 4 : 124
Indica 8 : 148
Persea (4 : 125)

Persica vulgaris 5 : 135

Pertusaria 8 : 205

Pestalozzia 8 : 209

Petasites fragrans 8 : 123

Petesia Lygistum (4 : 92)

Pettia Domingensis 4 : 118
Poeppigii 4 : 118, 168

Petiveria aliacea 4 : 123

Petroselinum sativum (8 : 116)
Scubertianum (8 : 115)
trifolatum (8 : 116)

Peyssonellia squamarina 8 : 189

Peziza coccinea (8 : 209)
cochlearia 8 : 209

Phaseolus angulosus Missouriensis 6 : 127
luteolus (4 : 78)
multiflorus 5 : 81
panciflorus 6 : 127
semierectus 4 : 78, 166

Phegopteris Totta (8 : 174)
Phenax hirsutus 4 : 131

Phialanthus myrtilloides 4 : 94, 167

Philadelphus Lewisii 5 : 133

Philodendron cannaefolium 9 : 122
hederaceum 4 : 138
lacerum 4 : 138
pertusum 2, *frontispiece*
tripartitum 4 : 139

Philonotis fontana **S** : 64, 181
Marchica **S** : 74
obtusata **S** : 52, 64, 181. *pl.* **8**
rigida **S** : 63, 74, 181
Philoxyerus vermicularis **4** : 122, 169
Phlomis nepetaefolia (**4** : 119)
Phlox divaricata **5** : 129
pilosa **5** : 130
Phoenix Canariensis **9** : 159
reclinata **9** : 159
tenuis **9** : 159
Phoradendron Berterianum **4** : 125
rubrum **4** : 125
tetraesticus **4** : 125, 169
Phormidium laminosum **S** : 199
smaragdinum (**S** : 199)
Phragmidium violaceum **S** : 207
Phryma Leptostachya **5** : 130
Phyllachora graminis **S** : 207, 209
oxalina **9** : 118
Trifolii **S** : 209
Phylanthus angustifolius **4** : 127
Carolinensis **5** : 149
epiphyllanthus **4** : 127, 169
falcatus (**4** : 127)
latifolius **4** : 127
linearis **4** : 127
niruri **4** : 127, 169
Phyllosticta Coccobae **9** : 118
Phylloxera **S** : 90
Physalis angulata **4** : 112
obscura **5** : 147
Peruviana **S** : 135, 214. *pl.* **44**
pubescens **4** : 112 (**S** : 135)
Physcia flavicans **S** : 203
fuciformis (**S** : 201)
lencomeila **S** : 204
parietina **S** : 204
stellaria **S** : 204
Physcomitrium pyriforme **S** : 61, 181
Physocarpus opulifolius **5** : 133
Phytolacca decandra **5** : 130. **6** : 97.
8 : 146
Picconia excelsa (**S** : 131)
Picris echioides **S** : 126
flili **S** : 126
rigens **S** : 126
Pilea ciliaris **4** : 130
deltoides **4** : 130
diffusa **4** : 130
microphylla **4** : 130, 169
— peregrina (**4** : 130)
parietina **4** : 131
repens **4** : 131
Pimenta Pimenta (**4** : 85)
vulgaris **4** : 85
Pimpinella bubonoides (**S** : 116)
dichotoma (**S** : 116)

Pimpinella
integerima **5** : 130
villosa **S** : 116
Pinardia coronaria (**S** : 123)
Pinguicula vulgaris **5** : 130
Pinus Austriaca **5** : 133
Bahamensis **4** : 151, 170
inops **5** : 133
— clausa **4** : 151
Pinea **S** : 169
resinosa **5** : 133
rigida **5** : 133
sylvestris **5** : 73, 133
Piper
(List of Capsicum synonyms **9** : 109)
aduncum **4** : 123
Amalgo **4** : 124
amplexicaule (**4** : 124)
glabellum (**4** : 124)
hirsutum (**4** : 124)
hispidum **4** : 124 **9** : 119
macrophyllum (**4** : 124)
— Jamaicense **4** : 124
magnoliacifolia (**4** : 124)
peltatum **4** : 124
umbellatum **4** : 124
Piptatherum multiflorum (**S** : 161)
punctatum (**10** : 51)
Placidia Erythrina (**4** : 79)
Piscipula (**4** : 79)
Pisonia aculeata **4** : 120
discolor **4** : 120, 169
obtusata **4** : 120, 169
Pistacia Simaruba (**4** : 69)
Pitcairnia bromeliaceaefolia **4** : 135
Pithecellobium asplenifolium **4** : 84, 166
filicifolium **4** : 84
Saman **4** : 84
Unguis-Cati **4** : 84, 166
Pittosporum undulatum **S** : 96
Placodium fulgens **S** : 204
Plagiobothrys Arizonicus **9** : 149, 150
canescens **9** : 150
nothofulvus **9** : 150
tenellus **9** : 150
tinctiorius **9** : 150
Torreyi **9** : 150-151
ursinus **9** : 150
Plagiochila spinulosa **S** : 187
Plagiothecium sylvaticum **S** : 69, 173
Planera aquatica **5** : 150. **6** : 65
Plantago Azorica (**S** : 143)
Coronopus **S** : 143
Lagopus (**S** : 143)
lanceolata **5** : 130. **S** : 142 (143)
— eriophylla **S** : 143
major **4** : 120. **S** : 142
Serraria **S** : 143

Platystachya Ehrenbergii (5 : 163)
 utriculata (5 : 163)
Pleurochaenia quadrangularis (4 : 86)
 rigida (4 : 86)
Pleurothallis racemiflora 4 : 131
Plocamium coccineum 8 : 190
Pluchea odorata 4 : 98, 167
Plumbago Capensis 4 : 103
 scandens 4 : 103, 167
Plumeria emarginata 4 : 105, 167
 obtusa 4 : 105, 167. 9 : 119
 rubra 4 : 105
 sericeifolia 4 : 105, 167
Poa angustata (10 : 51)
 annua 4 : 150. 8 : 166
 Bahiensis (4 : 149)
 ciliaris (4 : 149)
 compressa 5 : 130
 elongata (10 : 43)
Eragrostis (4 : 150. 8 : 165)
holciformis 10 : 51, 59, *pl. 50*
hypnoides (10 : 43)
interrupta (6 : 118)
loliacea (8 : 167)
Nootkaensis (10 : 51, 59, *pl. 51*)
Nutkaensis (10 : 51)
Pastorensis 10 : 43
Pratensis 8 : 166
 rigida (8 : 166)
 secunda 10 : 36, 51, 59, *pl. 51*
 trivialis 8 : 166
Podaxon 9 : 115
Podosaemum distichophyllum (10 : 37,
 51, 57, *pl. 28*)
 tenuissimum (10 : 52, 57, *pl. 29*)
Pogonatherum refractum (10 : 52)
Pogonatum aloides 8 : 65, 74, 180
Pogonia trianthophora 5 : 150
Pogonopsis saccharoideum *monandrum*
 10 : 52, *pl. 2*
 tenera (10 : 52, 55, *pl. 2*)
Poinciana pulcherrima (4 : 80)
 regia 4 : 80
Poinsettia pulcherrima (4 : 127)
Polanisia icosandra 4 : 59
Polemonium caeruleum 5 : 130
 reptans 5 : 130
Pollinia monandra (10 : 52)
Polycarpon tetraphyllum 8 : 99
Polyedrum tetragonum (8 : 196)
Polygala depressa (8 : 97)
 paniculata 4 : 60
 serpyllacea 8 : 97
 verticillata 6 : 125
 vulgaris 8 : 97
Polygonella ericoides 5 : 149
Polygonum amphibium 5 : 63
 aviculare 8 : 146
Polygonum
densiflorum 4 : 123. 5 : 149. 6 : 65
dubium (8 : 146)
hydropiperoides 8 : 146
martimum 8 : 146
Pennsylvanicum 5 : 130, 149
Persicaria (8 : 146)
punctatum 5 : 149
 — *leptostachyum* 5 : 149
serrulatum 8 : 146, 214, *pl. 45*
setaceum 5 : 149
tenue 5 : 149
uviferum (4 : 123)
Polymnia Canadensis 5 : 130
Polyodium angustifolium 4 : 156
arboreum (4 : 151)
areolatum (4 : 156)
aureum areolatum 4 : 156
cicutarium (4 : 155)
cordifolium (4 : 155)
crassifolium 4 : 156
crenatum 4 : 156
denticulatum (4 : 154)
effusum (4 : 155)
exaltatum (4 : 155)
hastaefolium (4 : 155)
hastatum (4 : 155)
incanum (4 : 156)
invisum (4 : 154)
lanceolatum 4 : 156
loriceum 4 : 156
lycopodioides 4 : 156
megalodium 4 : 156
molle (4 : 155)
mucronatum (4 : 154)
muricatum (4 : 154)
patens (4 : 154)
Phyllitidis 4 : 156
piloselloides 4 : 156
polypodioides 4 : 156
pruinatum (4 : 151)
reticulatum (4 : 157)
rhizophyllum (4 : 154)
sagittatum 4 : 155
sanctum (4 : 154)
scolopendroides (4 : 155)
semicordatum (4 : 154)
serpens (4 : 156)
serra (4 : 155)
squamatum 4 : 156
Swartzii 4 : 156
taxifolium 4 : 156
tetragonum 4 : 156
 — *megalodium* 4 : 156
trichomanoides 4 : 156
trifoliatum (4 : 154)
unitum (4 : 155)
vulgare 8 : 174

Polypogon elongatus **10** : 45. *pl. 31*
 — *maritimus* **8** : 161
 — *muticus* (**8** : 161)
Monspellensis **8** : 161
 — *minor* (**8** : 161)
Polypodium procumbens **4** : 107, 168.
 — **5** : 147
Polysiphonia **8** : 197-8
 — *fruticulosa* **8** : 190
Polystachya luteola **4** : 133
Polystichum dilatatum (**8** : 174)
 — *Filix-mas* (**8** : 174)
 — *tanacetifolium* (**8** : 174)
Polystictus membranaceus **9** : 115
 — *sanguineus* **9** : 115
Polythrincium **8** : 209
Polytrichum aloides (**8** : 180)
 — *commune* **8** : 65, 180
 — *minus* **8** : 65, 75, 180
 — *perigoniale* **8** : 65, 180
 — *elatum* (**8** : 180)
 — *formosum* **8** : 65, 180
 — *brevisetum* **8** : 65, 180
 — *juniperinum* **8** : 65, 180
 — *plumiferum* **8** : 65, 75, 180
Pontederia cordata **5** : 130
Ponthievia glandulosa **4** : 133
Populus alba **5** : 133, 135. **8** : 207
 — *grandidentata* **5** : 133
 — *monilifera* **5** : 133, 135
 — *nigra* **8** : 151
 — *pyramidalis* **5** : 133, 135.
Porella Canariensis **8** : 186
 — *platyphylla* **8** : 186
Portesia glabra (**4** : 63)
Portlandia grandiflora **4** : 92
Portulaca oleracea **4** : 60, 165. **8** : 99
 — *parviflora* **4** : 61, 165
 — *paniculata* (**4** : 61)
 — *parviflora* (**4** : 61)
 — *patens* (**4** : 61)
 — *pilosa* **4** : 61, 165
Portulacastrum (**4** : 91)
racemosa (**4** : 61)
rostellata **5** : 130
triangularis (**4** : 61)
Potamogeton denticulatus **8** : 156
 — *fluitans* (**8** : 156)
 — *heterophyllus* (**8** : 156)
Leschenaultii **8** : 156
 — *lucens* **8** : 156
 — *natans* **8** : 156
 — *pectinatus* **8** : 156
 — *polygonifolius* **8** : 156
 — *pusillus* **8** : 156
Potentilla anserina **8** : 111
 — *argentea* **5** : 130
 — *procumbens* **8** : 111, 213. *pl. 22*
Potentilla
 — *reptans* **8** : 111
Tormentilla **8** : 110
 — *nemoralis* (**8** : 111)
 — *verna* **8** : 111
Poterium Sanguisorba **8** : 111
Primula Mistassiniaca **5** : 130
Prinos montana (**4** : 70)
Priya echinata (**4** : 117)
 — *lappulacea* **4** : 117, 168
Prodoxus **3** : 145
 — *aenescens* **3** : 149, 158. *pl. 43*
 — *cinereus* **3** : 148, 158. *pl. 43*
Coloradensis **3** : 152, 158. *pl. 43*
decipiens **3** : 125, 127, 130, 134, 136,
 — 156-7. *pl. 38-40*. **4** : 206. **6** : 103, 111
intermedius **3** : 148, 157. *pl. 43*.
 — **4** : 206
marginatus **3** : 147, 158. *pl. 43*
pulverulentus **3** : 150
reticulatus **3** : 152, 158. *pl. 43*
sordidus **3** : 153
Y-inversus **3** : 151, 158. *pl. 43*
Pronuba **3** : 105, 132, 137
 — *maculata* **3** : 121, 134, 136, 139, 157. *pl.*
 — 40-42. **4** : 181, 198, 210, 212, 222, 226.
 — *pl. 23*
 — *aterrima* **4** : 216, 226. *pl. 23*
paradoxa (**4** : 196)
synthetica **3** : 121, 134, 136, 141, 153,
 — 157. *pl. 40-42*. **4** : 181, 196, 222, 226.
 — *pl. 21*
yuccasella **3** : 90, 104, 120-1, 130, 138,
 — 154-6. *pl. 34, 37, 38, 40*. **4** : 181-2,
 — 185-6, 189, 198-9, 201, 203, 205, 207-8,
 — 212, 222, 226. *pl. 22*. **5** : 137. **6** : 133.
 — **9** : 145
Prosperinaca palustris **5** : 143
Prosopis juliflora **4** : 82
Protea **8** : 82
Prunella vulgaris **8** : 141
Prunus Cerasus **5** : 135
 — *Lusitanica* **8** : 109
 — *pumila* **7** : 16
 — *serotina* **5** : 135
 — *Virginiana* **6** : 123, 127
Psathyrella crenata **8** : 206
Psidium Guajava **4** : 85
Psoralea argophylla **6** : 122-3, 125
 — *enneandra* **6** : 123
Psychotria alpina (**4** : 95)
 — *brachiata* (**4** : 94)
 — *corymbosa* (**4** : 95)
 — *crocea* (**4** : 95)
 — *marginata* (**4** : 95)
Pavetta (**4** : 95)
 — *pubescens* (**4** : 95)
 — *undata* (**4** : 95)

Pteris aquilina (S : 171)
 — *caudata* 4 : 153
 — *lanuginosa* 4 : 153, 170
arguta 8 : 171
caudata (4 : 153)
Cretica S : 171
grandifolia 4 : 153
heterophylla 4 : 153
incisa 4 : 153
lanuginosa (4 : 153)
lineata (4 : 157)
longifolia 4 : 153, 170
serulata 8 : 171
tremula 8 : 171
viscosa 4 : 153
Pterocarpus Ecastophyllum (4 : 79)
Marsupium 5 : 69, 70
Pterocladia capillacea S : 191
Pterogonium gracile S : 67, 179
Ptychomitrium nigricans (S : 181)
procерум (S : 73)
Puccinellia angustata 10 : 51, *pl. 51*
Puccinia Archavaletae 9 : 16
Buxi S : 207
emaculata 9 : 116
Gilbertii 9 : 116
heterospora 9 : 116
Hieracii S : 207
Lantanae 9 : 117
lateripes 9 : 116
Malvacearum S : 207
Porri S : 207
Rubigo-vera S : 207
Spermacocis 9 : 117
Sorghii S : 207
Xanthii 9 : 117
Punica Granatum 5 : 68, 75, 160
Pygmaea pumila (S : 199)
Pyrenula marginata S : 206
Pyrethrum Myconis (S : 122)
Parthenium (S : 123)
Pyrus arbutifolia 5 : 133
baccata 5 : 135
communis 8 : 209
coronaria 5 : 135
Ioensis 5 : 135
Malus 5 : 80, 135
Pyxine Coccoe S : 204
sorediata 8 : 204

Querubia Lorentzii 5 : 63, 71
Quercus 5 : 74
alba 5 : 135
macrocarpa olivaeformis 6 : 133
Robur 5 : 64, 135
rubra 5 : 135
suber 6 : 75

Rachicallis Americana 4 : 92, 167
rupestris (4 : 92)
Racomitrium fasciculare 8 : 59
heterostichum 8 : 59
lanuginosum 8 : 59
Radermachia incisa (4 : 130)
integrifolia (4 : 130)
Radula complanata 8 : 186
pallens minor 8 : 186
physoloba 8 : 186
Rajania hastata 4 : 137, 169. 9 : 118
Ramalina calicaris 8 : 201
cuspidata 8 : 201
denticulata 9 : 112
fraxinea 8 : 201
pollinaria 8 : 201
scopulorum 8 : 202
subgeniculata 8 : 202
Thrausta 8 : 202
usneoides 9 : 112
 — *usneoidella* 9 : 112
vulcanica 8 : 202
Ramphidium purpuratum 8 : 54, 184
Ramularia Bauhiniae 9 : 119
torvii 9 : 119
Randia aculeata 4 : 93, 167
Ranunculus acris 5 : 130
Bonplandianus (4 : 57)
cortusaefolius (S : 91)
Cubensis 4 : 57
Flammula 8 : 91
grandifolius (S : 91)
megaphyllus 8 : 91, 212, *pl. 12*
muricatus 8 : 91
parviflorus 8 : 91
petiolaris (S : 91)
praemorsus (4 : 57)
pusillus 5 : 140
repens 8 : 91
 — *tropicus* 4 : 57
sceleratus 5 : 130
trilobus 8 : 91
Raphanus Landra S : 96, 213, *pl. 17*
Raphanistrum S : 95, 213, *pl. 17*
Rapistrum orientale S : 95, 213, *pl. 17*
perenne S : 95, 213, *pl. 17*
rugosum S : 95, 213, *pl. 17*
Raspalia agrostoides 10 : 45
Reboulia hemisphaerica S : 188
Relbunium hypocardium 4 : 96
Renealmia occidentalis 4 : 134
 — *Paro-seccora* 4 : 134
Reseda Luteola 8 : 96
macroperma (S : 96)
Reynosia latifolia 4 : 71, 165
Rhacomia Crossopetalum (4 : 70)
Rhacomitrium canescens S : 182

Rhacomitrium
fasciculare 8:182
heterostichum 8:182
lanuginosum 8:182
Rhacothecas Azorica (8:188)
Rhamnidium revolutum 4:71, 165
Rhamnus alnifolia 5:133
Colubrina (4:71)
Cubensis (4:71)
latifolia 8:103
pubescens 8:103
Rhaphidium polymorphum 8:195
Rhexia Mariana 5:143
Virginica 5:130
Rhipsalis Cassytha 4:90
Rhizophora Mangle 4:85, 166
Rhizophorus nigricans 8:208
Rhododendron Catawbiense 5:133
maximum 5:133
Rhodymenia Palmetta 8:190
Rhoeo discolor 4:137, 169
Rhus aromatica 5:133
Coriaria 8:103
glabra 5:133. 6:123
Metopium 4:73
oxymetopium 4:166
typhina 5:133
Rhynchosia latifolia 5:142
minima 4:79, 166
Rhynchospora aurea (4:141)
colorata (4:141)
corymbosa 4:141
cyperoides 4:141, 170
floridana (4:141)
polyphylla 4:142
Rhynchostegium confertum 8:69, 178
rusciforme 8:69, 178
Ribes 7:16
Cynosbati 5:133
lacustre 5:133
prostratum 5:133
rubrum 5:133, 135
Riccardia multifida 8:187
Richardia Africana 8:155
Ricinus communis 4:129. 5:63. 8:148
Rivina humilis 4:122, 169
— glabra 4:123, 169
laevis (4:122-3)
octandra 4:123
Rivularia bullata 8:198
nitida 8:198
Robinia hispida 5:133, 135
Pseudacacia 5:133, 135
viscosa 5:133
Roccella fuciformis 8:201
phycopsis 8:201
tinctoria 8:201
Romulea Columnae 8:152
Rosa 8:203
Arkansana 6:127
blanda 5:133
pisocarpa 5:133
setigera 5:133
Rosmarinus officinalis 8:141
Rotala ramosior 5:143
Rousselia lappulacea 4:131, 169
Rubia angustifolia 8:118
splendens (8:118)
tinctoria 5:87
Rubus alpinus 4:84
discolor (8:110)
fruticosus (8:110)
grandiflora (8:110)
Hochstetterorum 8:110
Jamaicensis 4:84
occidentalis 5:133
rusticanus 8:110, 207
strigosus 5:133
ulmifolius (8:110)
Ruellia blechioides (4:115)
Blechum (4:116)
ciliosa 5:130
clandestina 4:115. 9:116
tuberosa (4:115)
Rumex 3:17. 6:34
Acetosa 3:75, 78, 95-6. *pl. 16.* 5:130
Acetosella 3:76, 96. *pl. 13.* 8:147, 208
acutus (3:93, 97. *pl. 31.* 8:147)
altissimus 3:86, 97. *pl. 25.* 5:130
aquaticus 8:146
arcticus (3:82)
Arizonicus (3:80)
Berlandieri 3:89, 97. *pl. 27*
Britannica 3:83 (87) 96. *pl. 21*
bucephalophorus 3:79, 94, 97. *pl. 33.*
5:130. 8:147
Claytonii (3:87)
conglomeratus 3:90, 97. *pl. 28.*
5:130. 8:147
conspersus 3:93
crispatus (3:94)
crispus 3:75, 81, 84, 96. *pl. 22.* 5:130.
8:147
— × obtusifolius 3:92, 97. *pl. 31*
dentatus 5:130
domesticus (3:82)
Engelmanni (3:77)
— Geyeri (3:78)
Floridanus 3:86, 97. *pl. 24*
Geyeri 3:78, 96. *pl. 16*
glomeratus 5:130
hamatus 3:76
hastatus 3:77, 96. *pl. 14.* 5:130
hymenosepalus 3:80, 96. *pl. 18*
Lappula 3:76
longifolius (3:81-2)

Rumex

- maritimus (3 : 93-4)
- Mexicanus 3 : 88
- obtusifolius 3 : (90) 91, 97. *pl. 30.*
8 : 147
- discolor 3 : 92
- \times crispus 3 : 92, 97. *pl. 81.* 8 : 147
- occidentalis 3 : 81, 96. *pl. 19.* 5 : 180
- nanus 3 : 82
- orbiculatus (3 : 83)
- pallidus (3 : 87)
- Patientia 3 : 82, 96. *pl. 20*
- panciculatus (3 : 78)
- persicariooides 3 : 79, 93, 97. *pl. 32.*
5 : 180
- platyphyllus 3 : 93
- pratensis 3 : 93
- propinquus 3 : 93
- pulcher 3 : 91, 97. *pl. 29.* 8 : 147
- roseus 5 : 130
- salicifolius 3 : 75, 87 (94) 97. *pl. 26.*
5 : 130
- angustifolius 3 : 88
- denticulatus 3 : 88
- sanguineus 3 : 90 (92)
- viridis 3 : 90
- Saxei (3 : 80)
- strictus (8 : 147)
- venosus 3 : 79, 96. *pl. 17*
- verticillatus 3 : 85, 97. *pl. 23*
- Ruscus aculeatus 8 : 153
- andrognus 8 : 153
- Russelia juncea 4 : 113
- Ruta bracteosa (8 : 103)
- Chalepensis 8 : 103
- Rytidophyllum tomentosum 4 : 114
- Sabal umbraculifera 4 : 137, 169
- Saccharum contractum (4 : 146)
- sagittatum (4 : 149)
- spicatum (10 : 52, 55. *pl. 1.*)
- Saccogyna viticulosa 8 : 186
- Sagina procumbens 8 : 98
- Sagittaria acuta (6 : 36)
- acutifolia (6 : 51)
- ambigua 6 : 31, 48, 55, 62. *pl. 17*
- angustifolia (6 : 59)
- arifolia 6 : 31-2, 61. *pl. 1*
- aquatilis 9 : 156-7. *pl. 50*
- stricta 6 : 34, 61. *pl. 1*
- calycina (6 : 60)
- fluitans (6 : 60)
- grandis 6 : 60)
- maxima (6 : 60)
- media (6 : 60)
- spongiosa (6 : 60)
- Chinensis (6 : 35, 38)
- communis (6 : 36, 39)

Sagittaria

- cristata 6 : 31, 53, 63. *pl. 22*
- cuneata 6 : 31, 34, 61. *pl. 2*
- demersa 6 : 32, 52, 62. *pl. 15*
- Engelmanniana 6 : 31, 41, 62. *pl. 9*
- falcatia (6 : 47)
- filiformis 6 : 32, 46, 62. *pl. 16*
- gracilis (6 : 34)
- graminea 6 : 30-1 (46) 50, 55, 62, 116.
pl. 19
- acutifolia (6 : 59)
- Chapmani 6 : 52, 63. *pl. 21*
- cycloptera 6 : 30, 52, 63. *pl. 20*
- platyphylla 5 : 150. 6 : 30 (55)
- Greggii 6 : 31, 43, 62. *pl. 12*
- Guyanensis (6 : 61)
- hastata (6 : 35, 37, 39)
- heterophylla 6 : 30 (49)
- angustifolia (6 : 49)
- elliptica (6 : 49)
- rigida (6 : 49)
- isoetiformis 6 : 115, 119. *pl. 53*
- lancifolia 4 : 139. 6 : 30-1, 47 (48) 62.
pl. 16
- angustifolia 6 : 30, 59
- falcata 6 : 47, 62. *pl. 18*
- major (6 : 47)
- papillosa (6 : 55)
- latifolia 6 : 28, 31, 33-4, 36, 39, 62. *pl. 3-7*
- pubescens 6 : 40, 62. *pl. 8*
- longiloba 6 : 30-1, 35, 42, 62. *pl. 11*
- longirostra 6 : 31, 42, 62. *pl. 10*
- macrocarpa 6 : 31, 53-4, 63, 116. *pl. 23*
- macrophylla (6 : 56, 59)
- Mexicana 6 : 32-3, 56, 59, 63. *pl. 27*
- Montevidensis 6 : 32, 57, 63. *pl. 29*
- natans (6 : 44-5)
- gracillima (6 : 45)
- lorata (6 : 44)
- obtusa (6 : 35, 37)
- papillosa 6 : 30-1, 55, 63. *pl. 25*
- platyphylla 6 : 31, 55, 63. *pl. 26*
- pubescens (6 : 40)
- pusilla (6 : 44)
- recurva (6 : 56)
- rigida 6 : 31, 49, 62. *pl. 18*
- sagittifolia 6 : 28, 33 (35)
- longirostra (6 : 42)
- macrophylla (6 : 35)
- Mexicana (6 : 42)
- minor (6 : 32)
- pubescens (6 : 40)
- simplex (6 : 50)
- variabilis (6 : 35)
- vulgaris (6 : 35)
- Sanfordii 6 : 32, 57, 63. *pl. 28*
- simplex (6 : 34, 50)
- Sinensis 6 : (35, 38) 62. *pl. 4*

Sagittaria
stolonifera (6 : 50)
subdiolca (6 : 36)
subulata 6 : 31, 46, 62, *pl. 13*
 — *gracillima* 6 : 45, 62, *pl. 13*
 — *natans* 6 : 44, 62, *pl. 14*
teres 6 : 31, 54, 63, *pl. 24*
variabilis angustifolia (6 : 35, 38-9)
 — *diversifolia* (6 : 35-40)
 — *echinocephala* (6 : 42)
 — *gracilis* (6 : 33, 35, 38, 41)
 — *graminifolia* (6 : 41)
 — *hastata* (6 : 32-6, 28)
 — *obtusa* (6 : 37)
 — *pubescens* (6 : 40)

Salicornia *ambigua* 4 : 122, 169

Salix *adenophylla* 5 : 47-8, 52, 54, *pl. 2*
alba 5 : 47-8, 50
 — *vitellina* 5 : 50, *pl. 1*
amygdaloidea 5 : 47-8, 52, *pl. 1-2*
 9 : 49, 51, *pl. 6*
argyrocarpa 5 : 47-8, 50, *pl. 1*
Babylonica 5 : 47-8, 58, *pl. 2*
balsamifera 5 : 47-8, 58, 133, *pl. 3*
candida 5 : 47-8, 54-5, 133, *pl. 2*
cordata 5 : 47-8, 53, *pl. 2*
discolor 5 : 47-8, 53-4, *pl. 2*
Floridana (9 : 43)
fragilis 5 : 47-8, 50, *pl. 1*, 8 : 151
glaucophylla 5 : 47-8, 56-7, *pl. 3*
herbacea 5 : 47-8, 59, *pl. 1*
humilis 5 : 47-8, 56, *pl. 3*, 6 : 123, 133
longifolia 5 : 47-8, 59, *pl. 3*
longipes 9 : 43, 51, *pl. 5*, 6
 — *gongylocarpa* 9 : 45
 — *venulosa* 9 : 45, 51, *pl. 6*
 — *X amygdaloidea* 9 : 49
 — *X nigra X amygdaloidea* 9 : 49
lucida 5 : 47-8, 50, *pl. 1*
myrtilloides 5 : 47-8, 55, 133, *pl. 1*
nigra 5 : 47-8, 52, *pl. 1*, 9 : 51, *pl. 6-7*
 — *X amygdaloidea* 9 : 49
 — *X longipes* 9 : 49
occidentalis (9 : 44, 46)
 — *longipes* (9 : 43)
petiolaris 5 : 47-8, 54-5, *pl. 2*
phylicifolia 5 : 47-8, 51, *pl. 1*
purpurea 5 : 47-8, 58, *pl. 3*
rostrata 5 : 47-8, 57, *pl. 3*
sericea 5 : 47-8, 54, *pl. 2*
tristis 5 : 47-8, 56, *pl. 3*
Uva-Ursi 5 : 47-8, 60, *pl. 3*
viminalis 5 : 47
Wardii (9 : 43)

Salmea *grandiceps* (4 : 100)
petrobooides 4 : 100
scandens 4 : 100

Salsola *Kali* 8 : 145

Salvia *coccinea* 4 : 119
occidentalis 4 : 119
serotina 4 : 119, 168
tenella 4 : 119, 168

Samara *laeta* (4 : 104)

Sambucus *Canadensis* 5 : 134
nigra 4 : 92, 8 : 118
racemosa 5 : 134

Samolus *Valerandi* 8 : 131

Sanguinaria *Canadensis* 5 : 130

Santicula *Azorica* 8 : 114

Santolina *chamaecyparissias* 8 : 122

Saponaria *officinalis* 5 : 130
Vaccaria 5 : 130

Sarcostemma *clausa* 4 : 106
Brownii (4 : 106)

Sarcococca (3 : 161, 4 : 182)

Sargassum 8 : 193
bacciferum 8 : 192
cymosum 8 : 192
fissifolium 8 : 191
linifolium 8 : 192
stenophyllum (8 : 191)
vulgare (8 : 191)
 — *tenuifolium* (8 : 191)

Sarothamnus *scoparius* 8 : 104

Sarracenia *flava* 5 : 130, 9 : 152
purpurea 5 : 130
rubra 5 : 130

Sauvagesia *erecta* 4 : 59

Savastana *odorata* 10 : 44

Saxifraga *Virginiana* 5 : 130

Scabiosa *atropurpurea* (8 : 120)
lucida 8 : 119 (120)
maritima 8 : 120
neglecta (8 : 120)
nitens 8 : 119, 213, *pl. 29*
ochroleuca (8 : 120)

Scaevola *Lobella* (4 : 103)
Plumieri 4 : 103, 167

Scapania *nemorosa* 8 : 186

Scarabaeus 7 : 57

Scenedesmus *acutus* (8 : 196)
bijugatus 8 : 196
obliquus 8 : 196
obtusus (8 : 196)
quadricauda 8 : 196

Schaefferia *frutescens* 4 : 70, 165

Schinus *Fagara* (4 : 68)

Schizymenia *obovata* 8 : 189
undulata 8 : 189

Schmidelia *occidentalis* (4 : 72)

Schoenus *coloratus* (4 : 141)
cyperoides (4 : 141)
Mariscus (4 : 142)
polymorphus (4 : 141)
pusillus (4 : 141)
stellatus (4 : 141)

Schomburgkia Thompsoniana **4** : 133
Sciaromium **8** : 52
 hispidum **8** : 70
 prolixum **8** : 53, 69, 75, 178
 Renauldi **8** : 53, 69, 178, *pl. 10*
 setigerum **8** : 70
 spinosum **8** : 53, 69, 178
Scilla maritima (**S** : 152)
Sciodaphyllum arboreum **4** : 91
 Brownii (**4** : 91)
 capitatum **4** : 91
 heptaphyllum **4** : 91
 Jacquinii (**4** : 91)
Scirpus capitatus (**4** : 140)
 cernuus **8** : 157
 corymbosus (**4** : 141)
 ferrugineus (**4** : 141)
 fluitans **8** : 158
 interstictus (**4** : 140)
 lineatus **5** : 130
 maritimus **8** : 157
 multicaulis (**S** : 158)
 mutatus (**4** : 140)
 obtusifolius (**4** : 141)
 palustris (**S** : 158)
 Savil (**S** : 157)
 setaceus **8** : 157
 spadiceus (**4** : 141)
Scleria communis **4** : 142
 filiformis **4** : 142, 170
 microcarpa **4** : 142
 pratensis **4** : 142
Sclerochloa Californica (**10** : 36, 51)
Scleroderma verrucosum **S** : 206
Scleropodium illecebrum **S** : 68, 179
Scopolendrium officinarum (**S** : 173)
 vulgare **S** : 173
Scoparia dulcis **4** : 113
 — *tenuifolia* **4** : 113
Scorpiurus vermiculata **5** : 130
Scrophularia alata **S** : 137
 aquatica **S** : 137
 Balbisii (**S** : 137)
 Scorodonla **S** : 137
Scutellaria canescens **5** . . . 31
 parvula **6** : 133
 purpurascens **4** : 119
 versicolor **5** : 131
Scyphophorus caespitosus (**S** : 201)
 coccineus (**S** : 200)
 convolutus (**S** : 200)
Sedum Nevil **5** : 131
 Texanum **6** : 114, 119, *pl. 50*
Selaginella Azorica **S** : 177
 denticulata (**S** : 177)
 Kraussiana **S** : 177
 patula **9** : 111
 serpens **9** : 111
Sempervivum villosum **S** : 112
Senebiera Coronopus **S** : 95
 dildyma (**S** : 95)
 pinnatifida **S** : 95
Senecio discolor **4** : 101
 elegans **S** : 124
 erraticus **S** : 123
Maderensis (**S** : 124)
 malvacolius **S** : 124
 mikanoides **S** : 124, 207, 213, *pl. 32*
 pseudo-elegans (**S** : 124)
 sylvaticus **S** : 123
 vulgaris **S** : 123
Septoria **9** : 119
 piricola **S** : 209
Serapion cordigera **S** : 151
 neglecta **S** : 151
Serianla lucida **4** : 71, 166
 paniculata **4** : 71, 166
Sesamum orientale **4** : 115
Sesbania grandiflora (**4** : 75)
Sesbania sericea (**4** : 75)
Sesuvium Portulacastrum **4** : 91, 167
Setaria caudata **4** : 145, 170
 glaucia **4** : 145, 170, **S** : 160
 globularis (**10** : 52)
 penicillata (**10** : 53)
 setosa **4** : 145
 verticillata **S** : 160
 viridis (**S** : 160)
Seubertia Azorica (**S** : 120)
Seuteria maritima (**4** : 106)
Sherardia arvensis **S** : 119
 — *pubescens* (**S** : 119)
Sibthorpia Europaea **S** : 137
Sleyos trifoliata (**4** : 71)
Sida acuminata **4** : 62, 165
 angustifolia (**4** : 62)
 althaeifolia (**4** : 62)
 Canariensis (**S** : 101)
 capitata (**4** : 63)
 carpinifolia **4** : 62, 165
 elliptica **4** : 62, 165
 cordifolia *althaeifolia* **4** : 62
 crispa (**4** : 63)
 divergens (**4** : 63)
 Elliottii **5** : 141
 glomerata **4** : 62, 165
 nervosa **4** : 62
 Palmeri **6** : 113, 119, *pl. 48*
 periplocifolia (**4** : 63)
 permollis (**4** : 63)
 pyramidalis **4** : 62
 retusa (**4** : 62)
 rhombifolia (**S** : 101)
 — *Canariensis* **S** : 101
 — *retusa* **4** : 62
 spinosa **4** : 62, 165

Sida spinosa
 — *angustifolia* 4:62, 165
ulmifolia 4:62
urena 4:62
viscosa (4:62)

Silene Armeria 4:60. 8:97
Cucubalus (8:97)
Gallica 8:97
infata 8:97
Lusitanica (8:97)
maritima (8:97)
Pennsylvanica 5:131
Virginica 5:131

Siliquastrum
 (List of *Capsicum* synonyms 9:110)

Silphium integrifolium 6:130
laciniatum 6:130
perfoliatum 6:130
trilobatum (4:99)

Sinapis brassicata (4:58)
integrifolia (4:58)
junccea (4:58)
nigra (8:94)

Siphula Ceratites 8:200

Sisymbrium *Irio* 8:94
officinale 8:94

Sisyrinchium *anceps* 5:131
angustifolium (6:133)
Bermudianum 6:133

Smilacina amplexicaulis 5:131
racemosa 5:131
stellata 5:131

Smilax aspera (8:153)
bona-nox 5:150
Canariensis (8:153)
divaricata 8:153
Domingensis 4:137, 169
excelsa 8:153
glandulosa 5:131
Havanensis *ovata* 4:137, 169
 — *vulgaris* 4:137
hispidia 5:131
tetragona (8:146, 153)

Smyrnium Olausatum 8:115

Solanum aculeatissimum 4:111, 168
auriculatum 8:135
Bahamense 4:111, 168
 — *lanceolatum* 4:111, 168
ignem 4:111, 168
Jamaicense 4:111
Lycopersicum (8:135)
nigrum 4:168. 8:134
 — *nodiflorum* 4:111, 168
 — *oleraceum* 4:111, 168
 — *villosum* 8:135
nodiflorum (4:111)
oleraceum (4:111)

Pseudocapsicum 8:134, 214. *pl. 43*

Solanum
scabrum 4:111
Seaforthianum 4:111
torym 4:111, 168. 9:117, 119
verbascifolium 4:111, 168
villosum (8:135)
Solea concolor 5:131
Solenostoma crenulata (8:187)
hyalina (8:187)
Solidago Azorica (8:120)
Canadensis 6:129
Domingensis 4:97, 167
leptocephala 5:148
neglecta 5:146
nemoralis 5:146. 6:129
odora 5:146
pilosa 5:146
rigida 6:129
rugosa 5:146
rupestris 6:128
semperflorens 8:87, 120
speciosa 6:128
ulmifolia 6:129

Sonchus asper 8:128
fallax (8:128)
oleraceus 4:102, 167. 8:127

Sophora tomentosa 4:80

Sorghum Halapense 4:147. 5:131
nitidum (10:38)

Sparganophorus *Vallantli* (4:96)

Sparganium simplex *androcladum* 5:150

Spartium juncinum 8:103
scoparium 8:104

Spergula arvensis 8:98

Spergularia Azorica (8:99)
macrorhiza 8:99, 213. *pl. 18*
marina 8:99
rubra 8:98

Spergulariastrum lanuginosum (4:60)

Spermacoce aspera 4:95, 167. 9:117
glabra 5:144
laevis 4:95, 167
tenuifor 4:95, 167
thymocephala 4:95, 167
verticillata 4:95
villosa (4:96)

Spermothamnion *Turneri* 8:190

Sphaeralcea filicina (8:193)
scoparia (8:193)
 — *pennata* 8:193
tribuloides 8:193

Sphaerella Rajaniae 9:118

Sphaerococcus acicularis (8:190)
corneus (8:191)
 — *pinnatus* (8:191)
 — *pulchellus* (8:191)
 — *spinulosus* (8:191)

Sphaerococcus
coronopifolius **S** : 190
Palmetta (**S** : 190)
Teedii (**S** : 190)
Sphaerotheca pannosa **S** : 208
Sphagnum acutifolium **S** : 72, 184
centrale **S** : 72, 185
compactum (**S** : 185)
cymbifolium **S** : 71, 185
— compactum **S** : 72, 185
— fuscescens **S** : 72, 185
— glaucescens **S** : 71, 185
— laeve (**S** : 71)
— pallescens **S** : 71, 185
— vulgare (**S** : 72)
Godmanii **S** : 72, 184
intermedium (**S** : 72)
nitidulum **S** : 72, 184
rigidum **S** : 72, 185
squarrosum **S** : 72, 185
subnitens **S** : 72, 184
Spesia Lamberti **6** : 123, 126
Spigella Anthelmia **4** : 106, 168
Spilanthes repens **5** : 146
uliginosa **4** : 100
urens **4** : 100
Spiraea Filipendula **S** : 110
salicifolia **5** : 134
tomentosa **5** : 134
Spirodela polyrrhiza **7** : 106. **9** : 23-4,
27, 42, pl. 1
punctata **9** : 28, 42. *pl. 1*
Spirogyna **5** : 73, 75. **S** : 194
longata **S** : 194
princeps **S** : 194
Spondias lutea (**4** : 73)
Mobin **4** : 73
Myrobalanus **4** : 73
purpurea (**4** : 73)
Sponia Lamarckiana (**4** : 129)
Sporobolus airoides **6** : 121-3, 134
asperifolius **6** : 116
ciliatus **10** : 53, 58. *pl. 30*
Domingensis **4** : 147, 170
humilis **10** : 53, 58. *pl. 30*
Indicus **4** : 147, 170
Jacquemontii **4** : 147, 170
minor **5** : 153
repens **10** : 53, 58. *pl. 30*
vaginaeflorus **5** : 153
Virginicus **4** : 147, 170
Sporomega **S** : 209
Stachys arvensis **4** : 119. **S** : 142
Stachytarpheta Cayennensis (**4** : 117)
Jamalcensis (**4** : 117) **9** : 120
Staphylea trifolia **5** : 134
Statice Limonium **S** : 130, 206
serotina (**S** : 130)
Staurastrum striolatum **S** : 195
tetraceratum **S** : 195
Steironema lancolatum **5** : 181
radicans **5** : 146
Stellaria longifolia **5** : 140
media (**4** : 60) **S** : 98
Stemodia durantifolia **4** : 113, 168
maritima **4** : 113, 168
Stenandrium dulce **6** : 114, 119. *pl. 51*
Stenostomum densiflorum (**4** : 93)
Stenotaphrum Americanum **4** : 143, 170
Stereocaulon paschale **S** : 200
ramulosum **9** : 114
sphaerophoroides **S** : 200
Stereodon Canariense (**S** : 70, 178)
cupressiforme (**S** : 178)
Sticta aurata **S** : 203. **9** : 113
Damaecornis **S** : 203. **9** : 118
— Canariensis **S** : 203
— Weigellii (**9** : 113)
fuliginosa **9** : 113
herbacea **S** : 203
pulmonacea (**S** : 204)
pulmonaria **S** : 204
querizans (**9** : 113)
scrobiculata **S** : 204
sylvatica **9** : 113
Weigellii **9** : 113
Stigaeclonium **S** : 197
Stigmaphyllon emarginatum **4** : 67
Stipulicida filiformis **9** : 152
setacea **9** : 152
Streptachne Floridana (**4** : 147)
pilosa (**10** : 53)
scabra (**10** : 53)
Streptopus amplexifolius **5** : 131
rosens **5** : 131
Stromatocactus Kotschoubey (**9** : 129)
Struchium Sparganophorum **4** : 96.
9 : 117
Strumpfia maritima **4** : 94, 167
Stylosanthes hamata **4** : 75, 166
procumbens (**4** : 75)
Stylocaulon scoparium **S** : 193
Styrax Americana **5** : 146
Suriana maritima **4** : 69, 165
Swartzia multijugata (**4** : 80)
Swietenia Mahagoni **4** : 70, 165
Symporicarpus occidentalis **6** : 128
Symporicarpus **6** : 128
Symplocarpus foetidus **5** : 131
Sympyrum **9** : 150
asperrum **S** : 134
Synadrella nodiflora (**4** : 100)
Synedra radians **S** : 194
ulna **S** : 194
Syngonium auritum **4** : 139
Syntherisma attenuatum **10** : 48. *pl. 8*

Syntherisma
 filiforme 10:49
 fimbriatum (10:46)
 fuscescens 10:49. *pl. 10*
 fuscum 10:49. *pl. 11*
 molle 10:50
 pubescens 10:50. *pl. 10*
 serotinum 10:50
 setosum 10:48. *pl. 22*

Syringa vulgaris 5:134-5

Tabebuia Leucoxylon 4:115, 168
 pentaphylla 4:115

Tabellaria fenestrata 8:194

Tabernaemontana citrifolia 4:106

Talinum paniculatum 4:61
 patens (4:61)
 triangulare 4:61

Tamarindus Indica 4:81

Taraxacum Dens-Leonis (S:127)
 officinale S:127, 207

Taxodium distichum 5:135, 150. 6:65

Taxus baccata 8:169

Tecoma Capensis 4:115
 pentaphylla (4:115)
 stans 4:115, 168

Telanthera polygonoides 4:121

Telmatophace gibba (9:29)

Tephrosia cinerea (4:75)
 grandiflora (4:75)

Teramnus uncinatus 4:77, 166
 volubilis 4:77

Terebinthus Brownii (4:69)

Terminalia Catappa (4:85)
 Chebula 5:68

Tetraedron tetragonum 8:196

Tetraspora 8:196

Tetrazygia bicolor 4:87, 166
 hispida 4:87

Teucrium Cubense 4:120, 169
 inflatum 4:120
 occidentale 6:182

Thalassia testudinum 4:131

Thallictrum diolcum 5:131
 polygamum 5:131

Thamnna Swartzii 4:59

Thamnium alopecurum 8:69, 75, 178

Thapsia decipiens 8:117

Thaspium aureum 5:131

Theloschistes flavicans 8:203
 parietina 8:203
 — cinerascens 8:203
 — ectanca 8:203

Thelotrema 9:114

Theobroma Cacao 4:66

Thespesia populnea 4:64, 165

Thouinia discolor (4:72)

Thrinax argentea 4:138, 170
 parviflora 4:138, 170

Thrinacia hirta (S:127)
 hispida (S:127)
 nudicaulis (S:127)
 saxatilis S:127

Thridium tamariscinum S:67, 179

Thunbergia alata 4:115, 166
 fragrans 4:115

Thuya 5:80
 occidentalis 5:72

Thyana discolor 4:72, 166

Thymus angustifolius (S:140)
 Azoricus (S:140)
 caespititius (S:140)
 caespitosus S:140
 Micans (S:140)
 Serpyllum angustifolius S:140

Thysanachne Peruviana (10:53, 55.
 pl. 6)
 scoparia (10:53, 55. *pl. 7*)

Tilia 6:83
 Americana 5:134-5
 argentea 5:134
 heterophylla 5:134
 ulmifolia 5:134
 vulgaris 5:134-5

Tiliae muscosa S:111

Tillandsia Balbisiana 4:135, 169
 Bartramii (5:163)
 bracteata (4:135)
 bulbosa 4:135, 169
 caespitosa 4:135
 complanata 4:135
 fasciculata 4:135, 169
 flexuosa 4:135, 169
 — pallida (5:163)
 lingulata (5:163)
 Nuttallii (5:163)
 recurvata 4:135, 169
 setacea 4:135
 utriculata 4:135, 169. 5:162. *pl. 31*
 vitellina (4:135)

Tilletia decipiens S:208

Tinus occidentalis (4:103)

Tissa 8:39

Tobinia emarginata (4:68)

Tolpis barbata 8:125
 crinita (S:126)
 fruticosa 8:125, 213. *pl. 34-6*
 macrorhiza (S:125)
 nobilis 8:125, 213. *pl. 34*
 — petiolaris 8:125, 213. *pl. 33*
 succulenta (S:125)
 umbellata 8:126

Tolypothrix 8:198

Torilis Helvetica (S:117)

Torilis
infesta (S : 117)
tenuifolia (S : 117)
Tormentilla officinalis (S : 110)
reptans (S : 111)
Tortula acuminata (S : 58)
atrovirens (S : 58)
brevipila (S : 182)
cirrhifolia (S : 73)
flavo-virens (S : 183)
Tournefortia bicolor laevigata 4 : 108
cymosa 4 : 108
ferruginea 4 : 108
gnaphalodes 4 : 108, 168
hirsutissima 4 : 108
laevigata (4 : 108)
poliochros 4 : 108, 168
vulnifolia 4 : 108, 168
Trachelium caeruleum S : 82, 128
Tradescantia discolor (4 : 137)
multiflora 4 : 137. S : 153
Tragia volubilis 4 : 129
Trametes fimbriosa 9 : 115
Pini 9 : 115
Trema Lima 4 : 129, 169
Trentepohlia abietina S : 197
aurea S : 197
Triacis diffusa (4 : 88)
Tribulus cistoides 4 : 67, 165
maximus 4 : 67, 165
Trichilla Hayancensis 4 : 69
spondiooides 4 : 70
Trichodium album (10 : 54, 58. *pl. 34*)
nanum (10 : 54, 58. *pl. 34*)
Tricholaena insularis (4 : 144)
Trichomanes Canariense (S : 170)
fuscodes (4 : 152)
Hibernicum (S : 170)
polyanthos (4 : 152)
speciosum S : 170
Trichonema Columnae (S : 152)
Trichostema dichotomum 5 : 148
Trichostomum Azoricum S : 53, 58, 183.
pl. 5
canescens (S : 182)
cirrhifolium S : 73
crispulum S : 58
flavovirens S : 57, 183
incurvatum S : 53, 57, 183. *pl. 4*
mutable S : 57, 183
pallidiscutum S : 58
polyphyllum (S : 182)
rigidifolium S : 182
triumphans S : 58
Trifolium agrarum (S : 106)
angustifolium S : 105
arvense S : 105
Trifolium
campestre (S : 106)
cernuum S : 106
filliforme 4 : 74 (S : 107)
glomeratum S : 106, 209
incarnatum S : 105
lappaceum S : 106
Ligusticum S : 105, 209
maritimum S : 105
minus S : 107
procumbens S : 106
rariiflorum (S : 105)
reflexum 6 : 125
repens 4 : 74. S : 106, 209
resupinatum S : 106
scabrum S : 105
striatum S : 105
subterraneum S : 106
suffocatum S : 106
Trigonanthus bicuspis (S : 186)
Trigonella ornithopodioides S : 155
Trillium cernuum 5 : 131
erectum 5 : 131
erythrocarpum 5 : 131
grandiflorum 5 : 131
recurvatum 5 : 131
rivale 5 : 131
stylosum 5 : 131
Triodia decumbens S : 165
purpurea 5 : 153
Triopterus Jamaicensis 4 : 67, 165
Trilesteum perfoliatum 5 : 131
Triphasia trifoliata 4 : 68
Tripsacum dactyloides 5 : 131
monostachyum 4 : 146
Trisetum subspicatum 10 : 39. *pl. 38*
Tristachya lelostachya 10 : 45. *pl. 39*
Triticum ciliatum (S : 163)
repens (S : 169)
Triumfetta althaeoides 4 : 66, 165
Lappula 4 : 66
semitriloba 4 : 66
Trixis frutescens 4 : 102
Trypetelium cruentum 9 : 115
Eleuteria 9 : 115
mastoideum 9 : 115
Sprengelli (9 : 115)
Tsuga Canadensis 5 : 64
Tupa assurgens (4 : 103)
ensifolia (4 : 103)
Martagon (4 : 103)
Turnera diffusa 4 : 88, 166
microphylla (4 : 88)
ulmifolia 4 : 89, 166. 9 : 119
Tussilago nutans (4 : 102)
Typha angustifolia Domingensis (4 : 138)
Domingensis 4 : 138

Ucacou nodiflorum 4 : 100, 167
Ulex Europaeus 8 : 104
 nanus 8 : 103
Ulmus 6 : 82-3
 Americana 5 : 134
 campestris 5 : 134. 8 : 149
Ulothrix 8 : 197
Ulva compressa (8 : 197)
 — prolifera (8 : 197)
 intestinalis (8 : 197)
 — Subrii 8 : 198
 Lactuca 8 : 198
 Linna 8 : 198
 ramulosa 8 : 198
 rigida 8 : 198
Umbilicus horizontalis (8 : 112)
 pendulinus (8 : 112)
Uncinula Jamaicensis 4 : 142
Untula paniculata 4 : 150, 170
 spicata (4 : 150)
Urena Americana (4 : 63)
 lobata Americana 4 : 63
 sinuata 4 : 63
 Typhalea (4 : 63)
Urginea Scilla 8 : 152
Urochloa (10 : 37)
 panicoides 10 : 54
 paspaloides 10 : 54, 56. *pl. 14*
 unisetia (10 : 54)
Urococcus Fossileanus 8 : 196
 Hookerianus 8 : 196
Uromyces Euphorbiac 9 : 116
 Geranii 8 : 206
 Limonii 8 : 206
 striatus 8 : 207
Urospermum picroides 8 : 128
Urtica aestivus (4 : 130)
 Azorica (8 : 149)
 ciliaris (4 : 130)
 cylindrica (4 : 131)
 diffusa (4 : 130)
 lappulacea (4 : 131)
 Lowel (8 : 150)
 membranacea 8 : 149
 morifolia (8 : 150)
 parietaria (4 : 131)
 repens (4 : 131)
 rupestris (8 : 150)
 urens (8 : 150)
Usnea barbata 8 : 202. 9 : 112
 ceratina scabrosa 8 : 202
 florida 8 : 202
 hirta 8 : 202
 plicata 8 : 202
Ustilago Reiliiana 8 : 208
Uvularia grandiflora 5 : 131
 perfoliata 5 : 131

Vaccinium cylindraceum 8 : 129, 213.
 pl. 40
 longiflorum (8 : 129)
 Maderense (8 : 129)
 padifolium (8 : 129)
 uliginosum 5 : 134
Valantia hypocarpa (4 : 96)
Valeriana angustifolia (8 : 119)
Valerianella dentata 8 : 119
Vancouveria hexandra 5 : 131
Varronia cylindrostachya (4 : 107)
 globosa 4 : 107)
 lineata (4 : 107)
Veratrum Californicum 5 : 131
Verbascum Blattaria 8 : 136
 Lychnitis 8 : 136
 spurium 8 : 136
 Thapsos X Lychnitis (8 : 136)
 Thapsus 8 : 136
 virgatum 8 : 135
Verbenia Bonariensis 4 : 117. 8 : 139
 Jamalensis (4 : 117)
 lappulacea (4 : 117)
 nodiflora (4 : 117)
 officinalis 8 : 139
 prismatica (4 : 117)
 urticifolia 4 : 117
Verbesina alba (4 : 99)
 encepoides 4 : 100, 167
 gigantea 4 : 100
 helfanthoides 5 : 131
 nodiflora (4 : 100)
 Virginica 5 : 146
Vernonia acuminata 4 : 96
 arborescens 4 : 96
 — divaricata 4 : 96
 Bahamensis 4 : 96, 167
 cinerea 4 : 96
 Drummondii 5 : 146
Veronica agrestis 8 : 138
 Anagallis 8 : 137
 arvensis 8 : 138
 Buxbaumii (8 : 138)
 Dabneyi 8 : 137
 officinalis 8 : 138
 Persica (8 : 138)
 serpyllifolia 4 : 114. 8 : 138
 Tournefortii 8 : 138
 Virginica 5 : 131
Viburnum acerifolium 5 : 134
 dentatum 5 : 134
 lantanoides 5 : 134
 Lentago 5 : 134
 opulifolium 5 : 134
 Opulus 5 : 63, 135
 pauciflorum 5 : 134
 rigidum 8 : 118

Viburnum
Tinus (S : 118)
 — *lucidum* (S : 118)
 — *subcordatum* S : 118, 208, 213. *pl. 28*
Victa albicans (S : 108)
angustifolia S : 109
atropurpurea S : 108
Bithynica S : 109
Dennesiana S : 108
Durneriana (S : 108)
Faba S : 138
gracilis S : 108
hirsuta S : 108
monanthos S : 109
sativa S : 109
Victoria regia 6 : 13. *7 : 13*
Vidalia Azorica (S : 120)
Vigna luteola 4 : 78
Vilfa Domingensis (4 : 147)
 — *repens* (10 : 53)
saccatilla 10 : 53
utilis (10 : 53)
Vinca difformis S : 131
major (S : 131)
media (S : 131)
rosea 4 : 105
Vincetoxicum palustre 4 : 106, 168
Viola blanda 5 : 131
Canadensis 5 : 131
obliqua 6 : 124
odorata 8 : 96
palmata 6 : 124
palustris 8 : 96
pedata 5 : 131
 — *bicolor* 5 : 131
pedatifida 6 : 124
pubescens 5 : 132
rostrata 5 : 132
rotundifolia 5 : 132
strigata 5 : 132
tricolor 8 : 96
Viscum Berterianum (4 : 125)
cupressoides (4 : 125)
opuntioides (4 : 125)
rubrum (4 : 125)
Vitis Caribaea 4 : 71
heptaphylla (4 : 91)
labrusca S : 80
rotundifolia 4 : 71, 165, 171
vinifera S : 80
vulpina S : 208
Vitaria lineata 4 : 157
Volkameria aculeata (4 : 118)
Vonacapoua Americana 4 : 79
Vriesia ramosa (5 : 163)
Vulpia membranacea (S : 167)
Myuros (S : 167. 10 : 54)
sciurooides (S : 167)

Wahlenbergia Erinus (S : 129)
Waltheria Americana 4 : 66, 165
Webera Tozeri S : 63, 181
Wedelia buphtalmoides 4 : 99, 167
 — *carnosa* (4 : 99)
 — *trilobata* 4 : 99
Weigelia rosea 5 : 135
Weinmannia pinnata (4 : 84)
Welsia controversa (S : 184)
 — *viridula* S : 54, 73, 184
Weissia (S : 184)
 — *calcarata* (S : 184)
Windmannia pinnata 4 : 84
Winterana Canella (4 : 59)
Winterania Canella (4 : 59)
Wissadula divergens 4 : 63
periploefolia 4 : 63
Wolffia Brasiliensis 7 : 106. 9 : (41) 42.
pl. 4
Columbiana 9 : 41-2. *pl. 4*
Floridana (9 : 37)
gladiata abbreviata (7 : 103)
 — *Floridana* 7 : 102, 106, 111. *pl. 64.*
 (9 : 37)
Lingulata 7 : 106, 111. *pl. 65-6.* (9 : 39)
 — *minor* (9 : 38)
oblonga (9 : 38)
papulifera 9 : 40, 42. *pl. 4*
punctata 9 : 40, 42. *pl. 4*
Wolfiella Floridana 9 : 37, 42. *pl. 4*
lingulata 9 : 39, 42. *pl. 4*
oblonga 9 : 38, 42. *pl. 4*
Woodwardia radicans S : 171

Xanthium spinosum S : 121
Strumarium 4 : 99, 167, 171. S : 121
Ximenesia encelioides (4 : 100)
Xylon pentandrum 4 : 65
Xylophylla angustifolia 4 : 127
 — *latifolia* (4 : 127)
Xylosma buxifolium (4 : 60)
 — *panciflorum* (4 : 60)
Xystidium barbatum (10 : 55)

Yucca aloifolia 3 : 116-8, 121, 128, 154,
 162, 164-5. *pl. 7, 44.* 4 : 182, 184-5,
 199, 200, 224-5. *pl. 18.* 5 : 166,
 6 : 91-112. *pl. 45-7*
angustifolia 3 : 116-7, 119, 121, 124,
 128, 130, 154, 159, 163-5. *pl. 8, 34,*
51 (4 : 205)
 — *elata* (3 : 163)
 — *mollis* (4 : 206)
 — *radiosa* (3 : 163)
 — *rigida* 3 : 165. *pl. 51*
arborescens (3 : 163. 6 : 107. 9 : 145)
australis (3 : 162) 4 : 190, 225. *pl. 3-5*
 6 : 105 (9 : 144)


Yucca

baccata **3** : 151, 162, 164-5. *pl. 2, 48*.
4 : 182, 184-5, 192, 195, 218, 222, 226.
pl. 20. **5** : 166. **6** : 92, 105-7, 110.
7 : 59 (9 : 144)
— *australis* (**3** : 162 **4** : 191)
brevifolia **3** : 117, 121-2, 142-4, 153,
163-5. *pl. 5, 40.* **4** : 181, 183, 188, 193,
217, 222, 224-6. *pl. 6-9, 21.* **6** : 105
(107) 108-9, 112. (9 : 145)
circinata **4** : 191
constricta **9** : 146. *pl. 43*
Desmetiana **3** : 163
draconis *arboreascens* (**3** : 163)
elata **3** : 163-4. *pl. 9.* **4** : 185, 192, 201,
207-8, 225-6. *pl. 10, 15, 22.* **6** : 105.
(9 : 146)
filamentosa **3** : 104, 111, 115-8, 121,
123, 127-8, 155-6, 159, 163, 165-6. *pl.*
10, 35, 37-8, 52-9. **4** : 181-3, 187,
190, 195, 199, 201-2, 205-8, 212, 225-6.
pl. 11, 15, 22. **5** : 137. **6** : 109, 110,
112. **9** : 144
— *bracteata* **3** : 116
— *laevigata* **3** : 116
filifera **3** : 121, 161-2, 164. *pl. 3, 4.*
4 : 182, 191, 193. **9** : 145
gigantea **9** : 141, 146. *pl. 40-42*
glanca **4** : 181, 186, 188-9, 202, 205, 218.
6 : 7, 109, 112, 122-3, 133
— *stricta* **4** : 201, 206, 226. *pl. 22*
gloriosa **3** : 116, 128, 163-5. *pl. 6, 7, 50.*
4 : 184, 199, 210, 224. **6** : 108
graminifolia (**4** : 213)
Guatemalensis **3** : 162. **4** : 184, 200,
210, 225-6. *pl. 1, 2, 19.* **5** : 165. **6** : 92,
105, 107, 110
Hanburyi **3** : 161, 163
macrocarpa **3** : 163, 165. *pl. 46.*
(**4** : 185). **6** : 105, 110. **9** : 144
Mohavensis **9** : 144


Yucca

Peacockii **3** : 162
periculosa **4** : 191
radiosa (**3** : 163)
recurvifolia (**4** : 199)
rupicola **3** : 122, 128, 163, 165. *pl. 51.*
4 : 182, 201-2
Schottii **3** : 162. **4** : 185, 192, 225. *pl.*
3. **6** : 105
Treculeana **3** : 122, 162, 164-5. *pl. 1,*
47. **4** : 182, 185, 187, 191, 225. *pl.*
18. **9** : 144-5
valida **3** : 161-2. **4** : 192. **5** : 166.
6 : 92, 107, 110
Whipplei **3** : 121, 126, 139, 147, 149,
150, 164-6. *pl. 11, 12, 54.* **4** : 181,
188 (208) 218, 225
Yucatana **3** : 162, 165. *pl. 45.* **4** : 184

Zanthoxylum Caribaeum **4** : 68
emarginatum **4** : 68, 165
Fagara **4** : 68, 165
Pterorata (**4** : 68)
Zauschneria **2** : 71
Zea Mays **8** : 207-8
Zebrina pendula **8** : 153
Zephyranthes longifolia **6** : 119. *pl. 52*
pulchella **6** : 114, 119. *pl. 52*
Texana **6** : 119. *pl. 52*
Zeugites Americana **4** : 150
Zizia aurea **5** : 132
cordata **5** : 132
Zonaria **8** : 189
dichotoma (**8** : 193)
— *intricata* (**8** : 193)
flava **8** : 193
Pavonia (**8** : 193)
Zygodon curvipes (**8** : 73)







46762
University of Toronto
Library

DO NOT
REMOVE
THE
CARD
FROM
THIS
POCKET

Acme Library Card Pocket
Under Pat. "Ref. Index File"
Made by LIBRARY BUREAU

Author *Massachusetts Botanical Society*
Title *Botanical Circular* 1899 Vol. 10

